## PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

# Procurement of GOODS

Government of the Republic of the Philippines

### SUPPLY AND DELIVERY OF FABRICATION EQUIPMENT AND LABORATORY TEST INSTRUMENTS

(PHilMech-Goods-23-03-01)

Schedule of Activities:

**Pre-Bidding Conference:** 

May 23, 2023; 1:30PM Auditorium, PHilMech Main Office Science City of Muñoz, Nueva Ecija

Submission & Opening of Bids: June 6, 2023; 1:30PM

> Auditorium, PHilMech Main Office Science City of Muñoz, Nueva Ecija

> > Sixth Edition July 2020

#### **Preface**

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

## **Table of Contents**

Gloss	ary of Acronyms, Terms, and Abbreviations	4
Sectio	n I. Invitation to Bid	7
Sectio	n II. Instructions to Bidders	8
1.	Scope of Bid	12
2.	Funding Information	12
3.	Bidding Requirements	12
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	12
5.	Eligible Bidders	12
6.	Origin of Goods	13
7.	Subcontracts	13
8.	Pre-Bid Conference	14
9.	Clarification and Amendment of Bidding Documents	14
10.	Documents comprising the Bid: Eligibility and Technical Components	14
11.	Documents comprising the Bid: Financial Component	14
12.	Bid Prices	15
13.	Bid and Payment Currencies	15
14.	Bid Security	16
15.	Sealing and Marking of Bids	16
16.	Deadline for Submission of Bids	16
17.	Opening and Preliminary Examination of Bids	16
18.	Domestic Preference	17
19.	Detailed Evaluation and Comparison of Bids	17
20.	Post-Qualification	17
21.	Signing of the Contract	18
Sectio	n III. Bid Data Sheet	19
Sectio	n IV. General Conditions of Contract	22
1.	Scope of Contract	23
2.	Advance Payment and Terms of Payment	23
3.	Performance Security	23
4.	Inspection and Tests	23
5.	Warranty	24
6.	Liability of the Supplier	24
Sectio	n V. Special Conditions of Contract	25
	n VI. Schedule of Requirements	
	n VII. Technical Specifications	
	n VIII. Checklist of Technical and Financial Documents	

# Glossary of Acronyms, Terms, and Abbreviations

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means "delivered duty paid."

**DTI** – Department of Trade and Industry.

 $\mathbf{EXW} - \mathbf{Ex}$  works.

**FCA** – "Free Carrier" shipping point.

**FOB** – "Free on Board" shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

Goods — Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC - Net Financial Contracting Capacity.

**NGA** – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

# Section I. Invitation to Bid



Republic of the Philippines

Department of Agriculture

Philippine Center for Postharvest Development and Mechanization

Science City of Muñoz, Nueva Ecija, Philippines

www.philmech.gov.ph





ISO 9001:2015, ISO 14001:2015, OHSAS 18001:2007 CERTIFIED

#### INVITATION TO BID

# SUPPLY AND DELIVERY OF FABRICATION EQUIPMENT AND LABORATORY TEST INSTRUMENTS (PHilMech-Goods-23-03-01)

1. The Philippine Center for Postharvest Development and Mechanization (PHilMech) through its FY 2023 Trust Fund intends to apply the below-specified amounts, being the Approved Budget for the Contract (ABC) for each lot, as indicated herein to payments under the contract for the SUPPLY AND DELIVERY OF FABRICATION EQUIPMENT AND LABORATORY TEST INSTRUMENTS. Bids received in excess of the ABC of each Lot shall be automatically rejected during Bid opening.

LOT Number	UNIT	QTY	PARTICULARS	ABC (PhP)	COST OF BIDDING DOCUMENTS (PhP)
1	pc	1	CNC MILLING	6,698,214.29	7,000.00
2	unit	1	CNC PLASMA CUTTER	3,210,714.29	3,000.00
3	pc	1	NC PRESS BRAKE	3,432,142.86	3,000.00
	pc	1	HORIZONTAL BANDSAW		
4	pc	3	MIG WELDING	907,857.13	1,000.00
	pc	1	BELT GRINDER		
5	pc	1	NC PROFILE BENDER MACHINE / ROLLER BENDER	3,653,571.43	4,000.00
	pc	1	NC PLATE ROLLER BENDER		
6	pc	2	MECHANICAL CONVECTION OVEN	347,642.86	300.00
-	Pc	1	FUNCTION GENERATOR	277 220 29	200.00
7	Pc	1	PULSE GENERATOR	277,339.28	200.00
0	Unit	2	SOLDERING STATION	242 571 42	200.00
8	unit	2	HOT AIR STATION	243,571.42	200.00
	pc	1	DIGITAL LCR METER		
	pc	1	DIGITAL ANEMOMETER		
	pc	1	DIGITAL POWER METER		
	pc	2	DIGITAL TEMPERATURE METER		
9	pc	2	DIGITAL MULTIMETER	1 202 000 00	1.300.00
9	pc	2	DIGITAL PRESSURE METER	1,302,000.00	1,300.00
	pc	2	DIGITAL SOUND LEVEL METER		
	pc	1	DIGITAL COLOR METER		
	рс	2	DIGITAL RELATIVE HUMIDITY METER		
	pc	2	DIGITAL TACHOMETER		

ALL LOTS			24,767,228.56	24,500.00	
13	set	1	HEAT TREATMENT FURNACE	1,439,285.71	1,500.00
12	set	1	HOIST CRANE (SINGLE GIRDER OVERHEAD CRANE)	1,023,996.43	1,000.00
11	set	1	AIR COMPRESSOR SYSTEM	846,964.29	500.00
10	unit	1	PRINTED CIRCUIT BOARD (PCB) MILLING MACHINE	1,383,928.57	1,500.00

- 2. The PHilMech now invites bids from eligible bidders for the SUPPLY AND DELIVERY OF FABRICATION EQUIPMENT AND LABORATORY TEST INSTRUMENTS. Delivery of the GOODS is required within Ninety (90) calendar days for Lots 6, 7, 8 and 9 and One Hundred Fifty (150) calendar days for the other lots from receipt of the Notice to Proceed. Bidders should have completed within ten (10) years from the date of submission and receipt of bids a contract similar to the project. For this purpose, similar contract shall refer to the Supply and Delivery of Fabrication Equipment and/or Test Instruments.
- 3. Bidding will be conducted through open competitive bidding procedures using non-discretionary pass/fail criteria as specified in the Implementing Rules and Regulations Part A (IRR-A) of Republic Act 9184 (R.A. 9184), otherwise known as the "Government Procurement Reform Act".

Bidding is restricted to Filipino Citizens/sole proprietorships, cooperatives and partnerships and organizations with at least (60%) interest of Capital stock belonging to citizens of the Philippines and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.

- 4. Interested Bidders may obtain further information from the **Philippine Center for Postharvest Development** and Mechanization and inspect the Bidding Documents at the address given below from 8:00 am to 5:00 pm.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders during office hours from May 16 to June 6, 2023 from the address below upon payment of the applicable fee for the Bidding Documents as specified for each lot above.

Bidders may also opt to deposit in cash the applicable fee to the PHilMech's Official Bank Account: Landbank of the Philippines (LBP) Account Name: PHILMECH TRUST FUND; Account No. 2962-1023-63 and by presenting or sending the proof of payment e.g. bank deposit slips to the address written below or email to philmech\_bac@yahoo.com.ph.

The Bidding Documents may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity provided that Bidders shall pay the applicable fee for the Bidding Documents before the submission of their Bids..

6. The **PHilMech** will hold a Pre-Bid Conference on **May 23, 2023; 1:30PM** at the **Auditorium, PHilMech Main Office, Science City of Muñoz, Nueva Ecija,** which shall be open to prospective bidders.

Interested bidders may opt to attend via video conferencing and pre-register on the email address provided below to signify their intention to participate. A Personal Meeting ID shall be provided to the authorized representative upon registration

- 7. Bids must be duly received by the BAC Secretariat through manual submission at the address indicated below on or before 1:30PM of June 6, 2023. Late Bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 9. Bid opening shall be on **June 6, 2023; 1:30PM** at the address given below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

- 10. The **PHilMech** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 35.6 and Section 41 of RA9184 and its IRR and GPPB Resolution No. 09-2020 without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please **contact**:

The BAC Secretariat,
PHilMech Administrative Division-Procurement Management Section
CLSU Compound, Science City of Muñoz, Nueva Ecija

Contact No. 0917 301 8242 E-mail: philmech\_bac@yahoo.com.ph

12. Interested bidders may also visit the following websites:

For downloading of Bidding Documents: www.philmech.gov.ph
https://old.philmech.gov.ph/?page=bidding

RONALDO SEBASTIAN R. REYES

**BAC Chairperson** 

#### NOTICE/ANNOUNCEMENT

PHILMECH DOES NOT CONDONE ANY FORM OF SOLICITATION FROM ANY PROSPECTIVE BIDDER BY ANY OF ITS STAFF/EMPLOYEE OR BY ANY OTHER PARTY. ANY ACTIVITY OF THIS NATURE MAY BE IMMEDIATELY REPORTED TO THE OFFICE OF THE DIRECTOR OR TO ANY APPROPRIATE LAW ENFORCEMENT AGENCY FOR ENTRAPMENT AND/OR INVESTIGATION.

## Section II. Instructions to Bidders

#### 1. Scope of Bid

The Procuring Entity, *Philippine Center for Postharvest Development and Mechanization (PHilmech)* wishes to receive Bids for the *SUPPLY AND DELIVERY OF FABRICATION EQUIPMENT AND LABORATORY TEST INSTRUMENTS*, with identification number (*PHilmech-Goods-23-03-01*).

The Procurement Project SUPPLY AND DELIVERY OF FABRICATION EQUIPMENT AND LABORATORY TEST INSTRUMENTS is composed of Thirteen (13) lots, the details of which are described in Section VII (Technical Specifications).

#### 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for *FY 2023* in the amount of **PhP 24,767,228.56**
- 2.2. The source of funding is NGA, the General Appropriations Act or Special Appropriations.

#### 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2.
- a. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
  - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
  - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
  - iii. When the Goods sought to be procured are not available from local suppliers; or
  - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
  - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

#### 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

#### 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that Subcontracting is not allowed.

7.2. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible

for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address as indicated in paragraph 6 of the **IB**.

#### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

#### 10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *ten 10 years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

#### 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.

11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.
  - b. For Goods offered from abroad:
    - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
    - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

#### 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
  - a. Philippine Pesos.

#### 14. Bid Security

- The Bidder shall submit a Bid Securing Declaration or any form of Bid 14.1. Security in the amount indicated in the BDS, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until October 3, 2023 or one hundred twenty (120) calendar days after the opening of bids in the event of a change in the date of the opening of bids. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as nonresponsive.

#### 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

#### 16. Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the IB.

#### 17. Opening and Preliminary Examination of Bids

The BAC shall open the Bids in public at the time, on the date, and at the place 17.1. specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

The preliminary examination of bids shall be governed by Section 30 of the 17.2. 2016 revised IRR of RA No. 9184.

<sup>&</sup>lt;sup>1</sup> In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

#### 18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

#### 19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
  - a. For multi-year Framework Agreement, the determination of the eligibility and the compliance of bidders with the technical and financial aspects of the projects shall be initially made by the BAC, in accordance with Item 7.4.2 of the Guidelines on the Use of Framework Agreement.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

#### 20. Post-Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and

paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

#### 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

# Section III. Bid Data Sheet

# **Bid Data Sheet**

ITB Clause						
5.3	For this purpo	ose, a contract similar to the project	t shall be:			
	<ul> <li>a. Supply and Delivery of Fabrication Equipment and/or T Instruments.</li> <li>b. Completed, within the last 10 years prior to the deadline for submission and receipt of bids.</li> </ul>					
	Bidders shall	include in their bids:				
	1. A photocop	by of the Single Largest Completed	Contract or Purchase Order; and			
	2. The corres	ponding proof of completion, which	h could either be:			
	(i) Certifica	te of Final Acceptance from the bio	dder's client; or			
	(ii) Official Receipt of the bidder covering the full amount of the contract Failure to submit a copy of the Single Largest Completed Contract with proof of completion is a valid ground for disqualification of the bidder					
7.1	Subcontracting is not allowed.					
12						
14.1						
	LOT  1. Bid Security in cash, cashier's/manager' check, bank draft/guarantee or irrevocable  2. Bid Security in Surveyocable					
		letter of credit (2% of the ABC)	(5% of the ABC)			
	1	133,964.29	334,910.71			
	2	64,214.29	160,535.71			
	3	68,642.86	171,607.14			
	4	18,157.14	45,392.86			
	5	73,071.43	182,678.57			
	6	6,952.86	17,382.14			
	7	5,546.79	13,866.96			
	8	4,871.43	12,178.57			
	9	26,040.00 27,678.57	65,100.00 69,196.43			
	11	16,939.29	42,348.21			
	12	20,479.93	51,199.82			
	13	28,785.71	71,964.29			
	13	20,703.71	/1,704.47			

19.3	LOT Number	UNIT	QTY	PARTICULARS	ABC (PhP)
	1	рс	1	CNC MILLING	6,698,214.29
	2	unit	1	CNC PLASMA CUTTER	3,210,714.29
	3	рс	1	NC PRESS BRAKE	3,432,142.86
		pc	1	HORIZONTAL BANDSAW	3,432,142.00
	4	рс	3	MIG WELDING	907,857.13
	11	рс	1	BELT GRINDER	707,007.10
	5	pc	1	NC PROFILE BENDER MACHINE / ROLLER BENDER	3,653,571.43
		рс	1	NC PLATE ROLLER BENDER	
	6	pc	2	MECHANICAL CONVECTION OVEN	347,642.86
		Pc	1	FUNCTION GENERATOR	277 220 20
	7	Pc	1	PULSE GENERATOR	277,339.28
	8	Unit	2	SOLDERING STATION	243,571.42
	0	unit	2	HOT AIR STATION	243,371.42
		pc	1	DIGITAL LCR METER	
		pc	1	DIGITAL ANEMOMETER	
		pc	1	DIGITAL POWER METER	
		pc	2	DIGITAL TEMPERATURE METER	1
	9	рс	2	DIGITAL MULTIMETER	1,302,000.00
		рс	2	DIGITAL PRESSURE METER	1,302,000.00
		pc	2	DIGITAL SOUND LEVEL METER	
		рс	1	DIGITAL COLOR METER	
		рс	2	DIGITAL RELATIVE HUMIDITY METER	1
		pc	2	DIGITAL TACHOMETER	
	10	unit	1	PRINTED CIRCUIT BOARD (PCB) MILLING MACHINE	1,383,928.57
	11	set	1	AIR COMPRESSOR SYSTEM	846,964.29
	12	set	1	HOIST CRANE (SINGLE GIRDER OVERHEAD CRANE)	1,023,996.43
	13	set	1	HEAT TREATMENT FURNACE	1,439,285.71
19.4	Service o	f pertine he emai	ent noti l addre	ces related to this bidding through Elec ss provided by the bidder shall be tanta	tronic Mail mount to pr
	of actual service or		and sl	hall be deemed received by the bidder	on the date

# Section IV. General Conditions of Contract

#### 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).** 

#### 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

#### 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184

#### 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section VII (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

#### 5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

#### 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

# Section V. Special Conditions of Contract

**Special Conditions of Contract** 

GCC				
Clause				
1				
	Delivery and Documents –			
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:			
	"The delivery terms applicable to this Contract are delivered at <i>PHilMech Main Office</i> , <i>Science City of Munoz</i> , <i>Nueva Ecija</i> . Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods			
	at their final destination."			
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).			
	For purposes of this Clause the Procuring Entity's Representative at the Proje Site is Engr. Terence Marion Ancheta, Science Research Specialist I			
	Incidental Services –			
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:			
	a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;			
	b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;			
	c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;			
	d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and			
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.			

#### Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
  - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
- ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

#### Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity
Name of the Supplier
Contract Description
Final Destination
Gross weight
Any special lifting instructions
Any special handling instructions
Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

#### Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	The terms of payment shall be as follows:
	a) One Hundred percent (100%) of the Contract Price: upon full delivery, inspection and acceptance
4	All goods delivered under this contract shall be subject to the following test:
	1. Operational / Performance Test
	2. Technical inspection and acceptance
5.1	The Procuring Entity's address for notice is philmech_bac@yahoo.com.ph
	The Bidder's address for notice is the e-mail address indicated in the bidder's Omnibus Sworn Statement (OSS)
	Service of pertinent notices related to this bidding through Electronic Mail (email) to the email address provided by the bidder in the OSS shall be tantamount to proof of actual service and shall be deemed received by the bidder on the date of service or email.

# Section VI. Schedule of Requirements

# RE: SUPPLY AND DELIVERY OF FABRICATION EQUIPMENT AND LABORATORY TEST INSTRUMENTS (PHilMech-Goods-23-03-01)

Lot no/s. being bid:	Name and Signature of Authorized Representative:

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number (LOT No.)	UNIT	QTY	PARTICULARS	Delivered, Weeks/ Months
1	рс	1	CNC MILLING	150CD
2	unit	1	CNC PLASMA CUTTER	150CD
3	рс	1	NC PRESS BRAKE	150CD
	рс	1	HORIZONTAL BANDSAW	150CD
4	рс	3	MIG WELDING	
	рс	1	BELT GRINDER	
		1	NC PROFILE BENDER MACHINE /	150CD
5	pc	1	ROLLER BENDER	
	pc	1	NC PLATE ROLLER BENDER	
6	pc	2	MECHANICAL CONVECTION OVEN	90CD
7	Pc	1	FUNCTION GENERATOR	00CD
'	Pc	1	PULSE GENERATOR	90CD
8	Unit	2	SOLDERING STATION	90CD
o	unit	2	HOT AIR STATION	9000
	pc	1	DIGITAL LCR METER	
	pc	1	DIGITAL ANEMOMETER	
	pc	1	DIGITAL POWER METER	
	pc	2	DIGITAL TEMPERATURE METER	
9	pc	2	DIGITAL MULTIMETER	90CD
9	pc	2	DIGITAL PRESSURE METER	90CD
	pc	2	DIGITAL SOUND LEVEL METER	
	pc	1	DIGITAL COLOR METER	
	рс	2	DIGITAL RELATIVE HUMIDITY METER	
	pc	2	DIGITAL TACHOMETER	
10	unit	1	PRINTED CIRCUIT BOARD (PCB)	150CD
10	uiiit	1	MILLING MACHINE	13000
11	set	1	AIR COMPRESSOR SYSTEM	150CD

12	set	1	HOIST CRANE (SINGLE GIRDER OVERHEAD CRANE)	150CD
13	set	1	HEAT TREATMENT FURNACE	150CD

Signature over Printed Name of Bidder	Position/Designation
(Name, Address & Tel. No. of Company)	Date

# Section VII. Technical Specifications

# **Technical Specifications**

# RE: SUPPLY AND DELIVERY OF VARIOUS SOFTWARE AND I.T. EQUIPMENT (PHilMech-Goods-23-03-01)

Lot no/s. being bid:	Name and Signature of Authorized Representative:

			Statement of Compliance
Unit	Quantity	SPECIFICATION (LOT 1)	Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.
PC	1	CNC Milling	
		Accuracy: Positioning: 0.01 or lower Repeatability: 0.0005 mm or lower	
		Motor: Axis Motor Rating: 1.8kW minimum Coolant Pump Power: 1kW minimum	
		With accessories included:     (i.e., arm type ATC, coolant system, work lights, central lubrication system, signal light, spindle air blast, rear chip flush system,tools and tool box, leveling bolts and pads, operation manual and part list, chip conveyor)     With at least 1 gallon coolant     With normal level hydraulic oil included in the machine     With 1 set of startup Milling Tooling Package (see Annex A)	

With 1 set of startup Turning Tooling Package (see Annex	
B)	
With 1 set of startup Measuring Tooling Package (see	
Annex C)	
Other Requirements:	
Electrical Requirement: Power Voltage 220V; 60Hz; 3-	
phase; with additional UPS or anti-surge voltage regulator	
of atleast 200% of the machine rating	
Warranty: One (1) year free parts and service plus two (2)	
years additional free service extension including annual	
calibration with certificate and preventive maintenance	
within three (3) years	
Training: Free training of atleast 1 week on programming,	
machine operation and preventive maintenance	
Manual: Complete Operating Manual ENGLISH; Parts	
List Manual ENGLISH; Maintenance and Service Manual;	
Product Brochure ENGLISH (in both soft and hard copy)	
Service: Complete service and parts availability within	
Metro Manila or nearby provinces	
Acceptance: Free delivery, installation, orientation and test	
operation in PHilMech, Muñoz, Nueva Ecija. the winner	
bidder shall provide all materials related to machine,	
installation, startup lubricants, proper fluid level, cable	
ready for connection to electrical supply, provide hose for	
collecting condensate from water trap and labor needed in	
the installation, commissioning and test-running of the	
supplied machine where applicable.	
Safety: Complete safety warning label, machine guard,	
screen protector on moving parts if applicable.	

I hereby certify that the Statement of Compliance to the Foregoing Technical Specifications are true and correct, otherwise, if found false either during the bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Sign	nature over Printed Name of Bidder
	Position / Designation
Name	e, Address & Tel. No. of Company)

			Statement of Compliance
Unit	Quantity	SPECIFICATION (LOT 2)	Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.
1	unit	CNC Plasma Cutter	
		XY Working Area: 1,500 mm x 3,000 mm minimum Z working Area: 150 mm minimum Power Req.: 15kW minimum Reposition Precision: 0.02 mm or better Processing Precision: 0.1 mm or better Cutting type: plasma cutting 3-phase AC380V Cutting speed: 6000 mm/min or faster Effective cutting range: 1300 x 2500 mm minimum Torch Height control mode: Fully Automatic Plate Cutting Thickness: Min. of 12 mm thickness With Display Monitor With LAN and USB Interface With 1 complete set of Plasma cutting torch With dedicated software compatible with windows 10 or higher With atleast 2 complete set of additional consumable parts  Other Requirements:	
		Electrical Requirement: Power Voltage 220V; 60Hz; 3-	
		phase; with additional UPS or anti-surge voltage regulator of atleast 200% of the machine rating	
		Warranty: One (1) year free parts and service plus two (2) years additional free service extension including annual calibration with certificate and preventive maintenance within three (3) years	
		Training: Free training of atleast 1 week on programming, machine operation and preventive maintenance	

Manual: Complete Operating Manual ENGLISH; Parts List Manual ENGLISH; Maintenance and Service Manual; Product Brochure ENGLISH (in both soft and hard copy)	
Service: Complete service and parts availability within Metro Manila or nearby provinces	
Acceptance: Free delivery, installation, orientation and test operation in PHilMech, Muñoz, Nueva Ecija. the winner bidder shall provide all materials related to machine, installation, startup lubricants, proper fluid level, cable ready for connection to electrical supply, provide hose for collecting condensate from water trap and labor needed in the installation, commissioning and test-running of the supplied machine where applicable.	
Safety: Complete safety warning label, machine guard, screen protector on moving parts if applicable.	

Signature ov	ver Printed Name of Bidder
	Position / Designation
Name Addre	ss & Tel. No. of Company

			Statement of Compliance
Unit	Quantity	SPECIFICATION (LOT 3)	Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.
PC	1	NC Press Brake	
		Bending capacity:	
		For Stainless Steel: 5 mm minimum	
		For Mild Steel: 10mm minimum	
		Nominal pressure: 1,000 KN minimum	
		Workbench length: 2500mm minimum	
		Workbench width: 240mm minimum	
		Pole distance: 1,900mm minimum	
		Throat depth: 320mm minimum	
		Stroke: 150mm minimum	
		Maximum opening height: 600 mm	
		Maximum Back-gauge Range: 700 mm	
		Main motor power: 7.5kW minimum	
		With Quick Clamp	
		With Die Holder With pormal level Hydraulic Oil included in the machine	
		With Linear Guide   Rellscray	
		With Linear Guide+ Ballscrew With Standard Punch and Die	
		With Controler System (ie. panel, ,monitor, etc.)	
		With atleast 2 complete set of additional consumable	
		parts (i.e.hydraulic and oil filter)"	
		Other Requirements:	
		Electrical Requirement: Power Voltage 220V; 60Hz; 3-	
		Electrical Requirement: Power Voltage 220V; 60Hz; 3-	

years additional free service extension including annual	
calibration with certificate and preventive maintenance	
within three (3) years	
Training: Free training of atleast 1 week on programming,	
machine operation and preventive maintenance	
Manual: Complete Operating Manual ENGLISH; Parts	
List Manual ENGLISH; Maintenance and Service	
Manual; Product Brochure ENGLISH (in both soft and	
hard copy)	
Service: Complete service and parts availability within	
Metro Manila or nearby provinces	
Acceptance: Free delivery, installation, orientation and	
test operation in PHilMech, Muñoz, Nueva Ecija. the	
winner bidder shall provide all materials related to	
machine, installation, startup lubricants, proper fluid	
level, cable ready for connection to electrical supply,	
provide hose for collecting condensate from water trap	
and labor needed in the installation, commissioning and	
test-running of the supplied machine where applicable.	
Safety: Complete safety warning label, machine guard,	
screen protector on moving parts if applicable.	

Signature over	r Printed Name of Bidder
	Position / Designation
Name Address	& Tel. No. of Company)

			Statement of Compliance
			Statement of Compliance
Unit	Quantity	SPECIFICATION (LOT 4)	Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.
1	pc	Horizontal Bandsaw	
	•	Capacity @ 90 degree:	
		Circular: 180mm diameter minimum	
		Rectangular: 180 x 280 mm minimum	
		Capacity @ 45 degree:	
		Circular:110 mm diameter minimum	
		Rectangular: 180 x 110 mm minimum	
		Motor: 1 HP minimum	
		Blade Speed: 22-75 MPM	
		With 1 extra heavy duty blade size compatible with the	
		machine Other Requirements:	
		Electrical Requirement: Power Voltage 220V; 60Hz; 3-	
		phase; with additional UPS or anti-surge voltage regulator	
		of atleast 200% of the machine rating	
		Warranty: One (1) year free parts and service plus two (2)	
		years additional free service extension including annual	
		calibration with certificate and preventive maintenance	
		within three (3) years	
		Training: Free training of atleast 1 week on programming,	
		machine operation and preventive maintenance  Manual: Complete Operating Manual ENGLISH; Parts	
		List Manual ENGLISH; Maintenance and Service Manual;	
		Product Brochure ENGLISH (in both soft and hard copy)	
		Service: Complete service and parts availability within	
		Metro Manila or nearby provinces	
		Acceptance: Free delivery, installation, orientation and test	
		operation in PHilMech, Muñoz, Nueva Ecija. the winner	
	<u> </u>	bidder shall provide all materials related to machine,	

		installation, startup lubricants, proper fluid level, cable	
		ready for connection to electrical supply, provide hose for	
		collecting condensate from water trap and labor needed in the installation, commissioning and test-running of the	
		supplied machine where applicable.	
		Safety: Complete safety warning label, machine guard,	
		screen protector on moving parts if applicable.	
		screen protector on moving parts if applicable.	
3	рс	MIG Welding	
	PC	Amperage Range: 300A	
		Output Range Current/Voltage range: 25A/15V -	
		350A/31.5V minimum	
		Output Voltage Range: 10V minimum	
		Minimum duty cycle (60%): atleast 350A/31.5V	
		Power factor: 0.85 minimum	
		Wire diameter: 0.8 mm minimum	
		Power Rating: 15.1 kVA minimum	
		Open circuit voltage: 90V minimum	
		Wire Feed Speed range: 1.2 - 22 m/min	
		Accessories:	
		with 1 set 10 ft (3 m) Work Cable and Clamp	
		with 1 set 15 ft (4.6 m) 250A MIG Gun	
		with 1 set Argon Mix regulator/ Flow Gauge and Hose	
		with 1 Extra Contact Tips	
		with factory-installed running gear with single low	
		cylinder rack	
		Other Requirements:	
		Warranty: One (1) year free parts and service plus two (2)	
		years additional free service extension including annual	
		calibration with certificate and preventive maintenance	
		within three (3) years	
		Manual: Complete Operating Manual ENGLISH; Parts	
		List Manual ENGLISH; Maintenance and Service Manual;	
		Product Brochure ENGLISH (in both soft and hard copy)	
		Service: Complete service and parts availability within	
		Metro Manila or nearby provinces	
		Acceptance: Free delivery, installation, orientation and test	
		operation in PHilMech, Muñoz, Nueva Ecija. the winner	
		bidder shall provide all materials related to machine, installation, startup lubricants, proper fluid level, cable	
		ready for connection to electrical supply, provide hose for	
		collecting condensate from water trap and labor needed in	
		the installation, commissioning and test-running of the	
		supplied machine where applicable.	
		Safety: Complete safety warning label, machine guard,	
		screen protector on moving parts if applicable.	
1	pc	Belt Grinder	
		Speed: 3,000 RPM minimum	
		Sanding Disc: 150 mm minimum	
		Sanding Belt Size(WxL): 100 x 914 mm minimum	
		Sanding Table Size: 226 x 160 mm minimum	
		Table Angle Range: 0 - 45 degree	
		Mitre Guide Angle Range: 0 - 60 degree right & left	
		With extra sanding belt:	
		1 pc grit #60 (coarse)	
		1 mg crist #190 (fing)	
		1 pc grit #180 (fine) 1 pc grit #800 (ultrafine)	

With extra sanding disc:	
1 pc grit #60 (coarse)	
1 pc grit #180 (fine)	
1 pc grit #800 (ultrafine)	
With complete accessories included (i.e.,tool rest, standing	
attachment with guards, 3B guards, disco flanges)	
Other Requirements:	
Warranty: One (1) year free parts and service plus two (2)	
years additional free service extension including annual	
calibration with certificate and preventive maintenance	
within three (3) years	
Training: Free training of atleast 8-hr on programming,	
machine operation and preventive maintenance	
Manual: Complete Operating Manual ENGLISH; Parts	
List Manual ENGLISH; Maintenance and Service Manual;	
Product Brochure ENGLISH (in both soft and hard copy)	
Service: Complete service and parts availability within	
Metro Manila or nearby provinces	
Acceptance: Free delivery, installation, orientation and test	
operation in PHilMech, Muñoz, Nueva Ecija. the winner	
bidder shall provide all materials related to machine,	
installation, startup lubricants, proper fluid level, cable	
ready for connection to electrical supply, provide hose for	
collecting condensate from water trap and labor needed in	
the installation, commissioning and test-running of the	
supplied machine where applicable.	
Safety: Complete safety warning label, machine guard,	
screen protector on moving parts if applicable.	

Sig	nature over Printed Name of Bidder
_	Position / Designation
—— Vam	ne Address & Tel No. of Company)

			Statement of Compliance
Unit	Quantity	SPECIFICATION (LOT 5)	Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.
		NC Profile Bender Machine/ Roller Bender	
		Type: 3 driving roller Diameter of shafts:50 mm minimum Diameter of standard rolls:180 mm minimum Profile feeding speed:4 m/min minimum Power output:1.5 kW minimum With complete standard universal/modular roller system for different material profiles (i.e., flat, round, rectangular, angle, square, T-profile, & channel) With 2 axis position controller and foot pedal With normal level hydraulic oil included in the machine	
		Other Requirements:	
		Electrical Requirement: Power Voltage 220V; 60Hz; 3-phase; with additional UPS or anti-surge voltage regulator of atleast 200% of the machine rating  Warranty: One (1) year free parts and service plus two	
		(2) years additional free service extension including annual calibration with certificate and preventive maintenance within three (3) years	
		Training: Free training of atleast 1 week on programming, machine operation and preventive maintenance	
		Manual: Complete Operating Manual ENGLISH; Parts List Manual ENGLISH; Maintenance and Service Manual; Product Brochure ENGLISH (in both soft and hard copy)	
		Service: Complete service and parts availability within Metro Manila or nearby provinces  Acceptance: Free delivery, installation, orientation and	

		test operation in PHilMech, Muñoz, Nueva Ecija. the
		winner bidder shall provide all materials related to
		machine, installation, startup lubricants, proper fluid
		level, cable ready for connection to electrical supply,
		provide hose for collecting condensate from water trap
		and labor needed in the installation, commissioning and
		test-running of the supplied machine where applicable.
		Safety: Complete safety warning label, machine guard,
		screen protector on moving parts if applicable.
1	pc	NC Plate Roller Bender
		Useful length: 2,000 mm minimum
		Bending capacity: 6 mm minimum
		Top roller diameter: 170mm minimum
		Bottom Roller Diameter: 170mm minimum
		Main motor: 5.5kW minimum
		Rolling Speed: 5m/min minimum
		Yield limit: 245Mpa minimum
		Other Requirements:
		Electrical Requirement: Power Voltage 220V; 60Hz; 3-
		phase; with additional UPS or anti-surge voltage
		regulator of atleast 200% of the machine rating
		Warranty: One (1) year free parts and service plus two
		(2) years additional free service extension including
		annual calibration with certificate and preventive
		maintenance within three (3) years
		Training: Free training of atleast 1 week on
		programming, machine operation and preventive
		maintenance
		Manual: Complete Operating Manual ENGLISH; Parts
		List Manual ENGLISH; Maintenance and Service
		Manual; Product Brochure ENGLISH (in both soft and
		hard copy)
		Service: Complete service and parts availability within
		Metro Manila or nearby provinces
		Acceptance: Free delivery, installation, orientation and test operation in PHilMech, Muñoz, Nueva Ecija. the
		winner bidder shall provide all materials related to machine, installation, startup lubricants, proper fluid
		level, cable ready for connection to electrical supply,
		provide hose for collecting condensate from water trap
		and labor needed in the installation, commissioning and test-running of the supplied machine where applicable.
		Safety: Complete safety warning label, machine guard,
		screen protector on moving parts if applicable.
	1	sereon protector on moving parts it applicable.

Signature over Printed Name of Bidder
Position / Designation
Name, Address & Tel. No. of Company)

			Statement of Compliance
Unit	Quantity	SPECIFICATION (LOT 6)	Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.
2	ne	Mechanical Convection Oven	
	pc	Capacity (Liters): 125L mininum	
		Min. temperature range (° C): 10	
		Max. temperature range (° C): 250	
		Temperature uniformity: ±3% at 100°C or	
		lower	
		Temperature control accuracy: ±0.5°C	
		Resolution: 0.1°C or lower	
		With display and microprocessor control With accessories included:	
		at least 4 pc Stainless steel shelf for	
		Mechanical Convection Oven	
		With Calibration certificate and test report after	
		delivery	
		Other Requirements:	
		Warranty: One (1) year free parts and service plus two (2) years additional free service	
		extension including annual calibration with	
		certificate and preventive maintenance within	
		three (3) years	
		Manual: Complete Operating Manual ENGLISH; Maintenance and Service Manual;	
		Product Brochure ENGLISH (in both soft and hard copy)	
		Service: Complete service and parts availability	
		TOTAL VICES A ANTHONIAN SOLIVINA MINI DALLA AVAILADILLI V	1
		within Metro Manila or nearby provinces  Acceptance: Free delivery, orientation and test	
		within Metro Manila or nearby provinces	

materials related to machine, and labor needed in the installation, commissioning and test-running of the supplied machine where applicable.
Safety: Complete safety warning label if applicable.

		applicable.	
and	d correct, o	fy that the Statement of Compliance to the Forestherwise, if found false either during the bid et to automatic disqualification of our bid.	
			Signature over Printed Name of Bidder
			Position / Designation
			(Name, Address & Tel. No. of Company)

			Statement of Compliance
Unit	Quantity	SPECIFICATION (LOT 7)	Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.
1	рс	Function Generator	
	PC	Number of channels: 2 channels minimum	
		Frequency Range:	
		1 μHz – 30 MHz (Sine□),	
		1 μHz – 500 kHz (Triange&Ramp),	
		1 μHz – 12.5 MHz (Pulse),	
		> 60 MHz (Noise),	
		1 μHz – 6 MHz (Arbitiary)	
-		Resolution: 1 µHz or lower	
		Interface: USB device port (USBTMC-compliant)	
		and	
		front panel USB host port	
		With accessories included:	
		at lease 1 pc BNC Cable and fuse	
		With Calibration certificate and test report	
		Other Requirements:	
		Warranty: One (1) year free parts and service plus two (2) years additional free service extension	
		including annual calibration with certificate and	
		preventive maintenance within three (3) years	
		Manual: Complete Operating Manual ENGLISH;	
		Maintenance and Service Manual; Product Brochure	
		ENGLISH (in both soft and hard copy)	
		Service: Complete service and parts availability	
		within Metro Manila or nearby provinces	
		Acceptance: Free delivery, orientation and test	
		operation in PHilMech, Muñoz, Nueva Ecija. the	
		winner bidder shall provide all necessary materials	
	1	related to machine, and labor needed in the	

		installation, commissioning and test-running of the supplied machine where applicable.	
		Safety: Complete safety warning label if applicable.	
1	pc	Pulse Generator	
		Min. frequency range:1mHz or lower	
		Max. frequency range: 50MHz or higher	
		Frequency resolution: 1mHz	
		Minimum Pulse Width: 10ns	
		Maximum Pulse Width: 499.99999999 (Double	
		Pulse) s, 999.9999999 (Pulse) s	
		Minimum Pulse Delay: 0ns	
		Maximum Pulse Delay: 999.9999996 (Double	
		Pulse) s, 999.9999998 (Pulse) s	
		Jitter: <30%	
		With accessories included:	
		Coax Adapter - (f-m-f) Tee	
		Coax Adapter - BNC(f) - N(m)	
		BNC(f) Adapter - 4mm BPlugs, Black	
		BNC (m) Cable Assembly - RG-58C/U, 120cm,	
		Blk	
		BNC 50ohm Feed-Thru Term - (m-f) 2W, 1%	
		50 BNC male Terminator, DC to 500MHz,	
		50ohm ±1% 1/2W	
		With Calibration certificate and test report	
		Other Requirements:	
		Warranty: One (1) year free parts and service plus	
		two (2) years additional free service extension	
		including annual calibration with certificate and	
		preventive maintenance within three (3) years	
		Manual: Complete Operating Manual ENGLISH;	
		Maintenance and Service Manual; Product Brochure	
		ENGLISH (in both soft and hard copy)	
		Service: Complete service and parts availability	
		within Metro Manila or nearby provinces	
		Acceptance: Free delivery, orientation and test	
		operation in PHilMech, Muñoz, Nueva Ecija. the	
	1	winner bidder shall provide all necessary materials related to machine, and labor needed in the	
	1		
	1	installation, commissioning and test-running of the supplied machine where applicable.	
	1	Safety: Complete safety warning label if applicable.	
	1	sujety. Complete safety warning label if applicable.	

Si	gnature over Printed Name of Bidder
	Position / Designation
 Nar	ne, Address & Tel. No. of Company)

			Statement of Compliance
Unit	Quantity	SPECIFICATION (LOT 8)	Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.
2	unit	Soldering Station	
	unit	Supply voltage V AC: 230V	
		Display: backlit LCD	
		Min. heat temperature range: 50°C or lower	
		Max. heat temperature range: 450°C or higher	
		Temperature accuracy: ±9 °C	
		Temperature stability: ±2 °C	
		Plug type:Type F - Schuko plug, Type G - British 3-	
		pin	
		Output power: 95W	
		With Standby: Temperature and time, Auto off	
		timer, Window temperature, and Lock system features	
		Other Requirements:	
		Warranty: One (1) year free parts and service plus	
		two (2) years additional free service extension	
		including with preventive maintenance within three	
		(3) years	
		Manual: Complete Operating Manual ENGLISH;	
		Maintenance and Service Manual; Product Brochure ENGLISH (in both soft and hard copy)	
		Service: Complete service and parts availability	
		within Metro Manila or nearby provinces	
		Acceptance: Free delivery, orientation and test	
		operation in PHilMech, Muñoz, Nueva Ecija. the	
		winner bidder shall provide all necessary materials	
		related to machine, and labor needed in the	
		installation, commissioning and test-running of the	
	<u> </u>	supplied machine where applicable.	

		Safety: Complete safety warning label if applicable.
2	unit	Hot Air Station
		Supply voltage V AC: 230V
		Tasks supported: Desoldering / Hot Air / Soldering
		Min. temperature range (°C): 100°C or lower
		Max. temperature range (°C): 450°C or higher
		Temperature accuracy (°C) : ±9 °C
		Temperature stability (°C) : ±2 °C
		Plug type :Type F - Schuko plug, Type G - British
		3-pin
		Other Requirements:
		Warranty: One (1) year free parts and service plus
		two (2) years additional free service extension
		including preventive maintenance within three (3)
		years
		Manual: Complete Operating Manual ENGLISH;
		Maintenance and Service Manual; Product Brochure
		ENGLISH (in both soft and hard copy)
		Service: Complete service and parts availability
		within Metro Manila or nearby provinces
		Acceptance: Free delivery, orientation and test
		operation in PHilMech, Muñoz, Nueva Ecija. the
		winner bidder shall provide all necessary materials related to machine, and labor needed in the
		installation, commissioning and test-running of the
		supplied machine where applicable.
		Safety: Complete safety warning label if applicable.
		Sujery. Complete safety warming laber if applicable.

Signature or	ver Printed Name of Bidder
	Position / Designation
Name Addre	ess & Tel. No. of Company)

		Statement of Compliance
Quan tity	SPECIFICATION (LOT 9)	Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, postqualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.
рс	Digital LCR Meter	
_	Type: Benchtop	
	* 1	
	θ: 0.000 ° to ± 180.00 °	
_	DCR: $0.000 \Omega$ to $\pm 9.999 G\Omega$	
	With accessories included:	
	at least 1 pc Test Lead: Kelvin clips to four BNC Lead	
	years	
	Manual: Complete Operating Manual ENGLISH; Maintenance	
	and Service Manual; Product Brochure ENGLISH (in both soft	
	and hard copy)	
	and hard copy) Service: Complete service and parts availability within Metro	
	and hard copy)  Service: Complete service and parts availability within Metro  Manila or nearby provinces	
	and hard copy) Service: Complete service and parts availability within Metro	
	tity	pc Digital LCR Meter  Type: Benchtop  Measurement parameters: L, C, R, Z, G, B, Y, D, Q, $\theta$ , DCR  Best accuracy: 0.05% or higher  Cs, Cp: 0.000 F to $\pm$ 9999.999 F  Ls, Lp: 0.000 H to $\pm$ 9999.999 H  Rs, Rp, R, Z: 0.000 $\Omega$ to $\pm$ 9.999 G $\Omega$ G, B, Y: 0.000 S to $\pm$ 9.999 GS  D: 0.000 to $\pm$ 9999.999  Q: 0.000 to $\pm$ 9999.999  Q: 0.000 to $\pm$ 180.00 °  DCR: 0.000 $\Omega$ to $\pm$ 9.999 G $\Omega$ With accessories included:  at least 1 pc Test Lead: Kelvin clips to four BNC Lead  With Calibration certificate and test report after delivery  Other Requirements:  Warranty: One (1) year free parts and service plus two (2) years additional free service extension including annual calibration with certificate and preventive maintenance within three (3) years

	1		Г
		the installation, commissioning and test-running of the supplied	
		machine where applicable.	
		Safety: Complete safety warning label if applicable.	
1	20	Digital Anomometer	
1	pc	Digital Anemometer  Measurement type: Air Velocity & Temperature	
		Min. air velocity: 0m/s	
		Max. air velocity: 011/8  Max. air velocity: 35m/s or higher	
		Min. temperature: -100 °C or lower	
		Max. temperature: 1300 °C or higher	
		Memory:with datalogging feature using SD card	
		Power: battery operated	
		With Calibration certificate and test report	
		Other Requirements:	
		Warranty: One (1) year free parts and service plus two (2) years	
		additional free service extension including annual calibration	
		with certificate and preventive maintenance within three (3)	
		years	
		Manual: Complete Operating Manual ENGLISH; Maintenance	
		and Service Manual; Product Brochure ENGLISH (in both soft	
		and hard copy)	
		Service: Complete service and parts availability within Metro	
		Manila or nearby provinces	
		Acceptance: Free delivery, orientation and test operation in	
		PHilMech, Muñoz, Nueva Ecija. the winner bidder shall provide	
		all necessary materials related to machine, and labor needed in	
		the installation, commissioning and test-running of the supplied	
		machine where applicable.  Safety: Complete safety warning label if applicable.	
		Sugery. Complete safety warning facer if applicable.	
1	рс	Digital Power Meter	
	F -	Type: Handheld	
		Measurements: Voltage, Current, Frequency, Active power	
		Parameters: Apparent power, Reactive power, Active energy,	
		Apparent energy,	
		Reactive energy, Power factor ( $\cos \theta$ ), Neutral current	
		Min. voltage (RMS): 150.0V or lower	
		Max. voltage (RMS): 600.0V or higher	
		Voltage accuracy: ±0.2%rdg, ±0.2%f.s.	
		Min current (RMS): 1A or lower	
		Max current (RMS): 50A or higher	
		Current accuracy: ±0.2%rdg, ±0.2%f.s	
		Power: battery operated	
		With accessories included:	
		at least 1 pc Load Current Clamp Sensor	
		1 set Voltage Test Lead	
		With Calibration certificate and test report	
		Other Requirements:	
1		Warranty: One (1) year free parts and service plus two (2) years	
		additional free service extension including annual calibration	
		with certificate and preventive maintenance within three (3)	
-		years  Manual Complete Operating Manual ENCLISH: Maintenance	
1		Manual: Complete Operating Manual ENGLISH; Maintenance	
		and Service Manual; Product Brochure ENGLISH (in both soft and hard copy)	
-		Service: Complete service and parts availability within Metro	
		Manila or nearby provinces	
	1	1 manual of nome of provinces	

	1		,
		Acceptance: Free delivery, orientation and test operation in	
		PHilMech, Muñoz, Nueva Ecija. the winner bidder shall provide	
		all necessary materials related to machine, and labor needed in	
		the installation, commissioning and test-running of the supplied	
		machine where applicable.	
		Safety: Complete safety warning label if applicable.	
2	pc	Digital Temperature Meter	
		Type:Handheld	
		Display:backlit dual display	
		Min. temperature measurement: +0°C or lower	
		Max. temperature measurement: +1767°C or higher	
		Probe type: E, J, K, N, R, S, T	
		Best accuracy: ±0.05 %	
		Resolution: 0.1 °C or lower	
		Number of temperature Inputs: 2 input minimum	
		Memory: with datalogging feature using SD card	
	<u> </u>	Power: battery operated	
		With accessories included:	
		bead probe thermocouple	
		Hard carrying case	
		With Calibration certificate and test report	
		Other Requirements:	
		Warranty: One (1) year free parts and service plus two (2) years	
		additional free service extension including annual calibration	
		with certificate and preventive maintenance within three (3)	
		years	
		Manual: Complete Operating Manual ENGLISH; Maintenance	
		and Service Manual; Product Brochure ENGLISH (in both soft	
		and hard copy)	
		Service: Complete service and parts availability within Metro	
		Manila or nearby provinces	
		Acceptance: Free delivery, orientation and test operation in	
		PHilMech, Muñoz, Nueva Ecija. the winner bidder shall provide	
		all necessary materials related to machine, and labor needed in	
		the installation, commissioning and test-running of the supplied	
		machine where applicable.	
		Safety: Complete safety warning label if applicable.	
2	рс	Digital Multimeter	
	I -	Type:Handheld	
		Functions Measured: AC&DC Current, AC&DC Voltage,	
		Capacitance, Continuity, DC Current, DC Voltage, Diode,	
		Frequency, Resistance	
		Absolute Maximum AC Voltage Measurement: 600V ac or	
		higher	
	<del>                                     </del>	Absolute Maximum AC Current Measurement: 10A ac or	
		higher	
		Absolute Maximum DC Current Measurement: 10A dc or	
		higher	
		Absolute Maximum DC Voltage Measurement: 600V dc or	
		higher	
		Absolute Maximum Resistance Measurement: 40MΩ or higher	
		Absolute Maximum Capacitance Measurement: 9.999F or	
		higher A.G.C. A.M. A. D. A.M. A.	
	<u> </u>	AC Current Measurement Resolution: 0.001A ac or lower	
		DC Current Measurement Resolution :0.001A dc or lower	1

	l	ACV-less Massacrat Devil d'en OdesVersel	
		AC Voltage Measurement Resolution:0.1mV ac or lower	
		Resistance Measurement Resolution:100mΩ or lower	
		DC Voltage Measurement Resolution :0.1mV dc or lower	
		Capacitance Measurement Resolution:1nF or lower	
		Display Type:LCD, Digital	
		Power: battery operated	
		Memory: with datalogging feature using SD card	
		With accessories included:	
		1 set silicone test lead	
		Hard carrying case	
		With Calibration certificate and test report	
		Other Requirements:	
		Warranty: One (1) year free parts and service plus two (2) years	
		additional free service extension including annual calibration	
		with certificate and preventive maintenance within three (3)	
		years The Architecture of	
		Manual: Complete Operating Manual ENGLISH; Maintenance	
		and Service Manual; Product Brochure ENGLISH (in both soft	
		and hard copy)	
		Service: Complete service and parts availability within Metro Manila or nearby provinces	
		Acceptance: Free delivery, orientation and test operation in	
		PHilMech, Muñoz, Nueva Ecija. the winner bidder shall provide	
		all necessary materials related to machine, and labor needed in	
		the installation, commissioning and test-running of the supplied	
		machine where applicable.	
		Safety: Complete safety warning label if applicable.	
		sujery. Complete surery warming lacer it applicable.	
2	рс	Digital Pressure Meter	
	PC	Type: Handheld	
		Pressure Meter Accuracy: ± (0.5% reading + 1digit)	
		Min. Pressure Measurement Range: 0.002bar or lower	
		Max. Pressure Measurement Range: 20bar or higher	
		Memory: with datalogging feature using SD card	
		Power: battery operated	
		With accessories included:	
		at least 1 pc Pressure transducers	
		Hard carrying case	
		With Calibration certificate and test report	
		Other Requirements:	
		Warranty: One (1) year free parts and service plus two (2) years	
		additional free service extension including annual calibration	
		with certificate and preventive maintenance within three (3)	
		years	
		Manual: Complete Operating Manual ENGLISH; Maintenance	
		and Service Manual; Product Brochure ENGLISH (in both soft	
		and hard copy)	
		Service: Complete service and parts availability within Metro	
		Manila or nearby provinces	
		Acceptance: Free delivery, orientation and test operation in	
		PHilMech, Muñoz, Nueva Ecija. the winner bidder shall provide	
		all necessary materials related to machine, and labor needed in	
		the installation, commissioning and test-running of the supplied	
		machine where applicable.	
		Safety: Complete safety warning label if applicable.	
2	рс	Digital Sound Level Meter	
		Type: handheld	

		Min and lovel source 204D and areas	
		Min. sound level range: 30dB or lower	
		Max. sound level range: 130dB or higher	
		Accuracy: 1.4dB or higher	
		Memory:with datalogging feature using SD card	
		Power: battery operated	
		With Calibration certificate and test report	
		Other Requirements:	
		Warranty: One (1) year free parts and service plus two (2) years	
		additional free service extension including annual calibration	
		with certificate and preventive maintenance within three (3)	
		years  Manual: Complete Operating Manual ENGLISH; Maintenance	
		and Service Manual; Product Brochure ENGLISH; Maintenance	
		and hard copy)	
		Service: Complete service and parts availability within Metro	
		Manila or nearby provinces	
		Acceptance: Free delivery, orientation and test operation in	
		PHilMech, Muñoz, Nueva Ecija. the winner bidder shall provide	
		all necessary materials related to machine, and labor needed in	
		the installation, commissioning and test-running of the supplied	
		machine where applicable.	
		Safety: Complete safety warning label if applicable.	
		any cycle conference and management of approximate	
1	рс	Digital Color Meter	
	P	Illuminating/viewing geometry: 8°	
		Measurement area approx. : ø8 mm or higher	
		Color Space: L*a*b*, L*C*h, Yxy, XYZ, Munsell (D65)	
		Illuminant: D65	
		Interface: USB	
		Memory:with datalogging feature using SD card	
		Power: battery operated	
		Other Requirements:	
		Warranty: One (1) year free parts and service plus two (2) years	
		additional free service extension including annual calibration	
		with certificate and preventive maintenance within three (3)	
		years	
		Manual: Complete Operating Manual ENGLISH; Maintenance	
		and Service Manual; Product Brochure ENGLISH (in both soft	
		and hard copy)	
		Service: Complete service and parts availability within Metro	
		Manila or nearby provinces	
		Acceptance: Free delivery, orientation and test operation in	
		PHilMech, Muñoz, Nueva Ecija. the winner bidder shall provide	
		all necessary materials related to machine, and labor needed in	
		the installation, commissioning and test-running of the supplied	
		machine where applicable.	
		Safety: Complete safety warning label if applicable.	
		D. W. D. L. W. L. W. L. C.	
2	pc	Digital Relative Humidity Meter	
		Type: Handheld	
		Min. temperature range: -20 °C or lower	
		Min. temperature range: 60 °C or higher	
		Temperature accuracy: ±0.5°C to ±1°C	
		Min. dew point and wet bulb relative humidity: 5% or lower	
		Max. dew point and wet bulb relative humidity: 95% or higher	
		Relative humidity accuracy: ±2.5% to ±5%	
		Resolution: 0.1°C or lower	
		Temperature update rate: 500 ms or higher	

	Memory with datalogging feature using SD card	
	1	
	<u> </u>	
	· · · · · · · · · · · · · · · · · · ·	
	V 1	
	sujety) complete surety warming meet it approved	
рс	Digital Tachometer	
F -		
	revolutions/minute	
	Contact measurement: 1 to 19999 revolutions/minute	
	<u> </u>	
	, 1	
	•	
	and hard copy)	
	- · · · · · · · · · · · · · · · · · · ·	
	all necessary materials related to machine, and labor needed in	
	machine where applicable.	
1	Safety: Complete safety warning label if applicable.	
	pc	Type: Handheld Range optical (non-contact) measurement: 1 to 99999 revolutions/minute Contact measurement: 1 to 19999 revolutions/minute Precision: ±0.02%RD+1 or higher Sensing distance(optical): 500 mm or higher Memory:with datalogging feature using SD card Power: battery operated Other Requirements:  Warranty: One (1) year free parts and service plus two (2) years additional free service extension including annual calibration with certificate and preventive maintenance within three (3) years  Manual: Complete Operating Manual ENGLISH; Maintenance and Service Manual; Product Brochure ENGLISH (in both soft and hard copy)  Service: Complete service and parts availability within Metro Manila or nearby provinces  Acceptance: Free delivery, orientation and test operation in PHilMech, Muñoz, Nueva Ecija. the winner bidder shall provide all necessary materials related to machine, and labor needed in the installation, commissioning and test-running of the supplied machine where applicable.

Signature over	Printed Name of Bidden
	Position / Designation
Name, Address	& Tel. No. of Company)

			Statement of Compliance
			Bidders must state here either
			"Comply" or "Not Comply" against
			each of the individual parameters of
			each Specification stating the
			corresponding performance parameter of the equipment offered.
			Statements of "Comply" or "Not
			Comply" must be supported by
			evidence in a Bidders Bid and cross-
			referenced to that evidence.
			Evidence shall be in the form of
			manufacturer's un-amended sales
			literature, unconditional statements of specification and compliance
		SPECIFICATION	issued by the manufacturer,
Unit	Quantity		samples, independent test data etc.,
		(LOT 10)	as appropriate. A statement that is
			not supported by evidence or is
			subsequently found to be
			contradicted by the evidence
			presented will render the Bid under evaluation liable for rejection. A
			statement either in the Bidder's
			statement of compliance or the
			supporting evidence that is found to
			be false either during Bid
			evaluation, post-qualification or the
			execution of the Contract may be regarded as fraudulent and render
			the Bidder or supplier liable for
			prosecution subject to the applicable
			laws and issuances.
1	unit	Printed Circuit Board (PCB) Milling Machine	
		Layour area (X/Y/Z): 303mm x 229mm x 5mm	
		minimum	
		Material size: (X/Y/Z): 310mm x 230mm x 10mm	
		minimum	
		Mechaical resolution: 0.04 mil or better	
		Repeatabilty: 0.2 Mil or better	
		Milling spindle: 40000 RPM or better	
		Software controlled	
		Drilling speed: 100 holes/min or better	
		Travel speed (X/Y): 100mm/s or better	
		Power supply: 100 to 240 V, 50 – 60 Hz, 120 W	
		With accessories, sofware and training included	
		such as:	
		dedicated software compatible with windows 10 or	
		higher  Veryone Clean on for DCD Milling Machine	
		Vacuum Cleaner for PCB Milling Machine	
		Input: 230V, 50/60Hz, 800W preferably	
		complete with all filters	
		automatic switching of the vacuum cleaner	
		software controlled vacuum	
		suitable for vacuum table	

With complete set of Accessories for PCB Milling
Machine such as:
FR4 Material, 229x305 mm, 0/35 μm
FR4 Material, 229x305 mm, 35/35 µm
drill pad 229x305 mm, 2 mm
tool set 1/8" with spacer rings
PCB cleaner
Housing for PCB Milling Machine
Other Requirements:
Warranty: One (1) year free parts and service plus two (2)
years additional free service extension including annual
calibration with certificate and preventive maintenance
within three (3) years
Manual: Complete Operating Manual ENGLISH;
Maintenance and Service Manual; Product Brochure
ENGLISH (in both soft and hard copy)
Training: Free training of atleast 1 week on programming,
machine operation and preventive maintenance
Service: Complete service and parts availability within
Metro Manila or nearby provinces
Acceptance: Free delivery, orientation and test operation in
PHilMech, Muñoz, Nueva Ecija. the winner bidder shall
provide all necessary materials related to machine, and labor
needed in the installation, commissioning and test-running of
the supplied machine where applicable.
Safety: Complete safety warning label if applicable.

	Signature over Printed Name of Bidder
	Position / Designation
 (N	Jame. Address & Tel. No. of Company)

			Statement of Compliance
Unit	Quantity	SPECIFICATION (LOT 11)	Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.
1	Set	Air Compressor System	
		Compressor Motor power: 7.5kW (10Hp) minimum Type of Compression: Screw type Power Transmission: Belt Driven Cooling Form: Air Cooled Discharge Air Temp: Ambient 15°C - 17°C Air Outlet Port: 3/4" - 1" Air Delivery: 1.0 cu.m/min minimum Pressure: 0.7 - 1.0 Mpa	
		With 1 Refrigerate Air Dryer Air dryer capacity: 1.95 cu.m/min minimum with rear cooler and standard automatic water drain equipment With at least 1 Air Tank Air tank capacity: 500 L or larger with standard parts (i.e., safety valve, pressure gauge, water drain valve) With complete accessories included (i.e.,air treatment pre and post filter) With complete supply and installation of air piping system on each equipment based on the layout of the workshop area and painting area	

Other Requirements:	
Electrical Requirement: Power Voltage 220V;	
60Hz; 3-phase; with additional UPS or anti-surge	
voltage regulator of atleast 200% of the machine	
rating	
Warranty: One (1) year free parts and service plus	
two (2) years additional free service extension	
including annual calibration with certificate and	
preventive maintenance within three (3) years	
Training: Free training of atleast 8-hr on operation	
and preventive maintenance	
Manual: Complete Operating Manual ENGLISH;	
Parts List Manual ENGLISH; Maintenance and	
Service Manual; Product Brochure ENGLISH (in	
both soft and hard copy)	
Service: Complete service and parts availability	
within Metro Manila or nearby provinces	
Acceptance: Free delivery, installation, orientation	
and test operation in PHilMech, Muñoz, Nueva	
Ecija. the winner bidder shall provide all materials	
related to machine, installation, startup lubricants,	
proper fluid level, cable ready for connection to	
electrical supply, provide hose for collecting	
condensate from water trap and labor needed in the	
installation, commissioning and test-running of the	
supplied machine where applicable.	
Safety: Complete safety warning label, machine	
guard, screen protector on moving parts if	
applicable.	

Si	gnature over Printed Name of Bidder
	Position / Designation
— Nar	me. Address & Tel. No. of Company)

			Statement of Compliance
			Statement of Compnance
Unit	Quantity	SPECIFICATION (LOT 12)	Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.
SET	1	Hoist Crane (Single Girder Overhead Crane)	
		Lifting capacity: 2 ton minimum	
		Lifting height: 6m or higher	
		Span: 20m minimum	
		Lifting mechanism: Wire rope electric hoist	
		SPEED	
		- Hoist traveling speed: 20m/min minimum	
		- Hoist lifting speed: 8m/min minimum	
		- Crane traveling speed: 20m/min minimum	
		Hook: Single hook	
		Wire rope: Φ11 mm, 6*37+FC	
		With separate lifting motor	
		With separate traveling motor	
		Control model: Ground + remote control	
		Max. Wheel pressure(KN): 19 minimum	
		Total power(KW): 5 minimum	
		Anti-collision system Included	
		Zero protection Included	
		Emergency stop system Included	
		Current overload protection system Included	
		Short-circuit protection Included	
		Interlock protection device Included	
		Under-voltage protection Included Ground protection Included	
		Drive ratio: 58.95	
	1	Directano. 30.73	

With 1 complete set of single girder electric hoist	
overhead crane	
With complete set of 50 x 50mm square rail minimum	
With complete set of Current Collector With Electric Motors for direction/movement	
Other Requirements:  Electrical Requirement: Power Voltage 220V; 60Hz;	
3-phase	
Warranty: One (1) year free parts and service plus two	
(2) years additional free service extension including	
annual calibration with certificate and preventive	
maintenance within three (3) years	
Training: Free training of atleast 8-hr on	
programming, machine operation and preventive	
maintenance	
Manual: Complete Operating Manual ENGLISH;	
Parts List Manual ENGLISH; Maintenance and	
Service Manual; Product Brochure ENGLISH (in both	
soft and hard copy)	
Service: Complete service and parts availability within	
Metro Manila or nearby provinces	
Acceptance: Free delivery, installation, orientation and	
test operation in PHilMech, Muñoz, Nueva Ecija. the	
winner bidder shall provide all materials related to machine, installation, startup lubricants, proper fluid	
level, cable ready for connection to electrical supply,	
provide hose for collecting condensate from water trap	
and labor needed in the installation, commissioning	
and test-running of the supplied machine where	
applicable.	
Safety: Complete safety warning label, machine guard,	
screen protector on moving parts if applicable.	

Signature over Printed Name of Bidder
Position / Designation
Name, Address & Tel. No. of Company)

			Statement of Compliance
Unit	Quantity	SPECIFICATION (LOT 13)	Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.
UNIT	1	Heat Treatment Furnace	
		Inner Dimension: 220mm x 300mm x 200mm minimum  Volume/capacity: 30 liters minimum  Power Source: Electric type  Power rating: 20.0 kW maximum  Maximum operating temperature: 1,100 degrees C or higher  With display monitor and control  Accessories  With 1 extra set of heat treatment tong 600 mm minimum length  (i.e., flat jaw for hand forming, vertical mouth for lifting off floor, bent mouth univeral use, double curve jaw universal use, half round tongs for round rod materials, knee tongs for larger rings with thick wall)  and Oil Bath container/Quenching Bath with dimension 1.5ft L x 1.5ft W x 2ft H minimum	
		Other Requirements:	
		Electrical Requirement: Power Voltage 220V; 60Hz; 3-phase	

Warranty: One (1) year free parts and service plus two	
(2) years additional free service extension including	
annual calibration with certificate and preventive	
maintenance within three (3) years	
Training: Free training of atleast 8-hr on machine	
operation and preventive maintenance	
Manual: Complete Operating Manual ENGLISH; Parts	
List Manual ENGLISH; Maintenance and Service	
Manual; Product Brochure ENGLISH (in both soft and	
hard copy)	
Service: Complete service and parts availability within	
Metro Manila or nearby provinces	
Acceptance: Free delivery, installation, orientation and	
test operation in PHilMech, Muñoz, Nueva Ecija. the	
winner bidder shall provide all materials related to	
machine, installation, startup lubricants, proper fluid	
level, cable ready for connection to electrical supply,	
provide hose for collecting condensate from water trap	
and labor needed in the installation, commissioning and	
test-running of the supplied machine where applicable.	
Safety: Complete safety warning label, machine guard,	
screen protector on moving parts if applicable.	

Printed Name of Bidder
D :: /D : ::
Position / Designation
Tel. No. of Company)

ANNEX A  Face Milling Application		
Facemill 50 mm diameter	1	pc
Facemill 80 mm diameter	1	pc
Facemill arbor 50 mm	1	pc
Facemill arbor 80 mm	1	pc
Insert for steel/stainless/hardened (for general use) – Octagon type with 8 cutting sides (10pc/box)	1	box
End Milling Application – Insert type for large diameters		
Endmill holder 32 mm	1	рс
Endmill holder 25 mm	1	pc
Endmill holder 20 mm	1	pc
Endmill holder 16 mm	1	рс
Arbor for endmill holder 32 mm	1	pc
Arbor for endmill holder 25 mm	1	рс
Arbor for endmill holder 20 mm	1	рс
Arbor for endmill holder 14 mm	1	рс
Arbor for endmill holder 16 mm	1	pc
Insert for 32 mm endmill	1	рс
Insert for 25 mm endmill	1	pc
Insert for 20 mm endmill	1	pc
Insert for 16 mm endmill	1	pc
End Milling Application – Solid Carbide for small diameters		
Collect chuck arbor	1	pc
Set of collets from 3 to 26 mm – total of 23 pcs in increments of 1 mm each	1	set
Wrench	1	pc
Solid carbide endmill 3 mm	1	pc
Solid carbide endmill 4 mm	1	pc
Solid carbide endmill 6 mm	1	pc
Solid carbide endmill 8 mm	1	pc
Solid carbide endmill 10 mm	1	pc
Solid carbide endmill 12 mm	1	pc
Solid carbide ballnose endmill 3 mm	1	pc
Solid carbide ballnose endmill 4 mm	1	pc
Solid carbide ballnose endmill 6 mm	1	pc
Solid carbide ballnose endmill 8 mm	1	pc
Solid carbide ballnose endmill 10 mm	1	pc
Solid carbide ballnose endmill 12 mm	1	pc

Drilling Application		
Key less drill chuck arbor (capacity 1 – 13 mm)	1	pc
Solid carbide drill 2 mm	1	pc
Solid carbide drill 3 mm	1	pc
Solid carbide drill 4 mm	1	pc
Solid carbide drill 5 mm	1	pc
Solid carbide drill 6 mm	1	pc
Solid carbide drill 7 mm	1	pc
Solid carbide drill 8 mm	1	pc
Solid carbide drill 9 mm	1	рс
Solid carbide drill 10 mm	1	pc
Solid carbide drill 11 mm	1	pc
Solid carbide drill 12 mm	1	pc
Set of high speed drills (1 – 13 mm, increments of 0.5 mm)	1	set
Gear Cutters Module		
1 MM involute gear cutter	1	pc
1.25 MM involute gear cutter	1	pc
1.5 MM involute gear cutter	1	pc
1.75 MM involute gear cutter	1	pc
2 MM involute gear cutter	1	pc
2.25 MM involute gear cutter	1	pc
2.5 MM involute gear cutter	1	pc
2.75 MM involute gear cutter	1	pc
3 MM involute gear cutter	1	pc
3.5 MM involute gear cutter	1	pc
4 MM involute gear cutter	1	pc
4.5 MM involute gear cutter	1	pc
5 MM involute gear cutter	1	pc
5.5 MM involute gear cutter	1	pc
6 MM involute gear cutter	1	pc
7 MM involute gear cutter	1	pc
Others		
Rotary tool clamp/Tool locking device	1	pc
Pull stud	1	pc
Water soluble coolant (pails)	1	pc
Machine vise 6"	1	pc
Edge finder	1	pc
Clamping kit	1	pc

ANNEX B		
Turning Application		
OD turning holders	1	Pc
ID turning holders	1	Pc
Turning holders	1	pc
OD grooving holders	1	pc
Inserts for turning	1	pc
Inserts for boring	1	pc
Inserts for grooving	1	pc
ANNEX C		
Measuring Tool Package		
Dial test indicator (0.14 x 0.001 mm)	1	pc
Magnetic stand	1	pc
Digital micrometer $(0-25 \text{ mm}, 25-50 \text{ mm}, 50-75 \text{ mm}, 75-100 \text{ mm}, 100-125 \text{ mm}, 125-150 \text{ mm range})$ , resolution: 1 $\mu$ m	1	pc
Micrometer stand	1	pc
Digimatic micrometer $(0 - 150 \text{ mm})$ and $(0 - 300 \text{ mm})$ range, water proof, resolution: $0.01 \text{ mm}$	1	pc
Granite surface plate (600 x 450 x 100 mm)	1	pc
Granite surface plate stand	1	pc

# Section VIII. Checklist of Technical and Financial Documents

## **Checklist of Technical and Financial Documents**

#### I. TECHNICAL COMPONENT ENVELOPE

		Documents uments
	(a	
$\underline{T}$	echni	cal Documents
	(b	
	(c)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
	(d)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;  or
	(-)	Original copy of Notarized Bid Securing Declaration; <u>and</u> Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or aftersales/parts, if applicable; <u>and</u>
	(f)	Schedule of Requirements; <u>and</u>
	(g)	Original duly signed Omnibus Sworn Statement (OSS);
	(h)	and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney in case of sole proprietorship or for all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder. Both the Secretary's Certificate and Special Power of Attorney shall have specimen signature/s of the bidder's authorized representative/s, which authorizes the representative/s to transact with PHilMech relative to the subject procurement process; to sign in all the required tender documents, including the authority to enter into a Joint Venture Agreement (JVA) (if applicable); and appoint the lead partner and representative of the JVA. If executed abroad, the same must be duly authenticated by the Philippine Consulate in the place of execution.
$\frac{F}{F}$		ial Documents
	(i)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);  or
		A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.  Class "B" Documents
	(j)	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
		<u>or</u>

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

#### Other documentary requirements under RA No. 9184 (as applicable)

- (k) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- ☐ (1) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

#### II. FINANCIAL COMPONENT ENVELOPE

- ☐ (a) Original of duly signed and accomplished Financial Bid Form; and
- ☐ (b) Original of duly signed and accomplished Price Schedule(s).

### Bid Form (Lot No.)

Date :
Project Identification No.:
To: [name and address of Procuring Entity]
Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to [supply/deliver/perform] [description of the Goods] in conformity with the said PBDs for the sum of [total Bid amount in words and figures] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules,
If our Bid is accepted, we undertake:
<ul> <li>to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);</li> </ul>
<ul> <li>to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;</li> </ul>
c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.
[Insert this paragraph if Foreign-Assisted Project with the Development Partner: Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:
Name and address Amount and Purpose of of agentCurrencyCommission or gratuity
(if none, state "None") ]
Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.
We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.
We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.
"Read and accepted as part of the contract"  70  BIDDER'S SIGNATURE

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:	
Legal capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	

## **Price Schedule for Goods Offered from Abroad**

[shall be submitted with the Bid if bidder is offering goods from Abroad]

For Goods Offered from Abroad									
Name	of Bidder				Project 1	Page of _			
1	2	3	4	5	6	7	8	9	
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)	
Name	Name:								
Legal	Legal Capacity:								
Signa	Signature:								
Duly	authorized	to sign t	he Bid fo	r and behalf of	: :				

# Price Schedule for Goods Offered from Within the Philippines [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

# For Goods Offered from Within the Philippines

Name of Bidder					Proje	ect ID No.	_ Page _	of		
1	2	3	4	5	6	7	8	9	10	
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit  (col 5+6+7+8 )	Total Price delivered Final Destination (col 9) x (col 4)	
Name:										
Lega	Legal Capacity:									
Sign	Signature:									
Duly	authorize	d to sign	the Bid f	or and	behalf of:					

### **Contract Agreement Form**

	THIS AGREEMENT made th	ne day of	20	between [name of
PROC	CURING ENTITY] of the Phili	ippines (hereinafte	er called "the E	ntity") of the one part
and [r	ame of Supplier] of [city and co	ountry of Supplier	] (hereinafter ca	alled "the Supplier") of
the ot	ner part;		-	

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures in specified currency] (hereinafter called "the Contract Price").

#### NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, *viz.*:
  - i. Philippine Bidding Documents (PBDs);
    - i. Schedule of Requirements;
    - ii. Technical Specifications;
    - iii. General and Special Conditions of Contract; and
    - iv. Supplemental or Bid Bulletins, if any
  - ii. Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (*e.g.*, Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- iii. Performance Security;
- iv. Notice of Award of Contract; and the Bidder's conforme thereto; and
- v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.

- 3. In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.
- 4. The [Name of the procuring entity] agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

[Insert Name and Signature] [Insert Name and Signature]

[Insert Signatory's Legal Capacity] [Insert Signatory's Legal Capacity]

for: for:

[Insert Procuring Entity] [Insert Name of Supplier]

#### Acknowledgment

[Format shall be based on the latest Rules on Notarial Practice]

[PHilMech-Goods-23-03-01]

Lot no/s. being bid:	Name and Signature of Authorized Representative:

#### **Omnibus Sworn Statement**

REPUBLIC OF THE PHILIPPINES	)		
CITY/MUNICIPALITY OF	)	S.	S

#### **AFFIDAVIT**

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
- 1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units,

foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, <u>by itself or by relation</u>, <u>membership</u>, <u>association</u>, <u>affiliation</u>, <u>or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting</u>;

- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract:
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
  - e. Monitoring of electronic service of related notices at [insert bidder's email address]. Bidder hereby acknowledges that service of notice to the email address indicated above shall be tantamount to actual service of such notice and shall be deemed received by the bidder on the date of service or email.

- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN	WITNESS	WHEREOF,	I have	hereunto	set	my	hand	this	 day	of	,	20	at
	,	Philippines.											

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

#### [Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

# BID SECURING DECLARATION FORM

	OF THE PHII	,			
X			x		
SUPPLY A		Y OF FAB TEST	RING DECLARATION RICATION EQUIPMENT AND LABORATORY I INSTRUMENTS Mech-Goods-23-03-01]		
	t no/s. being bid:		Name and Signature of Authorized Representative:		
To: [Insert n	ame and addres	s of the Pro	ocuring Entity]		
I/We <sup>2</sup> , the un	ndersigned, decl	are that:			
1.			cording to your conditions, bids must be supported by ay be in the form of a Bid-Securing Declaration.		
2.	I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.				
3.	I/We understant the following of		Bid Securing Declaration shall cease to be valid on ees:		
	· · ·	expiration int to your i	of the bid validity period, or any extension thereof request;		

<sup>&</sup>lt;sup>2</sup> Select one and delete the other. Adopt the same instruction for similar terms throughout the document.

(b)	I am/we are declared ineligible or post-disqualified upon receipt of
	your notice to such effect, and (i) I/we failed to timely file a request for
	reconsideration or (ii) I/we filed a waiver to avail of said right;

(c) I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER'S AUTHORIZED REPRESENTATIVE] [Insert Signatory's Legal Capacity] Affiant

SUBSCRIBED AND SWORN to before me this day of [month] [year] at [place of execution], Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her [insert type of government identification card used], with his/her photograph and signature appearing thereon, with no and his/her Community Tax Certificate No issued on at
Witness my hand and seal this day of [month] [year].
NAME OF NOTARY PUBLIC  Serial No. of Commission  Notary Public for until  Roll of Attorneys No  PTR No [date issued], [place issued]  IBP No [date issued], [place issued]
Doc. No Page No Book No Series of

[PHilMech-Goods-23-03-01]

	Lot no/s. bei	ng bid:		ame and Signa	ature of Authoriz	ed Represen	tative:		
					Contracts, inc				
Name of Client	Name of the Contract	Date and status of the Contract	Kinds of Goods	Amount of Contract	Value of Outstanding Contracts	Date of Delivery	Purchase Order Number/s or Date of Contract/s		
	CERTIFIED CORRECT:								
		Name & Sig	gnature of A	Authorized Ro	epresentative				
			Po	sition					
				Date					

[PHilMech-Goods-23-03-01]

	Lot no/s. beir	ng bid:	- Nar	ne and Signatur	e of Authorized	d Representative:
Statemen				tract of Simila		ithin the Last Ten
Name of Client	Name of the Contract	Date of the Contract	Kinds of Goods	Amount of Contract	Date of Delivery	Official Receipt No. & Date, End User's Acceptance Date OR Collection Receipt
<u> </u>						
		C	ERTIFIED	CORRECT:		
		Name & Sig	nature of Au	thorized Repre	esentative	
		_	Posi			

[PHilMech-Goods-23-03-01]

Lot no.	/s. being bid:	Name and Signature of A	Authorized Representative:
Total ABC (₱) o	f all the Lots being	PhP	
CERT		NANCIAL CONTRACT: at how you arrived at the	
<b>(₱</b>	) which is at least		NFCC) is <b>Philippine Peso</b> we are bidding. The amount
is computed as fo	ollows:		
$\mathbf{C}\mathbf{A}$ = $\mathbf{C}\mathbf{u}$	rrent Assets		₱
Less:			-
$\mathbf{CL}$ = $\mathbf{Cu}$	rrent Liabilities		
		Sub Total 1	<b>₱</b>
		Cl. T4-1.2	X 15
Less:		Sub Total 2	₱
$C = \begin{array}{c} val \\ pro \\ col \end{array}$	ojects under on-going con	ncompleted portions of the tracts, including awarded inciding with the contract	- ₱
		NFCC	₱
Issued this	_ day of	, 2023.	
	Name & Signatur	re of Authorized Represent	ative
		Position	

Date

#### Notes:


- 1. The values of the bidder's current assets and current liabilities shall be based on the latest Audited Financial Statements submitted to the BIR.
- 2. The value of the outstanding or uncompleted contracts refers to those listed in the Statement of All Ongoing Government and Private Contracts, Including contracts awarded but not yet started.
- 3. The detailed computation must be shown using the required formula provided above.
- 4. The NFCC must be at least be equal to the ABC of the Project

### (Name of Bank)

### **COMMITTED LINE OF CREDIT**

Date:	
PHII IPPINE CENTER FOR POSTH	ARVEST DEVELOPMENT AND MECHANIZATION
CLSU Compound, Science City of Muño	
Nueva Ecija	2
110010 2030	
CONTRACT/PROJECT	:
LOT NO.	
COMPANY/FIRM	
ADDRESS	
BANK/FINANCING INSTITUTION	
ADDRESS	:
AMOUNT	:
This is to cartify that the above	Bank/Financing Institution with business address indicated above, has
	acturer/Contractor), a credit line in the amount specified above which
	from <u>(date of bid submission)</u> and such line of credit shall be of Acceptance of the goods/services subject of the Contract/project by
connection with the bidding requiren	ed in favor of said (Supplier/ Distributor /Manufacturer/ Contractor) in ment of the Philippine Center for Postharvest Development and re-mentioned Contract/Project. We are aware that any false statement ry.
This committed line of credit complete Philippine Center for Postharvest Develop	annot be terminated or cancelled without the prior written approval of pment and Mechanization (PHilMech).
Name and Signature of Authorized Finan	cing Institution Office
Official Designation	
Concurred by:	
Name & Signature of (Supplier/Distribute	or/Manufacture/Contractor) Authorized Representative
Official Designation	
SUBSCRIBED AND SWORN TO REF	ORE ME this day of at,
	Ther competent Evidence of Identity (as defined by the 2004 Rules on
	at, Philippines.
· · · · <u></u>	
NOTARY PUBLIC	
Doc. No. :	
Page No. :	
Book No. :	
Series of :	

### PREPARATION OF BID ENVELOPE



All envelopes shall be marked in accordance with Section 15 of the Instruction to Bidders (ITB) of this Bidding Documents.

