



BIDS AND AWARDS COMMITTEE

SUPPLEMENTAL BID BULLETIN NO. 1

**SUPPLY OF LABOR AND MATERIALS FOR THE DELIVERY AND INSTALLATION OF VARIOUS LABORATORY FURNITURE AND FIXTURES
 (PHilMech-Goods-23-04-08)**

This **Supplemental/Bid Bulletin No. 1** is being issued to clarify, amend and supplement provisions in the Bidding Documents.

A. ISSUES AND CONCERNS DURING THE PRE-BID CONFERENCE

1. <i>Issue / Proposal: Inquiry if the authority of the signing official, e.g., special power of attorney, is still needed to be submitted if the sole proprietor is the one who will sign the document.</i>
<i>Action Taken/Reply: No need</i>
2. <i>Issue / Proposal: Request for the copy of layout.</i>
<i>Action Taken/Reply: Layout is hereby attached as Annex A.</i>

B. WRITTEN QUERIES/COMMENTS/REQUESTS

1. <i>Issue / Proposal: Request for the correct technical specifications for Item#1(Laboratory center table with end sink and reagent rack). The specifications written on the bid documents is the same as Item#2(Laboratory side table with hanging cabinets)</i>		
<i>Action Taken/Reply: Technical specifications of laboratory center table with end sink and reagent rack is amended.</i>		
<i>Amendment:</i>		
FROM	TO	
<u>TECHNICAL SPECIFICATIONS</u> <i>(For laboratory center table with end sink and reagent rack.)</i> <i>Note: The Certifications / Requirements is</i>	Laboratory Center Table with End Sink and Reagent Rack with the following specifications: Dimension: 3500mm, 7993mm(L)x600mm(W)x900mm(H) 16mm thick, acid, heat, stain, scratch anti-static, anti-microbial and chemical resistant Solid Phenolic Resin countertop	Laboratory Center Table with End Sink and Reagent Rack with the following specifications: Dimension: 4600mm(L)x1500mm(W)x900mm(H) * Countertop: 16mm thick Phenolic Resin counter top 16mm thick, acid, heat, stain, scratch, anti-static, anti-microbial and

Main Office: CLSU, Science City of Muñoz, Nueva Ecija, Philippines
 Mobile Nos.: (+63) 932-869-6837/ (+63) 917-813-0852
 Fax No.: (044) 456-0110
Liaison Office: 3rd Floor, ATI Bldg., Elliptical Road, Diliman, Quezon City
 Tel No.: (02) 927-4019, 927-4029



<p><i>applicable to both laboratory center table with end sink and reagent rack and laboratory side table with hanging cabinet</i></p>	<p>Certifications / Requirements:</p> <p>a.) ISO 14001 and GREENGUARD certified.</p> <p>b.) ISML certification for hygiene and anti-microbial performance for 24 hours at 35°C under a RH of >95% and ISEGA certificate for conformity.</p> <p>c.) Met the highest standards for UL classified/labeled for ASTM-84, fire rated, anti-static materials DIN SI 953 & DIN 482, BEES listed, and SEFA 8/1998 chemical resistance testing.</p> <p>d.) Complies with the European and International Testing Standards ENV 13419-1, ENV 13419-3, ISO 16000-3, ISO/DIS 16000-6 in its latest versions.</p> <p>e.) Countertop should at least have 8-10 colors to choose from.</p> <p>f.) Letter of authorization and Certificate of Product Authenticity from the countertop manufacturer.</p> <p>g.) Phenolic Resin Technical Data on chemical resistance to acids, bases, salts halogens, organic chemicals, solvents and biological stains under 24 hours test with corresponding test result based on SEFA (Scientific Equipment & Furniture Association) as well as the main reagents from the PSI or any American and European Testing Laboratory</p> <p>h.) Countertop test on material properties with corresponding test method on test result under En, STM and ISO.</p> <hr/> <p>Type: "Postformed - HPL"</p> <p>With laminated finished cabinets with breakdown as follows:</p> <p>Base cabinet: 3500mm-length</p>	<p>chemical resistant Solid Phenolic Resin counter top <u>16mm thick, acid (Tested under 49 chemicals/concentrations listed by SEFA), heat (Max of +180°C or 356° F for 20 min.), stain, scratch (≥ Rating under EN 438), Impact (≤10mm under EN 438), anti-static, anti-microbial (ISML & ISEGA certified) and chemical resistant Solid Phenolic Resin counter 16mm thick, acid, heat, stain, scratch anti-static, anti-microbial and chemical resistant Solid Phenolic Resin counter top</u></p> <hr/> <p>Certifications / Requirements: <i>(applicable to both items #1 and #2)</i></p> <p>a.) ISO 14001 <u>or</u> GREENGUARD certified.</p> <p>b.) ISML certification for hygiene and anti-microbial performance for 24 hours at 35°C under a RH of >95% <u>or</u> ISEGA certificate for conformity.</p> <p>c.) Met the highest standards for UL classified/labeled for ASTM-84, fire rated, antistatic materials DIN SI 953 & DIN 482, BEES listed, and SEFA 8/1998 chemical resistance testing.</p> <p>d.) Complies with <u>any of the listed</u> European and International Testing Standards <u>in its latest versions</u></p> <ul style="list-style-type: none"> ➤ <u>ENV 13419-1</u> ➤ <u>ENV 13419-3</u> ➤ <u>ISO/DIS 16000-6</u> <p>e.) 5. Countertop should at least have 8-10 colors to choose from.</p> <p>f.) Letter of authorization and Certificate of Product Authenticity from the countertop manufacturer <u>(origin)</u>.</p> <p>g.) Phenolic Resin Technical Data on</p>
--	--	---

Main Office: CLSU, Science City of Muñoz, Nueva Ecija, Philippines
 Mobile Nos.: (+63) 932-869-6837/ (+63) 917-813-0852
 Fax No.: (044) 456-0110

Liaison Office: 3rd Floor, ATI Bldg., Elliptical Road, Diliman, Quezon City
 Tel No.: (02) 927-4019, 927-4029



	<p>* With powder coated finish metal base frame and legs with adjustable leveler</p> <p>* Two (2) units hanging type one swing-out door cabinet in hand grab type handle and adjustable shelf</p> <p>* One (1) unit hanging type three pullout drawer cabinet in hand grab type handle</p> <p>* Three (3) units open type legroom</p> <p>* Three (3) units two gang electrical outlets</p> <p>Base cabinet: 7993mm-length</p> <p>* With powder coated finish metal base frame and legs with adjustable leveler</p> <p>* Four (4) units hanging type one swing-out door cabinet in hand grab type handle and adjustable shelf</p> <p>* Three (3) units hanging type three pullout drawer cabinet in hand grab type handle</p> <p>* Six (6) units open type legroom</p> <p>* Six (6) units two gang electrical outlets</p> <p>Hanging Cabinet Dimension: 4524mm(L)x400mm(W)x800mm(H)</p> <p>* Eleven (11) units swing out glass door hanging cabinet with Highly Pressurized Laminated finish frame and adjustable shelves</p> <p>Hanging Cabinet Dimension: 2669mm(L)x400mm(W)x800mm(H)</p> <p>* Six (6) units swing out glass door hanging cabinet with Highly Pressurized Laminated finish frame and adjustable shelves</p>	<p>chemical resistance to acids, bases, salts halogens, organic chemicals, solvents and biological stains under 24 hours test with corresponding test result based on SEFA (Scientific Equipment & Furniture Association) as well as the main reagents from the PSI or any American and European Testing Laboratory</p> <hr/> <p>* Base Cabinets/ Carcass: Type: "Postformed - HPL"</p> <p>* <u>With laminated finished based cabinet with breakdown as follows: base cabinet@4600mm-length</u></p> <p>* With powder-coated finish metal base frame and legs with adjustable leveler</p> <p>* Four (4) units hanging type one swing out door cabinet in hand grab type handle and adjustable shelf</p> <p>* Four (4) units hanging type three pullout drawer cabinet in hand grab type handle</p> <p>* Eight (8) units open type legrooms</p> <p>* One (1) unit end sink cabinet with two swing out doors and fixed panel</p> <p>* One (1) unit pullout door with trashbin</p> <p>* One (1) unit acid resistant polypropylene sink bowl complete with traps and drain fittings</p> <p>* One (1) unit gooseneck water faucet</p> <p>* One (1) unit pegboard with polypropylene pegsticks</p> <p>* <u>With Highly Pressurized Laminated finish reagent rack post and shelf with clear acrylic railing</u></p> <p>* Eight (8) units two gang electrical outlets</p>
--	--	--

Main Office: CLSU, Science City of Muñoz, Nueva Ecija, Philippines
 Mobile Nos.: (+63) 932-869-6837/ (+63) 917-813-0852
 Fax No.: (044) 456-0110

Liaison Office: 3rd Floor, ATI Bldg., Elliptical Road, Diliman, Quezon City
 Tel No.: (02) 927-4019, 927-4029



2. *Issue / Proposal: Request that only minimal certifications and requirements be needed for the phenolic resin countertop. They believe that these are too many certifications required to prove that the phenolic resin countertop to be offered is laboratory grade and meets the PHilMech requirement standard.*


Action Taken/Reply: Certifications / Requirements for the laboratory center table with end sink and reagent rack and the laboratory side table with hanging cabinet are amended. Please refer to the amendments above.

C. OTHER AMENDMENTS

	FROM	TO
INVITATION TO BID	Bidders may also opt to deposit in cash the applicable fee to the PHilMech's Official Bank Account: Landbank of the Philippines (LBP) Account Name: PHILMECH TRUST FUND; Account No. 2962-1023-63 and by presenting or sending the proof of payment e.g. bank deposit slips to the address written below or email to philmech_bac@yahoo.com.ph	Bidders may also opt to deposit in cash the applicable fee to the PHilMech's Official Bank Account: Landbank of the Philippines (LBP) Account Name: PHILMECH TRUST FUND; Account No. 2962-1023-63 and by presenting or sending the proof of payment e.g. bank deposit slips to the address written below or email to bac@philmech.gov.ph .
INVITATION TO BID	11. For further information, please contact: The BAC Secretariat, PHilMech Administrative Division- Procurement Management Section CLSU Compound, Science City of Muñoz, Nueva Ecija Contact No. 0917 301 8242 E-mail: philmech_bac@yahoo.com.ph	11. For further information, please contact: The BAC Secretariat, PHilMech Administrative Division- Procurement Management Section CLSU Compound, Science City of Muñoz, Nueva Ecija Contact No. 0917 301 8242 E-mail: bac@philmech.gov.ph .

Issued this 29th day of May 2023 in the Science City of Muñoz, Nueva Ecija, Philippines.

Reviewed and approved by:


RONALDO SEBASTIAN R. REYES
 Chairperson, Bids and Awards Committee

Main Office: CLSU, Science City of Muñoz, Nueva Ecija, Philippines
 Mobile Nos.: (+63) 932-869-6837 / (+63) 917-813-0852
 Fax No.: (044) 456-0110
Liaison Office: 3rd Floor, ATI Bldg., Elliptical Road, Diliman, Quezon City
 Tel No.: (02) 927-4019, 927-4029



Republic of the Philippines
Department of Agriculture
Philippine Center for Postharvest Development and Mechanization
Science City of Muñoz, Nueva Ecija
www.philmech.gov.ph
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 CERTIFIED



SUPPLEMENTAL BID BULLETIN NO. 1
SUPPLY OF LABOR AND MATERIALS FOR THE DELIVERY AND
INSTALLATION OF VARIOUS LABORATORY FURNITURE AND FIXTURES
(PHilMech-Goods-23-04-08)

OFERO A. CAPARIÑO, Ph.D
Vice Chairperson

ENGR. GENARO M. TOLENTINO
Regular Member

ENGR. BILLY T. BELONIO
Technical Member

ARLENE C. JOAQUIN
End-User/Provisional Member


CONFORMED:	_____
Bidders Name:	_____
Date Received:	_____

Main Office: CLSU, Science City of Muñoz, Nueva Ecija, Philippines
Mobile Nos.: (+63) 932-869-6837/ (+63) 917-813-0852
Fax No.: (044) 456-0110
Liaison Office: 3rd Floor, ATI Bldg., Elliptical Road, Diliman, Quezon City
Tel No.: (02) 927-4019, 927-4029

PHilMech-AD-F-192 Rev 00 (02.16.23)

*Standard Form from IIR of RA 9184

Annex A. Location of the Laboratory Fixtures



Main Office: CLSU, Science City of Muñoz, Nueva Ecija, Philippines
Mobile Nos.: (+63) 932-869-6837/ (+63) 917-813-0852
Fax No.: (044) 456-0110
Liaison Office: 3rd Floor, ATI Bldg., Elliptical Road, Diliman, Quezon City
Tel No.: (02) 927-4019, 927-4029