

Republic of the Philippines

Department of Agriculture

Philippine Center for Postharvest Development and Mechanization

Science City of Muñoz, Nueva Ecija, Philippines

www.philmech.gov.ph

Negotiation Documents

(Negotiation - Two-Failed Biddings Pursuant to Sec. 53.1 of 2016 Revised IRR of RA 9184)

SUPPLY, DELIVERY, INSTALLATION AND TESTING OF VARIOUS MULTI STAGE RICE MILLS

(PHilMech-RCEF-24-02-10-NP)

Schedule of Activities:

Pre-Negotiation Conference:

February 21, 2024; 10:00AMAuditorium, PHilMech Main Office
Science City of Muñoz, Nueva Ecija

Submission & Opening of Best and Final Offer:

March 7, 2024; 1:30PM Auditorium, PHilMech Main Office, Science City of Muñoz, Nueva Ecija

> Sixth Edition July 2020

Table of Contents

Gloss	ary of Acronyms, Terms, and Abbreviations	<u>3</u>
Section	on I. Invitation for Negotiation	6
	on II. Instructions to Bidders	
1.	Scope of Bid	11
2.	Funding Information	11
3.	Requirements for Negotiated Procurement	11
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	11
5.	Eligible Bidders	11
6.	Origin of Goods	12
7.	Subcontracts	12
8.	Pre-Negotiation Conference	12
9.	Checklist of Requirements	
	Error! Bookmark not defined.	
10.	Bid Prices	
11.	Bid and Payment Currencies	
12.	Bid Security	
13.	Sealing and Marking of Bids	
14.	Deadline for Submission of Bids	
15.	Opening and Preliminary Examination of Bids	
16.	Domestic Preference	
17.	Detailed Evaluation and Comparison of Bids	15
18.	Post-Qualification	
19.	Signing of the Contract	16
Section	on III. General Conditions of Contract	17
1.	Scope of Contract	18
2.	Advance Payment and Terms of Payment	18
3.	Performance Security	18
4.	Inspection and Tests	18
5.	Warranty	19
6.	Liability of the Supplier	19
Section	on IV. Special Conditions of Contract	18
Section	on V. Schedule of Requirements	26
	on VI. Technical Specifications	
	on VII. Checklist of Technical and Financial Documents	

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW - Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods — Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC - Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation for Negotiation



Republic of the Philippines DEPARTMENT OF AGRICULTURE PHILIPPINE CENTER FOR POSTHARVEST DEVELOPMENT AND MECHANIZATION ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 CERTIFIED www.philmech.gov.ph

BAGONG PILIPINAS

INVITATION FOR NEGOTIATION

SUPPLY, DELIVERY, INSTALLATION AND TESTING OF VARIOUS MULTI STAGE RICE MILLS

(PHilMech-RCEF-24-02-10-NP)

1. The Philippine Center for Postharvest Development and Mechanization (PHilMech) through its FY 2022 & FY 2023 Rice Competitive Enhancement Fund (RCEF) intends to apply the below-specified amount, being the Approved Budget for the Contract (ABC), as indicated herein to payments under the contract for the SUPPLY, DELIVERY, INSTALLATION AND TESTING OF VARIOUS MULTI STAGE RICE MILLS. Bids received in excess of the ABC shall be automatically rejected during bid opening.

LOT NO.	PROJECT TITLE	ABC (PhP)	FUND SOURCE	COST OF BIDDING DOCUMENTS (PhP)
1	Supply, Delivery, Installation, Testing and Commissioning of 5 units 1.5tph Multi Stage Rice Mill for Regions IVB, V, VI & VIII	58,725,000.00	RCEF 2023	20,000.00
2	Supply, Delivery, Installation, Testing and Commissioning of 1 unit 2-3tph Multi Stage Rice Mill for Region IV-B (Watchers MPC)	55,718,671.00	RCEF 2022	20,000.00
3	Supply, Delivery, Installation, Testing and Commissioning of 1 unit 2-3tph Multi Stage Rice Mill for Region IV-B (MLGU Bataraza)	55,718,671.00	RCEF 2022	20,000.00
4	Supply, Delivery, Installation and Testing of 1 unit 2-3tph Multi Stage Rice Mill for Region IVB (MLGU San Vicente)	55,718,671.00	RCEF 2023	20,000.00
5	Supply, Delivery, Installation and Testing of 1 unit 2-3tph Multi Stage Rice Mill for Region IVB (MLGU Narra)	55,718,671.00	RCEF 2023	20,000.00
	ALL LOTS	281,599,684.00		50,000.00

2. The PHilMech now invites bids from eligible bidders for the SUPPLY, DELIVERY, INSTALLATION AND TESTING OF VARIOUS MULTI STAGE RICE MILLS.

Delivery of the GOODS is required within **Two Hundred (200) calendar days** from receipt of the Notice to Proceed. Bidders should have completed within ten (10) years from the date of submission and receipt of bids a contract similar to the project. For this purpose, a similar contract shall refer to any contract for the **Supply, Delivery, Installation and Testing of Rice Mills or Recirculating Grain Dryers.**

3. Bidding will be conducted through **Negotiated Procurement** (**Two-Failed Biddings**) pursuant to Section 53.1 of the Revised Implementing Rules and Regulations (IRR) of the Republic Act 9184, otherwise known as the "Government Procurement Reform Act", including its Annex H.

The BAC will engage in negotiations with a sufficient number of suppliers to ensure effective competition. The selection of the successful offer shall be based on the best and final offer that will be submitted on the specified date shown below, and which would meet the minimum technical specifications required.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.

- 4. Interested Bidders may obtain further information from the **PHilMech** and inspect the Negotiation Documents at the address given below from 8:00 am to 5:00 pm.
- 5. A complete set of Negotiation Documents may be acquired by interested Bidders during office hours from **February 19 to March 7, 2024** from the address given below upon payment of the applicable fee for the Negotiation Documents as specified above.

Bidders may also opt to deposit in cash the applicable fee to the PHilMech's Official Bank Account: Landbank of the Philippines (LBP) Account Name: <u>PHILMECH TRUST FUND</u>; <u>Account No. 2962-1023-63</u> and by presenting or sending the proof of payment e.g. bank deposit slips to the address written below or email to <u>bac@philmech.gov.ph.</u>

The Negotiation Documents may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity provided that Bidders shall pay the applicable fee for the Bidding Documents before the submission of their Bids.

6. The PHilMech will hold a Negotiation Conference on February 21, 2024; 10:00AM at the Auditorium, PHilMech Main Office, CLSU Compound, Science City of Muñoz, Nueva Ecija, which shall be open to prospective bidders.

Interested bidders may opt to attend via video conferencing and pre-register on the email address provided below to signify their intention to participate. A Personal Meeting ID shall be provided to the authorized representative upon registration.

- 7. **Best and final quotations** must be duly received by the BAC Secretariat through manual submission at the address indicated below on or before **01:30PM of March 7, 2024.** Late Bids shall not be accepted.
- 8. Bid opening shall be on **March 7**, **2024**; **01:30PM** at the address given below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. The **PHilMech** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 35.6 and Section 41 of RA9184 and its IRR and GPPB Resolution No. 09-2020 without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please contact:

The BAC Secretariat, PHilMech Administrative Division-Procurement Management Section CLSU Compound, Science City of Muñoz, Nueva Ecija Contact No. 0917 301 8242

E-mail: bac@philmech.gov.ph

12. Interested bidders may also visit the following websites:

For downloading of Bidding Documents: www.philmech.gov.ph https://old.philmech.gov.ph/?page=bidding

NELSON C. SANTIAGO, Ph.D. BAC Chairperson

NOTICE/ANNOUNCEMENT

PHILMECH DOES NOT CONDONE ANY FORM OF SOLICITATION FROM ANY PROSPECTIVE BIDDER BY ANY OF ITS STAFF/EMPLOYEE OR BY ANY OTHER PARTY. ANY ACTIVITY OF THIS NATURE MAY BE IMMEDIATELY REPORTED TO THE OFFICE OF THE DIRECTOR OR TO ANY APPROPRIATE LAW ENFORCEMENT AGENCY FOR ENTRAPMENT AND/OR INVESTIGATION.

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, *Philippine Center for Postharvest Development and Mechanization (PHilMech)* wishes to receive Bids for the *SUPPLY*, *DELIVERY*, *INSTALLATION AND TESTING OF VARIOUS MULTI STAGE RICE MILLS*, with identification number (*PHilMech-RCEF-24-02-10-NP*).

The Procurement Project SUPPLY, DELIVERY, INSTALLATION AND TESTING OF VARIOUS MULTI STAGE RICE MILLS is composed of five (5) lots, the details of which are described in Section VII (Technical Specifications)

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for FY 2022 & FY 2023 in the amount of Php 281,599,684.00.
- 2.2. The source of funding is **NGA**, the **General Appropriations Act**

3. Requirements for Negotiated Procurement

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **I**N by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least fifty percent (50%) of the ABC for this Project; and
 - ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under ITB Clause 18.

7. Subcontracts

The Procuring Entity has prescribed that Subcontracting is not allowed.

8. Pre-Negotiation Conference

The Procuring Entity will hold a negotiation conference for this Project on the specified date and time and either at the PHilMech Auditorium and/or video conferencing/webcasting as indicated in paragraph 6 of the IN.

9. Checklist of Requirements

	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages)
	<i>(</i> 1)	in accordance with Section 8.5.2 of the IRR;
	(b)	Statement of the prospective bidder of all its ongoing government and
		private contracts, including contracts awarded but not yet started and/or
		delivered but not yet inspected and accepted, if any, whether similar or
	(1.)	not similar in nature and complexity to the contract to be bid; and
	(b)	Statement of the bidder's Single Largest Completed Contract (SLCC)
		similar to the contract to be bid, except under conditions provided for in
		Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184,
	()	within the relevant period as provided in the Bidding Documents; and
	(c)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a
		certification issued by the Insurance Commission;
		Original convert Notarized Did Convert Declarations and
	(4)	Original copy of Notarized Bid Securing Declaration; and
	(d)	Conformity with the Technical Specifications, which may include
		production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; and
	(e)	Schedule of Requirements; and
П	(f)	Original duly signed Omnibus Sworn Statement (OSS);
	(g)	and if applicable, Original Notarized Secretary's Certificate in case of a
	(8)	corporation, partnership, or cooperative; or Original Special Power of
		Attorney of all members of the joint venture giving full power and authority
		to its officer to sign the OSS and do acts to represent the Bidder.
П	(h)	If applicable, a duly signed joint venture agreement (JVA) in case the joint
	(11)	venture is already in existence;
		or
		duly notarized statements from all the potential joint venture partners stating
		that they will enter into and abide by the provisions of the JVA in the
		instance that the bid is successful.
	(i)	Original of duly signed and accomplished Financial Bid Form; and
	(j)	Original of duly signed and accomplished Price Schedule(s)
	-	
Oti	her do	cumentary requirements under RA No. 9184 (as applicable)
	(k)	[For foreign bidders claiming by reason of their country's extension of
		reciprocal rights to Filipinos] Certification from the relevant government
		office of their country stating that Filipinos are allowed to participate in
		government procurement activities for the same item or product.
	(1)	Certification from the DTI if the Bidder claims preference as a Domestic
		Bidder or Domestic Entity.

10. Bid Prices

- 11.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

11. Bid and Payment Currencies

- 12.1 For Goods that the Bidder will supply from outside the Philippines, the bid prices shal be quoted in the local currency.
- 12.2 Payment of the contract price shall be made in Philippine Pesos.

12. Bid Security

- 13.1 The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security allowed under Section 27.2 of the 2016 Revised Implementing Rules and Regulations.
- 13.2 The Bid and bid security shall be valid until July 5, 2024 or one hundred twenty (120) calendar days after the opening of bids in the event of a change in the

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

date of the opening of bids. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

13. Sealing and Marking of Bids

Each Bidder shall submit three (3) copies of the first and second components of its Bid.

14. Deadline for Submission of Bids

The Bidders shall submit its best and final offer on the specified date and time as indicated in paragraph 7 of the **IN**.

15. Opening and Preliminary Examination of Bids

16.1 The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IN**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

16.2 The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

16. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

17. Detailed Evaluation and Comparison of Bids

- 19.2. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.3. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as

the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.

- 19.4. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.5. The Project shall be awarded as follows:

One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.

19.6. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

18. Post-Qualification

20.2 Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

19. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section VII (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section IV. Special Conditions of Contract

Special Conditions of Contract

Special Conditions of Contract			
GCC Clause			
1	Delivery and Documents –		
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:		
	"The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."		
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).		
	For purposes of this Clause, the Procuring Entity's Representative at the Project Sites are as follows:		
	Cluster 1 (Regions I and III)- Engr. Maritess Sobrevilla		
	Cluster 2 (CAR and Region II) – Engr. Jarell S. Oting		
	Cluster 3 (Regions IV-A, IV-B and V) – Engr. Nino D. Bengosta		
	Cluster 4 (Regions VI, VII and VIII) –Engr. Domingo A. Miranda		
	Cluster 5 (Regions IX, X and CARAGA) – Engr. Edgar A. Testa		
	Cluster 6 (Regions XI, XII and BARMM) – Engr. Franklin D. Gomez		
	Incidental Services –		
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: performance or supervision of on-site assembly and/or start-up of the supplied Goods;		
	a. Furnishing of tools required for assembly and/or maintenance of the supplied Goods;b. Furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;		

- c. Performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
- d. Training of the Procuring Entity's recipients, at the delivery site, on assembly, start-up, operation, maintenance, and/or basic repair of the supplied Farm Machineries.
- e. Provision of palay sample for testing.
- f. Furnishing of all other services required for compliance with the technical specifications.

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within one month of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity
Name of the Supplier
Contract Description
Final Destination
Gross weight
Any special lifting instructions
Any special handling instructions
Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Transportation –

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

Intellectual Property Rights –

The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

2.2 The terms of payment shall be as follows:

- a. Fifty Percent (50%) of the Contract Price per lot: upon delivery of the complete major components such as the Pre-cleaner, De-Stoner, Huller, Paddy Separator, Whitener, Sifter, Length grader, Color sorter, Blending Tank, Mist polisher, and Control panel conducted with initial inspection of the authorized representatives of PHilMech; and
- b. Remaining Fifty Percent (50%) of the Contract Price per lot: upon 100% completion of the project, final inspection and acceptance, and

	submission of required documents.
4	All goods delivered under this contract shall be subject to the following test:
	 Technical inspection to determine their order and condition, quantity, compliance with the technical specifications and all other contract requirements; Operational test upon delivery on-site; Performance testing through random sampling.
	Prior notice of the schedule of such tests or inspections, written or verbal, will be given to the authorized representative of the Supplier. The inspection will push through as scheduled even in the absence of the Supplier's representative, if the latter was duly notified, in which case, the results of the inspection conducted by the procuring Entity shall be final and binding upon the Supplier.

Section V. Schedule of Requirements

RE: SUPPLY, DELIVERY, INSTALLATION AND TESTING OF VARIOUS MULTI STAGE RICE MILLS

(PHilMech-RCEF-24-02-10-NP)

Lot no/	s. being bid: Name and Signature of Authorized I	Representative:
•	edule expressed as weeks/months stipulates hereafter a del very to the project site.	ivery date whic
Item Number	Project Title	Delivered,
(LOT No.)		Weeks/Months
1	Supply, Delivery, Installation, Testing and Commissioning of 5 units 1.5tph Multi Stage Rice Mill for Regions IVB, V, VI & VIII	200CD
2	Supply, Delivery, Installation, Testing and Commissioning of 1 unit 2-3tph Multi Stage Rice Mill for Region IV-B (Watchers MPC)	200CD
3	Supply, Delivery, Installation, Testing and Commissioning of 1 unit 2-3tph Multi Stage Rice Mill for Region IV-B (MLGU Bataraza)	200CD
4	Supply, Delivery, Installation and Testing of 1 unit 2-3tph Multi Stage Rice Mill for Region IVB (MLGU San Vicente)	200CD
5	Supply, Delivery, Installation and Testing of 1 unit 2-3tph Multi Stage Rice Mill for Region IVB (MLGU Narra)	200CD
Signature over Prin	ted Name of Bidder Position/De	esignation

Date

(Name, Address & Tel. No. of Company)

Section VII. Technical Specifications

Technical Specifications

RE: SUPPLY, DELIVERY, INSTALLATION AND TESTING OF VARIOUS MULTI STAGE RICE MILLS

(PHilMech-RCEF-24-02-10-NP)

Name and Signature of Authorized Representative:

Lot no/s. being bid:

	Statement of Compliance* Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the	
SPECIFICATION	equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuance	Reference Page Number
Supply, Delivery, Installation and Testing of Multi Stage Rice Mill (1.5tph)		
Tashnical Consistantions		
Technical Specifications:		
- Input capacity: 1.5 ton/hr, minimum		
- Hulling efficiency: 79%, minimum		
- Milling recovery index: 0.95, minimum		
- Percent Head rice index: 0.90, minimum		
- Provision of easy maintenance, repair and monitoring for all components and parts of the rice mill		
With the following compatible components:		
1. Steel/Concrete feeding hopper, floor level		
2. Pre-cleaner		

- 90% efficiency, minimum	
- Multi-layer screen for chaff and fine impurity removal	
3. Magnetic separator located at the down spout after the pre-cleaner to remove ferrous particle from the product.	
4. De-stoner	
- Separates stone and other heavy impurities	
- Mounted on steel base structure	
5. Rubber roll huller	
- Adjustable inlet port with regulated feeder	
- Fitted with dust collection system	
6. Husk aspirator	
- Rice husk discharge to rice hull bin via metal ducting	
7. Paddy separator	
- Multi-layer, indented tray	
- Adjustable tray inclination	
8. Whitener	
- Two (2) units horizontal or vertical	
 Abrasive type or combination of abrasive and friction type whitener 	
9. Sifter	
- With Brewers removing device	
- Oscillating tray-type sifter or a drum type	
- Have two (2) units bucket elevator	
* Elevator 1: Will pass thru mist polisher	
* Elevator 2: From sifter direct to bagging tank	
10. Mist Polisher	
- Provisions of easy maintenance, repair,	
and monitoring - Push button minimum and should have error indicator	
11. Color Sorter	
- Intelligent optical selector and sorting with color and defects profiling	
- Intelligent individual defect detection	
* Up to 99% (minimum) defect removal	
- Intelligent automation: optical sorter consistently adjusts to the incoming product	
- Textured LED lighting technology	

 Able to ejects and rejects even during very high capacity processing 		
- Operation and control system: easy-to-use		
touch panel (with display that shows status		
and error messages)		
12. Length Grader		
- Capability to sort short, medium and long		
grains		
- Provision of inspection window		
- Transition pipes are equipped with		
sampling outlets (every stage)		
- Push button minimum and should have error indicator		
citor indicator		
13. Blending tank		
 Adjustable blending of head rice, large broken and small broken 		
- Automatic flow balancer/volumetric		
feeder		
- It works with any variety of rice		
- Maintain a consistent mixing of		
predefined throughput automatically		
14. Bagging bin for milled rice		
- For head rice: Holding capacity of 200kg		
- Steel and metal construction		
- Discharge outlet height compatible with sack on top of weighing scale		
- Portable bag sewer		
15. Grain bucket elevators to all appropriate		
components of the rice mill - ABS, HDPE, or stainless steel buckets, in		
accordance with the following: stainless		
steel bucket for paddy and plastic bucket for		
others - The elevator leg material: 1mm thickness,		
minimum		
- Adjustable foot or head rollers		
- Serviceable cleaning bottom port		
16. Rice hull bin		
- Capacity: 60 cu. meter		
- With button discharge control		
- Materials: G.I. sheet, 1.2mm thickness		
- Angle and steel bars that can withstand the maximum capacity of the bin		
- With reinforced concrete foundation that can		
withstand the maximum capacity of the bin		
- Corrugated G.I. roofing: 0.4mm, minimum with steel truss frame		
Steel trade frame	I	

- The rice hull bin should be painted with rust proofing primer and with final paint color		
- All steel materials are brand new		
- All joints are bolted		
17. Dust collection system		
 Fitted with dust-collection system (pre-cleaner, de-stoner, huller, paddy separator, whitener, brewer removing device, sifter, mist polisher and length grader) 		
- With cyclone separator/collector		
- With suction blower		
- Sheet metal ducting		
- All connectors shall be airtight		
18. All ducting chutes are made of sheet metal		
- Thickness: 0.9mm, minimum		
- Material: Made of stainless steel or primer painted and powder coated B.I. or G.I. Sheet		
With the following compatible accessories:		
1. Three (3) units single phase transformer at 75 KVA each.		
2. With concrete transformer platform		
- Refer to the attached layout.		
3. All components should be provided with compatible electric motor		
- Operating voltage: 220-240VAC		
- Connecting wires and cables shall conform to Electrical Code of the Philippines		
- Moisture and dust proof (sealed type)		
- With thermal protection device		
4. Control panel		
- Compatible to the electrical requirements of the rice milling system		
- Must contain mimic flow of operation		
 With digital ammeter and voltmeter readout 		
 With basic safety cut-off features including emergency shutdown button 		
- With on-off push button switch and		
individual circuit breaker for each motor - Pilot lights shall indicate operating motor		
- With interlocking system and emergency button		
	l .	

- With individual magnetic starter and overload protection for all electric motors	
- Dust proof	
5. One (1) unit weighing scale	
- Mechanical type	
- Capacity: 2 ton	
- Readability: 0.5kg	
6. Portable handheld grain moisture meter	
- Grain: Paddy, rice and other grains (optional)	
- Type: Capacitance	
- Moisture range: 12-25% or wider	
- Accuracy: ± 0.5% or better	
- LCD/LED display	
- Battery operated	
- Automatic density and temperature compensation	
- Product brochure with technical specifications in English	
7. With safety and ease of operation features	
- Path walks	
- Markings/Direction/Borders	
- Provision of harness	
- Expanded metal sheet for elevated catwalk with steel frame	
- Stairs and risers fitted with safety railings	
- Moving and rotating components of the rice mill must be covered	
- One (1) unit fire extinguisher for the milling area	
* Dry chemical, stored pressure type, capacity: 6.80kg, minimum	
- Basic safety kits	
8. Plastic pallet: 50 pcs	
- Size: 1,100mm length x 1,100mm width x 150mm height (minimum)	
9. Two (2) sets of spare rubber roll	
10. Two (2) sets of spare whitener screen	
11. Equipped with electrical requirements	
- Compatible panel board with circuit breakers	
- The electrical wire, wire accessories, and piping/conduit to connect the transformer unit to the main distribution panel board and to the control panel of the Rice Milling System shall be provided by the bidder.	

- The transformers, electrical wires, panel board, circuit breakers and piping/conduit must be brand new	
- Maximum of 20m distance from the transformers to the service entrance.	
12. Standard heavy duty tools: made of tempered steel and chrome vanadium	
- One (1) set socket wrench (No. 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 23, 24, 27, 30, 32, minimum)	
- One (1) set combination wrench (open and box, 10 pcs-size appropriate to the rice milling system)	
- Adjustable wrench: 300 mm, minimum	
- Electrical plier, 200mm, minimum	
- Screwdriver: Philips and flat head, 300mm, minimum	
- Grease gun: 250mm cylinder length, minimum	
- Mechanical pliers: 200mm, minimum	
- Heavy duty (metal) toolbox and roll up tools holder	
* Size that could accommodate the required tools	
13. Vacuum cleaner	
- Rated input power: 1,000 W, minimum - Maximum air flow: 3 cubic meter/minute	
- Capacity: 30li, minimum	
- Power cord: 5m, minimum	
- Features: High capacity and high suction	
14. Mounting frame	
- All component of the Rice Milling System	
- Material: Angle bar (50mm x 50mm x 6mm, minimum)	
- Mounting frame shall be fitted with brackets for concrete floor installation	
15. All major components and parts of the rice mill should be painted powder coated or regular paint with rust-proofing primer and final paint color (minimum of 2 coating).	
16. All components and accessories are brand new, latest brand model and not rebranded/renamed.	
17. Provision of easy maintenance, repair and monitoring for all components and parts of the rice mill.	
18. RCEF Mechanization Program logo panaflex signage with light bulb	
- Dimension: 750mm x 1,200mm	

- With aluminum frame 101mm	
- Layout, design and description to be provided by PHilMech	
19. RCEF Rice Processing System acrylic signage	
- Lettering	
* RCEF (750mm x 2,000mm)	
* RICE PROCESSING SYSTEM (500mm x 7,500mm)	
- Layout, design and description to be provided by PHilMech	
20. Manufacturer's name plate with the serial number of the machine and its components	
With other technical requirements:	
1. With valid AMTEC test report of the Multi-Stage Rice Mill of the same model as to basic parts and major components and the results should conform to PNS/BAFS PABES 303:2020. AMTEC test result may be submitted after delivery and installation or as a condition for payment subject to the submission of a Certification from the manufacturer of the rice mill system is capable of meeting the PNS/PABES standard for Multi-Stage Rice Mill. AMTEC and PHilMech testing upon installation at supplier's cost for each unit as condition for acceptance and payment.	
2. Valid Permit To Operate (PTO) or certification from BAFE of their application for PTO.	
3. Process flow layout and schematic diagram of the Rice Milling System duly signed and sealed by a licensed Agricultural and Biosystems Engineer for post-qualification evaluation.	
4. Electrical plan and layout duly signed and sealed by a licensed Electrical Engineer as a condition for payment.	
- From transformer to main switch to control panel to machine components.	
5. Brochure (written in English/Filipino) for the following:	
- Rice mill major components	
- Vacuum cleaner	
- Portable handheld moisture meter	
6. Copy of Equipment Manufacturer's Manual of rice milling unit and each component such as pre-cleaner, hulling system, whitener, polisher, color sorter, length grader and blending tank and the portable handheld moisture meter written in English/Filipino/Vernacular to be presented during post qualification evaluation.	

7. Conformity as to the technical specifications of the Procuring Entity signed and sealed by an Agricultural and Biosystems Engineer as prescribed by the Section 27.1 of the RA 10915 otherwise known as "Philippine Agricultural and Biosystems Engineering Act of 2016", sample of which is hereto attached.	
8. Authorized distributor/importer of the offered rice mill must submit the following (as a post qualification requirement): - SEC/DTI	
- Tax clearance	
- Business Permit	
- Permit to Operate and classified as distributor/importer of Agricultural Machinery by BAFE or certification from BAFE of their application for PTO	
With the following Certifications:	
1. Valid Certificate of Conformity (COC) to Agricultural and Fisheries Machinery or certification from BAFE of their application for COC or certification from the bidder of their application for COC of Multi Stage Rice Mill.	
2. Certification from the bidder that the rice milling unit and each component are branded and have part numbers.	
3. Certification from the bidder that they will provide the palay samples, labor and other materials for full load test and commissioning.	
4. National Agricultural and Fisheries Machinery Assemblers, Manufacturers, Importers, Distributors and Dealers Accreditation and Classification (NAMDAC) Certification for the Bidder.	
5. Provision of after sales services:	
- Certification of two (2) years warranty for services and parts of the rice milling system and other components, due to manufacturing defects upon acceptance.	
 Valid Certificate of Dealership/Distributorship/Authority to sell, and Commitment to Supply directly or indirectly issued by the manufacturer or distributor to the bidder; if issued by the Distributor to the bidder, must be accompanied by Distributorship agreement between the Manufacturer and Distributor/Importer. Certification that the supplier will conduct training on the proper handling, operation and 	
maintenance of the unit for at least two (2) operators per beneficiary.	

6. Certification from the supplier that they will repair the defective units and provide after sales service within 72hours upon receipt of complaints. (PNS/BAFS/PAES 192:2016).				
7. Notarized certificate of stock availability or stock allocation from the national distributor and manufacturer specifying the name of the project.				
8. Certification of guaranteed spare parts availability for at least five (5) years.				
9. Certification of Very Satisfactory Performance of the Multi-Stage Rice Mill being offered as to: i) Machinery Performance; ii) Machinery Durability; and, iii) Availability of Parts and Service.				
 Who may issue: The Bidder shall provide list of five (5) customers/clients with addresses and contact numbers, and certification from at least one (1) customer/client. Any government or private Agency/Company in Asian Countries, duly signed by the Current Head of Agency/Company within the last one (1) year. 				
Excluding the following: - PHilMech - Bidder's Dealers and Authorized Service Centers				
I hereby certify that the Statement of Compliance to the Foregoing Technical Specifications are true and correct, otherwise, if found false either during the bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.				
	Signatu	are over Printed Name of Bidder		
Signed and Sealed* by: Signature over Printed Name Agricultural Engineer of Agricultural and Biosystems I	r	Position / Designation		
	(Name, A	Address & Tel. No. of Company)		
*as per prescribed dry seal by PRC-PR	BABE Resolution No. 04 Serie	es of 2018		
"Read and accepted as part of the contract"	36			

	Statement of Compliance*	
SPECIFICATION	Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuance	Reference Page Number
Supply, Delivery, Installation and Testing of	subject to the applicable laws and issuance	
Multi Stage Rice Mill (2-3tph)		
With Stage Nee Will (2-Stph)		
Technical Specifications:		
- Input Capacity: 2-3 ton/hr		
- Hulling efficiency: 79%, minimum		
- Milling recovery index: 0.95, minimum		
- Percent Head rice index: 0.90, minimum		
- Noise level: 92db maximum without		
provision of ear muff. Above 92db, with		
provision of four (4) sets of ear muff for		
operators		
With the following compatible components:		
1 Floor level feeding house with 1		
1. Floor level feeding hopper with shutter		
- Transfer/suction pump * Motor: ¹ / ₄ hp, minimum		
*Automatic water detection		
- Refer to the attached layout		
Tieres to the atmened hayout		
2. Pre-cleaner		
- 90% efficiency, minimum		
- Auto-feed control		
- Multi stage cleaning that can remove small,		
medium and large size impurities; and light		
weight impurities		
- With clog prevention mechanism		

- Automatic control	
- Push button operation and control System or better with error indicator	
3. Magnetic separator located at the down spout after the pre-cleaner to remove ferrous particle from the product.	
4. De-stoner	
- Auto-feed control	
- Installed after the pre-cleaner	
- Separates stone and other heavy impurities	
- Push button operation and control System or better with error indicator	
5. Hulling System	
- Rubber Roll Huller	
- Auto-feed control	
- Minimum of 2 sets of hulling system provided that the capacity and efficiency are met	
- With idler switching system	
- With automatic adjustment	
- With immature grain outlet	
 With magnetic separator to remove ferrous particle from the product 	
 With aspirator: Rice hull discharge to rice hull bin via metal ducting 	
- Fitted with dust collection system	
- Push button operation and control System or better with error indicator	
6. Paddy Separator	
 With return elevator to the hulling mechanism and paddy separator 	
 With magnetic separator to remove ferrous particle from the product 	
- Multi-layer, indented tray	
- Adjustable tray inclination	
- Push button operation and control System or better with error indicator	
7. Whitener	
- Auto feed control	
- Three (3) whiteners (horizontal or vertical or combination)	
* Abrasive type or combination of abrasive and friction type whitener	
 With magnetic separator to remove ferrous particle from the product 	

- Push button operation and control System or better with error indicator		
8. Sifter		
- With brewers removing device		
- Oscillating tray-type sifter or a drum type		
- Push button operation and control System or better with error indicator		
9. Mist polisher		
- Auto feed control		
- Two (2) sets of mist polisher		
- Push button operation and control System or better with error indicator		
10. Length grader		
- Capability to sort short, medium and long grains		
- Provision of inspection window		
 Transition pipes are equipped with sampling outlets (every stage) 		
- Push button operation and control System or better with error indicator		
11. Color sorter		
 Intelligent optical selector and sorting for rice and with color and defects profiling 		
- Intelligent individual defect detection		
* Up to 99% (minimum) defect removal		
 Intelligent automation: optical sorter consistently adjusts to the incoming product 		
- Textured LED lighting technology		
 Able to reject and eject even during very high capacity processing 		
 Operation and control system: easy-to- use touch panel (with display that shows status and error messages) 		
12. Blending tank		
 Adjustable blending of head rice, large broken and small broken 		
- Automatic flow balancer/volumetric feeder		
- It works with any variety of rice		
- Maintain a consistent mixing of predefined throughput automatically		
	<u> </u>	

13. Packing system	
- Semi-Automatic	
- Accurate weighing with digital display	
- Provided with 2m (minimum) length conveyor system	
- Portable bag sewer	
- With setting for variable weights in 25 kg and 50 kg	
14. Grain bucket elevators to all appropriate components of the rice mill	
 ABS, HDPE, or stainless steel buckets, in accordance with the following: stainless steel bucket for paddy and plastic bucket for others Adjustable foot or head rollers 	
- Serviceable cleaning bottom port	
- The elevator leg material: 1 mm thickness, minimum	
15. Rice hull bin	
- Capacity: 120 cu.m., minimum	
- With button discharge control	
- Can withstand the maximum capacity of the rice hull bin	
 Minimum height of 4m from floor to the lowest part of the discharge chute and can accommodate truck for the unloading of hull 	
- Inclination of the discharge chute compatible to the angle of repose of the rice hull (35 - 50degrees)	
- Minimum of two (2) discharge chute of rice hull using MS plate (2mm) and should be supported by angle bars	
- Provision of ladder and railings for the unloading of rice hull, repair and maintenance of the rice hull bin	
- Conveyor from the rice milling system to the rice hull bin	
* Bucket type elevators compatible to the capacity of the rice milling system and the height of the rice hull bin	
* Combination of bucket type elevator or screw conveyor	
* With compatible electric motor/s	
 The rice hull bin should be painted with rust proofing primer and with final paint color 	
- All steel materials are brand new	
 Design and civil work shall be duly signed and sealed by a licensed civil engineer 	

16. Dust collection system	
- Fitted with dust-collection system (pre-	
cleaner, de-stoner, huller, paddy	
separator, whitener, mist-polisher, color	
sorter, length grader, and sifter)	
- With cyclone type separator or dust filter	
- With suction blower	
- Sheet metal ducting	
- All connectors shall be air tight	
17. All ducting chutes are made of sheet metal	
- Thickness: 0.9mm, minimum	
- Material: Made of stainless steel or	
primer painted and powder coated B.I. or G.I. Sheet	
G.I. Slicet	
With the following compatible accessories:	
Provide the second seco	
4.77	
1. Three (3) units single phase transformer at 167 KVA each.	
10/ KVA each.	
2. With concrete transformer platform	
2. With concrete transformer platform	
- Refer to the attached layout	
•	
3. All components should be provided with	
compatible electric motor	
- Operating voltage: 220-240VAC	
- Connecting wires and cables shall	
conform to Electrical Code of the	
Philippines	
- Moisture and dust proof (sealed type)	
- With thermal protection device	
4. Control panel	
- Compatible to the electrical	
requirements of the rice milling system	
- Must contain mimic flow of operation	
- With digital ammeter and voltmeter	
readout	
- With basic safety cut-off features	
including emergency shutdown button	
- With on-off push button switch and	
- Pilot lights shall indicate operating	
motor	
- With interlocking system and	
emergency button	
- With individual magnetic starter and	
overload protection for all electric motors	

- Dust proof	
5. Control room	
- Dimension: 5m x 4m (minimum)	
- Construction: 100 mm (minimum) dry	
wall and sliding glass windows	
* All four sides of the control room	
should have sliding glass windows	
- The dry wall should be applied with wall putty, primer, and paint finished	
- With one (1) glass door	
- Fully air conditioned (inverter)	
* 1.5 hp, minimum	
- With Sufficient lighting	
- Can house the control panel of the rice	
milling system	
- In accordance with the PHilMech design	
6. For the Dust and Bran Room:	
Construction:	
- Structure shall be fully enclosed and	
secured, with a complete roof enclosure supported by connecting	
walls extending from the ground to	
the roof.	
- 150 mm CHB plastered wall for the	
first 1 meter, use pre-painted metal	
roofing sheet, long span GA #26 Rib Type Long Span with frames for the	
rest of the height.	
- Shall provide sufficient working	
space for the collection of dust/bran	
and maintenance of the component.	
- Shall provide a double swing type door as	
access using GI sheet with a minimum	
width of 1 meter per door.	
- Ensure smooth and even finishes for	
the interior surfaces; plastering	
thickness is 10–12 mm.	
- The wall should be applied with	
cement wall putty, primer, and paint finished.	
- With recommended and sufficient	
lighting as per the illumination	
standard	
- The structure shall be capable of	
withstanding the most severe	
combination of forces that are likely	
to be applied and shall be designed to	
maintain a state of rigidity and durability.	
7. One (1) unit weighing scale	
,. one (1) unit wording bout	

- Mechanical type	
- Capacity: 2 ton	
- Readability: 0.5 kg	
8. Portable handheld grain moisture meter	
- Grain: Paddy, rice and other grains (optional)	
- Type: Capacitance	
- Moisture range: 12-25% or wider	
- Accuracy: $\pm 0.5\%$ or better	
- LCD/LED display	
- Battery operated	
- Automatic density and temperature compensation	
- Product brochure with technical specifications in English	
9. With safety and ease of operation features	
- Path walks	
- Markings/Direction/Borders	
- Provision of harness	
- Expanded metal sheet for elevated catwalk with steel frame	
- Stairs and risers fitted with safety railings	
- Moving and rotating components of the rice mill must be covered	
- Two (2) units fire extinguisher for the control room and milling area	
* Dry chemical, stored pressure type, capacity: 6.80kg, minimum	
- Basic safety kits	
10. Plastic pallet: 300 pcs	
- Size: 1,100mm length x 1,100mm width x 150mm height (minimum)	
11. Six (6) sets of spare rubber roll	
12. Six (6) sets of spare whitener screen	
13. Equipped with electrical requirements	
- Compatible panel board with circuit breakers	
- The electrical wire, wire accessories, and piping/conduit to connect the transformer unit to the main distribution panel board and to the control panel of the Rice Milling System shall be provided by the bidder.	
- The transformer, electrical wires, panel board, circuit breakers and piping/conduit must be brand new.	
- Maximum of 20m distance from the	

transformans to the service anti	
transformers to the service entrance.	
14. Standard heavy duty tools: made of tempered steel and chrome vanadium	
- One (1) set socket wrench (No. 8, 10, 11, 12,	
13, 14, 15, 16, 17, 18, 19, 20, 22, 23, 24, 27,	
30, 32, minimum)	
- One (1) set combination wrench (open and	
box, 10 pcs-size appropriate to the rice milling	
system) - Adjustable wrench: 300 mm, minimum	
- Electrical plier: 200 mm, minimum	
- Screwdriver: Philips and flat head, 300mm,	
minimum	
- Grease gun: 250mm cylinder length,	
minimum - Mechanical pliers: 200mm, minimum	
- Heavy duty (metal) toolbox and roll up tools	
holder	
* Size that could accommodate the required	
tools	
15. Vacuum cleaner	
- Rated input power: 1,000 W, minimum	
- Maximum air flow: 3 cubic meter/minute	
- Capacity: 30 liter, minimum	
- Power cord: 5m, minimum	
- Features: High capacity and high suction	
16. Mounting frame	
- All component of the Rice Milling System	
shall be installed with mounting frame and	
fitted with brackets.	
17. All major components and parts of the rice mill	
should be painted powder coated or regular paint	
with rust-proofing primer and final paint color (minimum of 2 coating)	
(minimum of 2 country)	
18. All components are brand new, latest model	
and not rebranded/renamed	
19. Ease of access for maintenance, repair and	
monitoring works for all components and parts of	
the rice mill. - The pre-cleaner, de-stoner, huller, paddy	
separator, whitener, sifter, mist-polisher,	
length grader and color sorter should be	
elevated at 1.5m, minimum.	
20. RCEF Mechanization Program logo panaflex	
signage with light bulb	

- Dimension: 750mm x 1,200mm	
- With aluminum frame 101mm	
- Layout, design and description to be provided by PHilMech	
21. RCEF Rice Processing System acrylic signage	
- Lettering	
* RCEF (750mm x 2,000mm)	
* RICE PROCESSING SYSTEM (500mm x 7,500mm)	
- Layout, design and description to be provided by PHilMech	
22. Manufacturer's name plate with the serial number of the machine and its components.	
23. The following major components must be of the same brand and manufacturer as the rice milling unit	
- Pre-cleaner	
- De-stoner	
- Paddy separator	
- Huller	
- Whitener	
- Sifter	
- Length grader	
- Color sorter	
- Mist polisher	
- Control panel (electrical components should be 60Hz, 220-240 Volts)	
With other technical requirements:	
1. Compliant with PNS/BAFS PABES 303:2020: AMTEC and PHilMech testing upon installation at supplier's cost for each units as condition for acceptance and payment.	
2. Valid Permit To Operate (PTO) or certification from BAFE of their application for PTO.	
3. Process flow layout and schematic diagram of the rice milling system duly signed and sealed by a licensed Agricultural and Biosystems Engineer for post-qualification evaluation.	
4. Electrical plan and layout duly signed and sealed by a licensed Electrical Engineer as a condition for payment.	
- From transformer to main switch to control panel to machine components	

5. Brochure (written in English/Filipino) for the following:	
- Rice mill major components	
- Vacuum cleaner	
- Portable handheld moisture meter	
6. Copy of Equipment Manufacturer's Manual of the Operator's Manual of rice milling unit, rice milling system, and portable handheld moisture meter written in English/Filipino/Vernacular to be presented during post-qualification evaluation.	
7. Conformity as to the technical specifications of the Procuring Entity signed and sealed by an Agricultural and Biosystems Engineer as prescribed by the Section 27.1 of the RA 10915 otherwise known as "Philippine Agricultural and Biosystems Engineering Act of 2016", sample of which is hereto attached.	
8. Authorized distributor/importer of the offered rice mill must submit the following (as a post qualification requirement):	
- SEC/DTI	
- Tax clearance	
- Business Permit	
- Permit to Operate and classified as distributor/importer of Agricultural Machinery by BAFE or certification from BAFE of their application for PTO	
With the following Certification	
1. Certification from the bidder that they will provide the palay samples, labor and other materials for full load test and commissioning	
2. Valid Certificate of Conformity (COC) to Agricultural and Fisheries Machinery or certification from BAFE of their application for COC or certification from the bidder of their application for COC of Multi Stage Rice Mill.	
3. Certification from the bidder that the rice milling system being offered (brand and machinery type) has been sold in the Philippine market for the last fifteen (15) years accompanied or duly supported by documentary proof. The original documentary proof must be validated during post-qualification and be verifiable through ocular inspection, covering the period beginning in 2009 or earlier and maybe any of the following:	


* Record of sales of rice milling system indicating the brand	
* Dealership or servicing agreements	
indicating the rice mill Brand subject thereof	
* Bill of lading, and/or other similar	
records indicating shipment or delivery of	
the rice mill brand to the Philippines	
* Client's affidavit indicating the client's complete address and telephone number,	
brand, type and model of rice mill, official	
receipt including the date of purchase and	
duly supported by physical proof of the	
subject rice mill	
4. National Agricultural and Fisheries Machinery	
Assemblers, Manufacturers, Importers, Distributors	
and Dealers Accreditation and Classification (NAMDAC) Certification for the Bidder.	
5. Provision of after sales services:	
- Provision of warranty:	
Two (2) years warranty certificate for	
parts due to manufacturing defects and/or	
workmanship under normal use upon	
acceptance.Two (2) years warranty certificate for all	
electrical wirings and connections.	
One (1) year warranty certificate for	
services and surface rust and/or paint	
defect/s appearing on the rice milling system components.	
system components.	
- Valid Certificate of	
Dealership/Distributorship/Authority to sell, and Commitment to Supply directly	
or indirectly issued by the manufacturer or	
distributor to the bidder; if issued by the	
Distributor to the bidder, must be	
accompanied by Distributorship agreement between the Manufacturer and	
Distributor/Importer.	
Cartification of the state of	
- Certification from the supplier that they will repair or replace the defective parts or	
components and provide after sales service	
within 72hours upon receipt of complaints.	
(PNS/BAFS/PAES 192:2016) Varifiable cartification of having at least	
- Verifiable certification of having at least two (2) technicians/personnel with	
manufacturer's/distributor's/dealer's	
certificate of training and must provide	
proof of verifiable records of rendered services by the said 2 technicians.	
services by the said 2 technicians.	

	(Name, Address & Tel. N	o. of Company)	
Signed and Sealed* by: Signature over Printed Nam Agricultural Engineer of Agricultural and Biosystems	or	n / Designation	
I hereby certify that the Statement of Compliance to the Foregoing Technical Specifications are true and correct, otherwise, if found false either during the bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid. Signature over Printed Name of Bidder			
Excluding the following: - PHilMech - Bidder's Dealers and Authorized Service Centers			
Who may issue: - At least one (1) individual customer or client with complete address and telephone number - Any government or private agency/company, duly signed by the current head of agency/company within the last one (1) year.			
9. Certification of Very Satisfactory Performance of the Multi-Stage Rice Mill being offered as to: i) Machinery Performance; ii) Machinery Durability; and, iii) Availability of Parts and Service.			
8. Certification of guaranteed spare parts availability for at least five (5) years.			
7. Notarized certificate of stock availability or stock allocation from the national distributor and manufacturer specifying the name of the project.			
6. Certification from at least 1 client that they have satisfactorily complied with the provision of after sales service within 72hours upon receipt of the request.			
- Certification that the supplier will conduct training on the proper handling, operation and maintenance of the unit for at least two (2) operators per beneficiary.			


*as per prescribed dry seal by PRC-PRBABE Resolution No. 04 Series of $2018\,$

PROJECT SIGNAGE/MARKER LAYOUT DESIGN (FOR POSTHARVEST TECHNOLOGIES)

"Read and accepted as part of the contract"	48	
		DIDDED'S SIGNATURE




FRAMING PLAN




FRONT VIEW W/ G.I Sheet


G.I. Sheet #18




PAINTED ON G.I Sheet



SAMPLE OF AGRICULTURAL AND BIOSYSTEMS ENGINEER SEAL AS PRESCRIBED BY THE SECTION 27.1 OF THE RA 10915



Seal of Agricultural and Biosystems Engineer



"Read and accepted as part of the contract"

54 BIDDER'S SIGNATURE



Republic of the Philippines Department of Agriculture

Philippine Center for Postharvest Development and Mechanization (PHilMech) SCIENCE CITY OF MUÑOZ, NUEVA ECIJA

RICE PROCESSING SYSTEM CONTROL ROOM


CLSU COMPOUND, SCIENCE CITY OF MUÑOZ, N.E.

Floor Area = 20 SQ.M


Dimension of Structure:

- Control Room, Length = 5 mts
- Control Room, Width = 4 mts







[&]quot;Read and accepted as part of the contract"







Floor level feeding hopper with shutter



Section VII. Checklist of Technical and Financial Documents

Checklist of Requirements

	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;
	(b)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started and/or delivered but not yet inspected and accepted , if any, whether similar or
	(m)	not similar in nature and complexity to the contract to be bid; <u>and</u> Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184,
	(n)	within the relevant period as provided in the Bidding Documents; <u>and</u> Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
	(0)	Original copy of Notarized Bid Securing Declaration; <u>and</u> Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or aftersales/parts, if applicable; <u>and</u>
	(p)	Schedule of Requirements; and
	(q)	Original duly signed Omnibus Sworn Statement (OSS);
	(r)	and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
	(s)	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; or
		duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
	(t) (u)	Original of duly signed and accomplished Financial Bid Form; and Original of duly signed and accomplished Price Schedule(s)
Otl	ner do	cumentary requirements under RA No. 9184 (as applicable)
	(v)	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
	(w)	Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

Quotation Form (Lot No.)

	Date : Project Identification No. :
To. Iname an	· ·
10: [name an	d address of Procuring Entity]
the sum of [to bid price included]	e undersigned, offer to [supply/deliver/perform] [description of the Goods] for tal Bid amount in words and figures] or the total calculated bid price. The total udes the cost of all taxes, such as, but not limited to: [specify the applicable value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal ies],
If our o	offer is accepted, we undertake:
a.	to deliver the goods in accordance with the delivery schedule;
b.	to provide a performance security in the form, amounts, and within the times prescribed in RA9184;
Name:	
	7:
	ed to sign the Bid for and behalf of:

64

BIDDER'S SIGNATURE

"Read and accepted as part of the contract"

Price Schedule for Goods Offered from Abroad

[shall be submitted with the offer if bidder is offering goods from Abroad]

	For Goods Offered from Abroad							
Name	of Bidder				Project	ID No	Page	of
1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)
Name	»:							
Legal	Capacity:							
Signa	ture:							
Duly	authorized	to sign t	the Bid fo	or and behalf of	of:			

Price Schedule for Goods Offered from Within the Philippines [shall be submitted with the offer if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Nam	Name of Bidder Project ID No Pageof								
1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
Nam	ne:								
Lega	al Capacity	:							
Sign	ature:								
Duly	authorize	d to sign	the Bid f	or and	behalf of:				

SUPPLY, DELIVERY, INSTALLATION AND TESTING OF VARIOUS MULTI STAGE RICE MILLS

(PHilMech-RCEF-24-02-10-NP)

Lot no/s. being bid:	Name and Signature of Authorized Representative:

Omnibus Sworn Statement

REPUBLIC OF THE PHILIPPINES)	
CITY/MUNICIPALITY OF) S.	S.

AFFIDAVIT

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
- 1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units,

foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, <u>by itself or by relation</u>, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;

- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project]; and
 - e. Monitoring of electronic service of related notices at *[insert bidder's email address]*. Bidder hereby acknowledges that service of notice to the email address indicated above shall be tantamount to actual service of such notice and shall be deemed received by the bidder on the date of service or email.

- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN	WITNESS	WHEREOF,	I	have	hereunto	set	my	hand	this	 day	of	,	20	at
	,	Philippines.												

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

BID SECURING DECLARATION FORM

REPUBLIC OF THE PHI	LIPPINES)
CITY OF) S.S.
X	Х

BID SECURING DECLARATION SUPPLY, DELIVERY, INSTALLATION AND TESTING OF VARIOUS MULTI STAGE RICE MILLS

(PHilMech-RCEF-24-02-10-NP)

Lot no/s. being bid:	Name and Signature of Authorized Representative:

To: [Insert name and address of the Procuring Entity]

I/We², the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - (a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - (b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;

-

 $^{^2}$ Select one and delete the other. Adopt the same instruction for similar terms throughout the document.

(c)	I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.
IN WITNES [month] [year] at [p	S WHEREOF, I/We have hereunto set my/our hand/s this day of lace of execution].
	[Insert NAME OF BIDDER'S AUTHORIZED REPRESENTATIVE] [Insert Signatory's Legal Capacity] Affiant
of execution], Philip by me through com Practice (A.M. No. (identification card u	ED AND SWORN to before me this day of [month] [year] at [place opines. Affiant/s is/are personally known to me and was/were identified opetent evidence of identity as defined in the 2004 Rules on Notarial 02-8-13-SC). Affiant/s exhibited to me his/her [insert type of government used], with his/her photograph and signature appearing thereon, with no. or Community Tax Certificate No issued on at
Witness my l	hand and seal this day of [month] [year].
	NAME OF NOTARY PUBLIC Serial No. of Commission Notary Public for until Roll of Attorneys No PTR No [date issued], [place issued] IBP No [date issued], [place issued]
Doc. No Page No Book No Series of	

SUPPLY, DELIVERY, INSTALLATION AND TESTING OF VARIOUS MULTI STAGE RICE MILLS (PHilMech-RCEF-24-02-10-NP)

Lot no/s. being bid:	Name and Signature of Authorized Representative:

Statement of All Ongoing Government and Private Contracts, including contracts awarded but not yet started, if any and delivered but not yet inspected and accepted

Name	Name of	Date and	Kinds of	Amount of	Value of	Date of	Purchase
of	the	status of	Goods	Contract	Outstanding	Delivery	Order
Client	Contract	the			Contracts		Number/s
		Contract					or Date of
							Contract/s

CERTIFIED CORRECT:				
Name & Sign	nature of Authorized Represent	ative		
	Position			
	 Date			

SUPPLY, DELIVERY, INSTALLATION AND TESTING OF VARIOUS MULTI STAGE RICE MILLS

(PHilMech-RCEF-24-02-10-NP)

Lot no/s. being bid:			Nar	Name and Signature of Authorized Representative:				
Statemen	_	_	_	tract of Simila		ithin the Last Ten ds		
Name of	Name of	Date of	Kinds of	Amount of	Date of	Official Receipt No.		
Client	the Contract	the Contract	Goods	Contract	Delivery	& Date, End User's Acceptance Date OR Collection Receipt		
		C	ERTIFIED	CORRECT:				
		Name & Sig	nature of Au	thorized Repre	esentative			
			Posit	tion				
			Da	te				

ANNEX A. LOT AGGREGATION & LIST OF RECIPIENTS

