



Republic of the Philippines
 Department of Agriculture
Philippine Center for Postharvest Development and Mechanization
 Science City of Muñoz, Nueva Ecija
www.philmech.gov.ph
 ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 CERTIFIED



BIDS AND AWARDS COMMITTEE

SUPPLEMENTAL BID BULLETIN NO. 1

**SUPPLY, DELIVERY, INSTALLATION AND TESTING OF VARIOUS MULTI STAGE RICE MILLS
 (PHilMech-RCEF-24-02-09)**

This **Supplemental/Bid Bulletin No. 1** is being issued to clarify, amend and supplement provisions in the Bidding Documents.

A. ISSUES AND CONCERNS DURING THE PRE-BID CONFERENCE

	<p>1. <i>Issue / Proposal: (For 1.5tph rice mill) Inquiry if the supplier will also shoulder the installation cost of the three (3) units transformers.</i></p>	
<p>Action Taken/Reply: Yes, the supplier will shoulder the installation, platform, and wires for the transformer. The beneficiaries will only shoulder the line from the transformer to the main line.</p>		
<p>2. <i>Issue / Proposal: (For 1.5tph rice mill) Inquiry if they could provide only two (2) transformers instead of three (3), provided that they could carry the electrical load requirement of the rice mill.</i></p>		
<p>Action Taken/Reply: Request/proposal is denied. Technical specification is retained.</p>		
<p>3. <i>Issue / Proposal: (For 1.5tph rice mill) Request clarification on the requirement for a certificate of very satisfactory performance, wherein the bidder shall provide a list of five (5) customers or clients with addresses and contact numbers.</i></p>		
<p>Action Taken/Reply: The bidder shall only have to list five (5) customers or clients with addresses and contact numbers, and at least one customer from the list should submit a duly notarized certification of very satisfactory performance.</p>		
<i>Technical Specifications</i>	<i>FROM</i>	<i>TO</i>
<p><i>For 1.5tph multi stage rice mill</i></p>	<p>9. Certification of Very Satisfactory Performance of the Multi-Stage Rice Mill being offered as to: i) Machinery Performance; ii) Machinery Durability; and, iii) Availability of Parts and Service.</p> <p>Who may issue:</p> <ul style="list-style-type: none"> - The Bidder shall provide list of five (5) customers/clients with addresses and contact numbers, and certification from at least one (1) customer/client. - Any government or private Agency/Company in Asian Countries, duly signed by the Current Head of Agency/Company within the last one (1) year. <p>Excluding the following:</p> <ul style="list-style-type: none"> - PHilMech 	<p>9. Duly notarized Certification of Very Satisfactory Performance of the Multi-Stage Rice Mill being offered as to: i) Machinery Performance; ii) Machinery Durability; and, iii) Availability of Parts and Service.</p> <p>Who may issue:</p> <ul style="list-style-type: none"> - The Bidder shall provide list of five (5) customers/clients with addresses and contact numbers, and certification from at least one (1) customer/client. - Any government or private Agency/Company in Asian Countries, duly signed by the Current Head of Agency/Company within the last one (1) year. <p>Excluding the following:</p> <ul style="list-style-type: none"> - PHilMech

Main Office: CLSU, Science City of Muñoz, Nueva Ecija, Philippines
 Mobile Nos.: (+63) 917-800-4526 / (+63) 917-813-0852

Liaison Office: 3rd Floor, ATI Bldg., Elliptical Road, Diliman, Quezon City



	- Bidder's Dealers and Authorized Service Centers	- Bidder's Dealers and Authorized Service Centers
For 2-3tph multi stage rice mill	<p>9. Certification of Very Satisfactory Performance of the Multi-Stage Rice Mill being offered as to: i) Machinery Performance; ii) Machinery Durability; and, iii) Availability of Parts and Service.</p> <p>Who may issue: - At least one (1) individual customer or client with complete address and telephone number - Any government or private agency/company, duly signed by the current head of agency/company within the last one (1) year.</p> <p>Excluding the following: - PHilMech - Bidder's Dealers and Authorized Service Centers</p>	<p>9. Duly notarized Certification of Very Satisfactory Performance of the Multi-Stage Rice Mill being offered as to: i) Machinery Performance; ii) Machinery Durability; and, iii) Availability of Parts and Service.</p> <p>Who may issue: - At least one (1) individual customer or client with complete address and telephone number - Any government or private agency/company, duly signed by the current head of agency/company within the last one (1) year.</p> <p>Excluding the following: - PHilMech - Bidder's Dealers and Authorized Service Centers</p>
<p>4. Issue / Proposal: (For 2-3tph rice mill) Inquiry if the office has a specific design for the 120 cu.m capacity rice hull bin.</p> <p>Action Taken/Reply: PHilMech has no specific design. Refer to the indicated technical specifications.</p>		
<p>5. Issue / Proposal: (For 2-3tph rice mill) Request clarification if the dust and bran room are really put together.</p> <p>Action Taken/Reply: Separate room for bran and dust room. Please refer to attached Annex A for the bran and dust room.</p>		
<p>6. Issue / Proposal: (For 2-3tph rice mill) Request for the dimensions and other technical specifications for the dust and bran room.</p> <p>Action Taken/Reply: No dimensions were provided, but it should comply with the detailed specifications of the bran room, and dust room. Please refer to the amendments below.</p>		
<p>7. Issue / Proposal: (For 2-3tph rice mill) Request for the interpretation of the parameter "the structure shall be capable of withstanding the most severe combination of forces that are likely to be applied and shall be designed to maintain a state of rigidity and durability" under the dust and bran room specification.</p> <p>Action Taken/Reply: Please refer to the amendments below.</p>		

B. OTHER AMENDMENTS

	FROM		TO	
Invitation to Bid	LOT NO.	PROJECT TITLE	LOT NO.	PROJECT TITLE
Bid Data Sheet (ITB Clause 19.3)	1	Supply, Delivery, Installation, Testing and Commissioning of 6 units 1.5tph Multi Stage Rice Mill for Regions CAR, II, III & IVB	1	Supply, Delivery, Installation and Testing of 6 units 1.5tph Multi Stage Rice Mill for Regions CAR, II, III & IVB
	2	Supply, Delivery, Installation, Testing and Commissioning of 5 units 1.5tph	2	Supply, Delivery, Installation and Testing of 5 units 1.5tph Multi Stage Rice Mill for Regions VII, VIII, X & XII

Main Office: CLSU, Science City of Muñoz, Nueva Ecija, Philippines
 Mobile Nos.: (+63) 917-800-4526/ (+63) 917-813-0852

Liaison Office: 3rd Floor, ATI Bldg., Elliptical Road, Diliman, Quezon City



Schedule of Requirements			
		Multi Stage Rice Mill for Regions VII, VIII, X & XII	
	3	Supply, Delivery, Installation, Testing and Commissioning of 1 unit 2-3tph Multi Stage Rice Mill for Region II (Pagsanggiran ti Mannalon Multi-purpose Cooperative)	3
	4	Supply, Delivery, Installation, Testing and Commissioning of 1 unit 2-3tph Multi Stage Rice Mill for Region IVB (Family Arrange the Resources and Managed MPC)	4
	5	Supply, Delivery, Installation, Testing and Commissioning of 1 unit 2-3tph Multi Stage Rice Mill for Region IVB (PLGU Oriental Mindoro)	5
	6	Supply, Delivery, Installation, Testing and Commissioning of 1 unit 2-3tph Multi Stage Rice Mill for Region IX (PLGU Zamboanga Del Sur)	6
	7	Supply, Delivery, Installation, Testing and Commissioning of 1 unit 2-3tph Multi Stage Rice Mill for Region X (PLGU Bukidnon)	7
	8	Supply, Delivery, Installation, Testing and Commissioning of 1 unit 2-3tph Multi Stage Rice Mill for Region CARAGA (MLGU San Miguel)	8
			Supply, Delivery, Installation and Testing of 1 unit 2-3tph Multi Stage Rice Mill for Region II (Pagsanggiran ti Mannalon Multi-purpose Cooperative)
			Supply, Delivery, Installation, and Testing of 1 unit 2-3tph Multi Stage Rice Mill for Region IVB (Family Arrange the Resources and Managed MPC)
			Supply, Delivery, Installation, and Testing of 1 unit 2-3tph Multi Stage Rice Mill for Region IVB (PLGU Oriental Mindoro)
			Supply, Delivery, Installation, and Testing of 1 unit 2-3tph Multi Stage Rice Mill for Region IX (PLGU Zamboanga Del Sur)
			Supply, Delivery, Installation, and Testing of 1 unit 2-3tph Multi Stage Rice Mill for Region X (PLGU Bukidnon)
			Supply, Delivery, Installation, and Testing of 1 unit 2-3tph Multi Stage Rice Mill for Region CARAGA (MLGU San Miguel)

Technical Specification	FROM	TO
Multi Stage Rice Mill 2-3tph	<p>For the Dust and Bran Room:</p> <p>Construction:</p> <ul style="list-style-type: none"> - Structure shall be fully enclosed and secured, with a complete roof enclosure supported by connecting walls extending from the ground to the roof. - 150 mm CHB plastered wall for the first 1 meter, use pre-painted metal roofing sheet, long span GA #26 Rib Type Long Span with frames for the rest of the height. - Shall provide sufficient working space for the collection of dust/bran and maintenance of the component. - Shall provide a double swing type door as access using GI sheet with a minimum width of 1 meter per door. - Ensure smooth and even finishes for the interior surfaces; plastering thickness is 10-12 mm. - The wall should be applied with cement wall putty, primer, and paint finished. - With recommended and sufficient lighting as per the illumination standard 	<p>For the Dust Room, and Bran Room:</p> <p>Construction:</p> <ul style="list-style-type: none"> - Structure shall be fully enclosed and secured, with a complete roof enclosure supported by connecting walls extending from the ground to the roof. - 150 mm CHB plastered wall for the first 1 meter, use pre-painted metal roofing sheet, long span GA #23 corrugated type Long Span with frames for the rest of the height. - Shall provide sufficient working space for the collection of dust/bran and maintenance of the component. - Shall provide a double swing type door as access using GI sheet with a minimum width of 1 meter per door. - Ensure smooth and even finishes for the interior surfaces; plastering thickness is 10-12 mm. - The wall should be applied with cement wall putty, primer, and paint finished. - With recommended and sufficient lighting as per the illumination standard

Main Office: CLSU, Science City of Muñoz, Nueva Ecija, Philippines
 Mobile Nos.: (+63) 917-800-4526/ (+63) 917-813-0852

Liaison Office: 3rd Floor, ATI Bldg., Elliptical Road, Diliman, Quezon City



	<p>- The structure shall be capable of withstanding the most severe combination of forces that are likely to be applied and shall be designed to maintain a state of rigidity and durability.</p>	<p>- The structure shall be capable of withstanding the most severe combination of forces that are likely to be applied and shall be designed to maintain a state of rigidity and durability.</p> <p><i>* It must be provided with the necessary lateral and vertical wind brace to resist forces due to strong winds and earthquakes.</i></p> <p><i>* The strength of the roof construction should be sufficient to handle the weight of the strongest winds that can be expected. (PNS/PAES 419:2015)</i></p> <p>- Design and civil work shall be duly signed and sealed by a licensed civil engineer</p>
--	---	---

Issued this 28th day of February 2024 in the Science City of Muñoz, Nueva Ecija, Philippines.

Reviewed and approved by:

NELSON C. SANTIAGO, Ph.D.
Chairperson, Bids and Awards Committee

RAYMUND JOSEPH P. MACARANAS
Vice Chairperson

JERRY E. AVELLANOZA
Regular Member


DONALD V. MATEO
Technical Member

BENNY P. RODEROS
End-User/Provisional Member

CONFORMED:	_____
Bidders Name:	_____
Date Received:	_____




Annex A



Main Office: CLSU, Science City of Muñoz, Nueva Ecija, Philippines
Mobile Nos.: (+63) 917-800-4526 / (+63) 917-813-0852

Liaison Office: 3rd Floor, ATI Bldg., Elliptical Road, Diliman, Quezon City



Main Office: CLSU, Science City of Muñoz, Nueva Ecija, Philippines
Mobile Nos.: (+63) 917-800-4526/ (+63) 917-813-0852

Liaison Office: 3rd Floor, ATI Bldg., Elliptical Road, Diliman, Quezon City