## PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

# Procurement of GOODS

Government of the Republic of the Philippines

SUPPLY OF LABOR AND MATERIALS FOR THE DESIGN, FABRICATION, DELIVERY AND ON-SITE INSTALLATION, TESTING AND COMMISSIONING OF EQUIPMENT AND MACHINERIES OF VARIOUS COCONUT PROCESSING CENTERS
(PHilMech-CTF-24-02-05)

Schedule of Activities:

Pre-Bidding Conference:

March 12, 2024; 1:30PM PHilMech Main Office Science City of Muñoz, Nueva Ecija

Submission & Opening of Bids:

March 26, 2024; 10:00AM PHilMech Main Office Science City of Muñoz, Nueva Ecija

> Sixth Edition July 2020

#### **Preface**

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

### **Table of Contents**

Glossa	ary of Acronyms, Terms, and Abbreviations	4
Sectio	n I. Invitation to Bid	7
	n II. Instructions to Bidders	
1.	Scope of Bid	
2.	Funding Information	13
3.	Bidding Requirements	13
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	13
5.	Eligible Bidders	13
6.	Origin of Goods	14
7.	Subcontracts	14
8.	Pre-Bid Conference	15
9.	Clarification and Amendment of Bidding Documents	15
10.	Documents comprising the Bid: Eligibility and Technical Components	15
11.	Documents comprising the Bid: Financial Component	15
12.	Bid Prices	16
13.	Bid and Payment Currencies	16
14.	Bid Security	17
15.	Sealing and Marking of Bids	17
16.	Deadline for Submission of Bids	17
17.	Opening and Preliminary Examination of Bids	17
18.	Domestic Preference	
19.	Detailed Evaluation and Comparison of Bids	18
20.	Post-Qualification	18
21.	Signing of the Contract	18
Sectio	n III. Bid Data Sheet	19
Sectio	n IV. General Conditions of Contract	23
1.	Scope of Contract	24
2.	Advance Payment and Terms of Payment	24
3.	Performance Security	24
4.	Inspection and Tests	24
5.	Warranty	25
6.	Liability of the Supplier	25
Sectio	n V. Special Conditions of Contract	24
Sectio	n VI. Schedule of Requirements	31
	n VII. Technical Specifications	
	n VIII. Checklist of Technical and Financial Documents	

# Glossary of Acronyms, Terms, and Abbreviations

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR - Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means "delivered duty paid."

**DTI** – Department of Trade and Industry.

EXW - Ex works.

**FCA** – "Free Carrier" shipping point.

**FOB** – "Free on Board" shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

Goods — Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC - Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

# Section I. Invitation to Bid



# Republic of the Philippines DEPARTMENT OF AGRICULTURE PHILIPPINE CENTER FOR POSTHARVEST DEVELOPMENT AND MECHANIZATION ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 CERTIFIED

BAGONG PILIPINAS

www.philmech.gov.ph

#### INVITATION TO BID FOR

# SUPPLY OF LABOR AND MATERIALS FOR THE DESIGN, FABRICATION, DELIVERY AND ON-SITE INSTALLATION, TESTING AND COMMISSIONING OF EQUIPMENT AND MACHINERIES OF VARIOUS COCONUT PROCESSING CENTERS

(PHilMech-CTF-24-02-05)

1. The Philippine Center for Postharvest Development and Mechanization (PHilMech) through its FY 2023 AND FY 2024 Coco Levy Fund intends to apply the below-specified amounts, being the Approved Budget for the Contract (ABC) for each lot, as indicated herein to payments under the contract for the SUPPLY OF LABOR AND MATERIALS FOR THE DESIGN, FABRICATION, DELIVERY AND ON-SITE INSTALLATION, TESTING AND COMMISSIONING OF EQUIPMENT AND MACHINERIES OF VARIOUS COCONUT PROCESSING CENTERS. Bids received in excess of the ABC of each Lot shall be automatically rejected during Bid opening.

LOT NO.	PROJECT TITLE	ABC (PhP)	FUND SOURCE	COST OF BIDDING DOCUMENTS (PhP)
1	Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries On-Site of Coconut Water Processing Center in Libas, Jabonga, Agusan del Norte	2,823,750.00	FY 2023 Rebidding	3,000.00
2	Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries On-Site of 1 set White Copra and Vinegar Processing Center in Poblacion, Pamplona, Negros Oriental	4,901,100.00	FY 2024	4,000.00
3	Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries On-Site of 1 set White Copra Processing Center (with dehusking tool) in Cebuano, Tupi, South Cotabato	4,243,100.00	FY 2024	4,000.00
4	Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries On-Site of 1 set White copra-Cooking Oil Processing Center in Poblacion, Nabunturan, Davao de Oro	10,333,500.00	FY 2024	10,000.00
5	Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries On-Site of 1 set White	10,333,500.00	FY 2024	10,000.00

	ALL LOTS	87,785,450.00		50,000.00
11	Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries On-Site of 1 set Geo Net Processing Facility in Roseller T. Lim, Zamboanga Sibugay	3,383,000.00	FY 2024	3,000.00
10	Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries On-Site of 1 set White Copra-Cooking Oil Processing Center (with dehusking Tool) in Poblacion, Alicia, Zamboanga Sibugay	10,358,500.00	FY 2024	10,000.00
9	Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and 1 set sets White Copra-Cooking Oil Processing Center (with dehusking Tool) in Caniangan,Ramon Magsaysay, Zamboanga del Sur	10,358,500.00	FY 2024	10,000.00
8	Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries On-Site of 1 set White Copra-Cooking Oil Processing Center (with dehusking Tool) in Malandag, Malungon, Sarangani Province	10,358,500.00	FY 2024	10,000.00
7	Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries On-Site of 1 set White Copra-Cooking Oil Processing Center (with dehusking Tool) in Sta Cruz, Pamplona, Cagayan	10,358,500.00	FY 2024	10,000.00
6	Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries On-Site of 1 set White copra-Cooking Oil Processing Center in Calaca, Batangas	10,333,500.00	FY 2024	10,000.00
	copra-Cooking Oil Processing Center in Pacheco, Magallanes Cavite			

<sup>2.</sup> The PHilMech now invites bids from eligible bidders for the SUPPLY OF LABOR AND MATERIALS FOR THE DESIGN, FABRICATION, DELIVERY AND ON-SITE INSTALLATION, TESTING AND COMMISSIONING OF EQUIPMENT AND MACHINERIES OF VARIOUS COCONUT PROCESSING CENTERS. Delivery of the GOODS is required within Ninety (90) calendar days for Lots 1-10 and One Hundred Twenty (120) calendar days for Lot 11 from receipt of the Notice to Proceed. Bidders should have completed within ten (10) years from the date

of submission and receipt of bids a contract similar to the project. For this purpose, a similar contract shall refer to any contract for the *Supply or Fabrication of Dryers or other Agricultural Machinery and Equipment*.

3. Bidding will be conducted through open competitive bidding procedures using non-discretionary pass/fail criteria as specified in the 2016 Revised Implementing Rules and Regulations (IRR-A) of Republic Act 9184 (R.A. 9184), otherwise known as the "Government Procurement Reform Act".

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.

- 4. Interested Bidders may obtain further information from the **PHilMech** and inspect the Bidding Documents at the address given below from 8:00 am to 5:00 pm.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders during office hours from March 5 to March 26, 2024 from the address below upon payment of the applicable fee for the Bidding Documents as specified for each lot above.

Bidders may also opt to deposit in cash the applicable fee to the PHilMech's Official Bank Account: Landbank of the Philippines (LBP) Account Name: PHILMECH TRUST FUND; Account No. 2962-1023-63 and by presenting or sending the proof of payment e.g. bank deposit slips to the address written below or email to bac@philmech.gov.ph

The Bidding Documents may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity provided that Bidders shall pay the applicable fee for the Bidding Documents before the submission of their Bids.

6. The PHilMech will hold a Pre-Bid Conference on March 12, 2024; 1:30PM at the Auditorium, PHilMech Main Office, CLSU Compound, Science City of Muñoz, Nueva Ecija, which shall be open to prospective bidders.

Interested bidders may opt to attend via video conferencing and pre-register on the email address provided below to signify their intention to participate. A Personal Meeting ID shall be provided to the authorized representative upon registration.

- 7. Bids must be duly received by the BAC Secretariat through manual submission at the address indicated below on or before 10:00AM of March 26, 2024. Late Bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on **March 26, 2024; 10:00AM** at the address given below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity
- 10. The **PHilMech** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 35.6 and Section 41 of RA9184 and its IRR and GPPB Resolution No. 09-2020 without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please **contact**:

The BAC Secretariat, PHilMech Administrative Division-Procurement Management Section CLSU Compound, Science City of Muñoz, Nueva Ecija Contact No. 0917 301 8242

E-mail: bac@philmech.gov.ph

12. Interested bidders may also visit the following websites:

For downloading of Bidding Documents: www.philmech.gov.ph
https://old.philmech.gov.ph/?page=bidding

#### NELSON C. SANTIAGO, Ph.D.

**BAC** Chairperson

#### NOTICE/ANNOUNCEMENT

PHILMECH DOES NOT CONDONE ANY FORM OF SOLICITATION FROM ANY PROSPECTIVE BIDDER BY ANY OF ITS STAFF/EMPLOYEE OR BY ANY OTHER PARTY. ANY ACTIVITY OF THIS NATURE MAY BE IMMEDIATELY REPORTED TO THE OFFICE OF THE DIRECTOR OR TO ANY APPROPRIATE LAW ENFORCEMENT AGENCY FOR ENTRAPMENT AND/OR INVESTIGATION.

## Section II. Instructions to Bidders

#### 1. Scope of Bid

The Procuring Entity, *Philippine Center for Postharvest Development and Mechanization (PHilMech)* wishes to receive Bids for the *SUPPLY OF LABOR AND MATERIALS FOR THE DESIGN, FABRICATION, DELIVERY AND ON-SITE INSTALLATION, TESTING AND COMMISSIONING OF EQUIPMENT AND MACHINERIES OF VARIOUS COCONUT PROCESSING CENTERS*, with identification number (*PHilMech-CTF-24-02-05*).

The Procurement Project SUPPLY OF LABOR AND MATERIALS FOR THE DESIGN, FABRICATION, DELIVERY, AND ON-SITE INSTALLATION, TESTING AND COMMISSIONING OF EQUIPMENT AND MACHINERIES FOR VARIOUS COCONUT PROCESSING CENTERS is composed of eleven (11) lots, the details of which are described in Section VII (Technical Specifications).

#### 2. Funding Information

- 2.1. The GOP through the source of funding indicated below for FY 2023 & FY 2024 in the amount of PhP 87,785,450.00.
- 2.2. The source of funding is NGA, the General Appropriations Act.

#### 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2.
- a. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
  - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
  - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
  - iii. When the Goods sought to be procured are not available from local suppliers; or
  - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder must have:
  - i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least fifty percent (50%) of the ABC for this Project; and
  - ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

#### 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

#### 7. Subcontracts

- 7.1. The Bidder may not subcontract any portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.
  - Subcontracting is not allowed.
- 7.2. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible

for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at the PHilMech Auditorium and/or video conferencing/webcasting as indicated in paragraph 6 of the IB.

#### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

#### 10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *10 years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

#### 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.

- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.
  - b. For Goods offered from abroad:
    - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
    - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

#### 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
  - a. Philippine Pesos.

#### 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration<sup>1</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *July 24, 2024 or one hundred twenty (120) calendar days after the opening of bids in the event of a change in the date of the opening of bids*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

#### 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

#### 16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time at its physical address as indicated in paragraph 7 of the **IB**.

#### 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

#### 18. Domestic Preference

<sup>&</sup>lt;sup>1</sup> In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

#### 19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

#### **20.** Post-Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

#### 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

# Section III. Bid Data Sheet

# **Bid Data Sheet**

ITB Clause					
5.3	For this p	urpose, a contract	similar to the project shall	be:	
		a. Supply or Fabrication of Dryers or other Agricultural Machinery and Equipment.			and
	submission amount of for this P.	c. Completed, within the last 10 years prior to the deadline for the submission and receipt of bids. At least two (2) similar contracts, the aggregate amount of which should be equivalent to at least fifty percent (50%) of the ABC for this Project; and the largest of these similar contracts must be equivalent to at east half of the percentage of the ABC as required above.			
	Bidders s	hall include in the	ir bids:		
	1. A phot	ocopy of the Singl	e Largest Completed Cont	ract or Purchase Order;	and
	2. The co	rresponding proof	of completion, which coul	d either be:	
	(i) Cert	ificate of Final Ac	ceptance from the bidder's	client; or	
	Failure to	Official Receipt of the bidder covering the full amount of the contract to submit a copy of the Single Largest Completed Contract and proof of etion is a valid ground for disqualification of the bidder.			
7.1	Subcontro	acting is not allowed.			
12	No furthe	further instruction			
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:		f the		
	LOT NO.	ABC	1. Bid Security in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit (2% of the ABC)	2. Bid Security in Surety Bond (5% of the ABC)	
	1	2,823,750.00	56,475.00	141,187.50	
	2	4,901,100.00	98,022.00	245,055.00	
	3	4,243,100.00	84,862.00	212,155.00	
	4	10,333,500.00	206,670.00	516,675.00	
	5	10,333,500.00	206,670.00	516,675.00	
	6	10,333,500.00	206,670.00	516,675.00	
	7	10,358,500.00	207,170.00	517,925.00	
	8	10,358,500.00	207,170.00	517,925.00	
	9	10,358,500.00	207,170.00	517,925.00	
	10	10,358,500.00	207,170.00	517,925.00	

11	3,383,000.00	67,660.00	169,150.00
1.1	3,303,000.00	07,000.00	107,130.00

One Bid Security shall be submitted for each lot if the bid security is in the form of cash, cashier's/manager' check, bank draft/guarantee or irrevocable letter of credit or surety bond.

	credit or	surery bond.	
19.3	LOT NO.	PROJECT TITLE	ABC (PhP)
	1	Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries On-Site of Coconut Water Processing Center in Libas, Jabonga, Agusan del Norte	2,823,750.00
	2	Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries On-Site of 1 set White Copra and Vinegar Processing Center in Poblacion, Pamplona, Negros Oriental	4,901,100.00
	3	Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries On-Site of 1 set White Copra Processing Center (with dehusking tool) in Cebuano, Tupi, South Cotabato	4,243,100.00
	4	Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries On-Site of 1 set White copra-Cooking Oil Processing Center in Poblacion, Nabunturan, Davao de Oro	10,333,500.00
	5	Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries On-Site of 1 set White copra-Cooking Oil Processing Center in Pacheco, Magallanes Cavite	10,333,500.00
	6	Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries On-Site of 1 set White copra-Cooking Oil Processing Center in Calaca, Batangas	10,333,500.00
	7	Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries On-Site of 1 set White Copra-Cooking Oil Processing Center (with dehusking Tool) in Sta	10,358,500.00

	Cri	ız, Pamplona, Cagayan	
	8 Suj Fat Co On Pro	pply of Labor and Materials for the Design, prication, Delivery, Installation, Testing and mmissioning of Equipment and Machineries -Site of 1 set White Copra-Cooking Oil pressing Center (with dehusking Tool) in landag, Malungon, Sarangani Province	10,358,500.00
	Fall set Cer	pply of Labor and Materials for the Design, prication, Delivery, Installation, Testing and 1 sets White Copra-Cooking Oil Processing inter (with dehusking Tool) in niangan,Ramon Magsaysay, Zamboanga del	10,358,500.00
	Fal Co On Pro	pply of Labor and Materials for the Design, orication, Delivery, Installation, Testing and mmissioning of Equipment and Machineries -Site of 1 set White Copra-Cooking Oil occessing Center (with dehusking Tool) in blacion, Alicia, Zamboanga Sibugay	10,358,500.00
	11 Suj Fat Co On	pply of Labor and Materials for the Design, orication, Delivery, Installation, Testing and mmissioning of Equipment and Machineries -Site of 1 set Geo Net Processing Facility in seller T. Lim, Zamboanga Sibugay	3,383,000.00
19.4	mail) to the e	rtinent notices related to this bidding through email address provided by the bidder shall be vice and shall be deemed received by the bi ail.	tantamount to proof
20.2	"No Addition	al Requirement"	
21.1	"No Addition	al Requirement"	

# Section IV. General Conditions of Contract

#### 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).** 

#### 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

#### 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184

#### 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section VII (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

#### 5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

#### 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

# Section V. Special Conditions of Contract

**Special Conditions of Contract** 

GCC Clause	
1	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	"The delivery terms applicable to this Contract are delivered at Libas, Jabonga, Agusan del Norte; Poblacion, Pamplona, Negros Oriental; Cebuano, Tupi, South Cotabato; Poblacion, Nabunturan, Davao de Oro; Pacheco, Magallanes Cavite; Calaca, Batangas; Sta Cruz, Pamplona, Cagayan; Malandag, Malungon, Sarangani Province; Caniangan, Ramon Magsaysay, Zamboanga del Sur; Poblacion, Alicia, Zamboanga Sibugay; Roseller T. Lim, Zamboanga Sibugay. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause, the Procuring Entity's Representative at the Project Sites is Andres M. Tuates Jr., Ph.D., BPED Chief
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: performance or supervision of on-site assembly and/or start-up of the supplied Goods;
	<ul> <li>a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;</li> <li>b. Furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li> <li>c. Furnishing of a detailed operations and maintenance manual for each</li> </ul>
	appropriate unit of the supplied Goods;  d. Performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and

- e. Training of the Procuring Entity's recipients, at the delivery site, on assembly, start-up, operation, maintenance, and/or basic repair of the supplied processing equipment and machineries.
- f. Provision of 5,000 de-husked matured coconut samples for testing.
- g. Furnishing of all other services required for compliance with the technical specifications.

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

#### **Spare Parts –**

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
  - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
  - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within one month of placing the order.

#### Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity
Name of the Supplier
Contract Description
Final Destination
Gross weight
Any special lifting instructions
Any special handling instructions
Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

#### Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready

for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. **Intellectual Property Rights –** The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof. 2.2 The terms of payment shall be as follows: a) One Hundred percent (100%) of the Contract Price: upon One Hundred Percent (100%) completion of the project and submission of required documents. In case of unavailability of the building the following term applies: a) Fifty percent (50%) of the Contract Price: upon delivery at the company warehouse of the complete components/equipment and initial inspection of the authorized representatives of PHilMech; and b) Remaining Fifty percent (50%) of the Contract Price: upon 100% completion of the project and final inspection and acceptance 4 All goods delivered under this contract shall be subject to the following test: Technical inspection to determine their order and condition, quantity, compliance with the technical specifications and all other contract requirements; Operational test upon delivery on-site; Performance testing. Prior notice of the schedule of such tests or inspections, written or verbal, will be given to the authorized representative of the Supplier. The inspection will push through as scheduled even in the absence of the Supplier's representative, if the latter was duly notified, in which case, the results of the inspection conducted by the procuring Entity shall be final and binding upon the Supplier. The Procuring Entity's address for notice is bac@philmech.gov.ph 5.1 The Bidder's address for notice is the e-mail address indicated in the bidder's Omnibus Sworn Statement (OSS) Service of pertinent notices related to this bidding through Electronic Mail (email) to the email address provided by the bidder in the OSS shall be tantamount to proof of actual service and shall be deemed received by the bidder on the date of service or email.

## Section VI. Schedule of Requirements

RE: SUPPLY OF LABOR AND MATERIALS FOR THE DESIGN, FABRICATION, DELIVERY, AND ON-SITE INSTALLATION, TESTING AND COMMISSIONING OF EQUIPMENT AND MACHINERIES FOR VARIOUS COCONUT PROCESSING CENTER (PHilmech-CTF-24-02-05)

Lot no/s. being bid:	Name and Signature of Authorized Representative:
C	•

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number (LOT No.)	Project Title	Delivered, Weeks/Months		
1	On-Site of Coconut Water Processing Center in Libas, Jabonga, Agusan del Norte			
2	Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries			
3	Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries On-Site of 1 set White Copra Processing Center (with dehusking tool) in Cebuano, Tupi, South Cotabato	90CD		
4	Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries			
5	Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries On-Site of 1 set White copra-Cooking Oil Processing Center in Pacheco, Magallanes Cavite	90CD		
6	Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries	90CD		

	On-Site of 1 set White copra-Cooking Oil	
	Processing Center in Calaca, Batangas	
	Supply of Labor and Materials for the Design,	
	Fabrication, Delivery, Installation, Testing and	
_	Commissioning of Equipment and Machineries	
7	On-Site of 1 set White Copra-Cooking Oil	90CD
	Processing Center (with dehusking Tool) in Sta	
	Cruz, Pamplona, Cagayan	
	Supply of Labor and Materials for the Design,	
	Fabrication, Delivery, Installation, Testing and	
0	Commissioning of Equipment and Machineries	00CD
8	On-Site of 1 set White Copra-Cooking Oil	90CD
	Processing Center (with dehusking Tool) in	
	Malandag, Malungon, Sarangani Province	
	Supply of Labor and Materials for the Design,	
	Fabrication, Delivery, Installation, Testing and 1 set	
9	sets White Copra-Cooking Oil Processing Center	90CD
	(with dehusking Tool) in Caniangan,Ramon	
	Magsaysay, Zamboanga del Sur	
	Supply of Labor and Materials for the Design,	
	Fabrication, Delivery, Installation, Testing and	
10	Commissioning of Equipment and Machineries	90CD
	On-Site of 1 set White Copra-Cooking Oil	,,,,
	Processing Center (with dehusking Tool) in	
	Poblacion, Alicia, Zamboanga Sibugay	
	Supply of Labor and Materials for the Design,	
1.1	Fabrication, Delivery, Installation, Testing and	100CD
11	Commissioning of Equipment and Machineries	120CD
	On-Site of 1 set Geo Net Processing Facility in	
	Roseller T. Lim, Zamboanga Sibugay	

Signature over Printed Name of Bidder	Position/Designation
(Name, Address & Tel. No. of Company)	Date

# Section VII. Technical Specifications

# **Technical Specifications**

RE: SUPPLY OF LABOR AND MATERIALS FOR THE DESIGN, FABRICATION, DELIVERY, AND ON-SITE INSTALLATION, TESTING AND COMMISSIONING OF EQUIPMENT AND MACHINERIES FOR VARIOUS COCONUT PROCESSING CENTER (PHilmech-CTF-24-02-05)

Lot no/s. being bid:	Name and Signature of Authorized Representative:
SPECIFICATION (LOT 1)	Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as
	appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a)(ii) and/or GCC Clause
Supply of Labor and Materials f	2.1(a)(ii).
Design, Fabrication, Delivery, and Commission Equipment and Machineries for Compared Water Processing Center in Libas, Ja Agusan Del Norte comprise of the follows:	On-Site uing Of Coconut abonga,
1) 5 units Dehusking Tool (e.g. sudsud)	
Type: Manual	
Frame: stainless steel 304"	

2) 5 units Dehairing machine	
- capacity: 100nuts/hr, minimum	
- motor:0.75hp, 220V, single phase"	
3) 2 lots Washing Bins - 1 Large, 2 Small	
- material: Stainless Steel 304, with drain	
valves	
, day es	a
Small bin (Lx W x H): 1 m x 1 m x 1 m	
- with 4 heavy duty caster wheels , 6	
inches diameter (2 swivel with dual	
· ·	
locking and 2 swivel without locking)	
Lange him 2 (Language H) . 2 mm v 1 mm v 1 mm	
Large bin 2 (LxWxH): 2 m x 1 m x 1 m	
- with 4 heavy duty caster wheels , 6	
inches diameter (2 swivel with dual	
locking and 2 swivel without locking)	
0.01	
4) 8 lots Coconut Cage	
- capacity: 200nuts, minimum	
- made of Stainless Steel 304	
- size of cage: (W x L x H : 1m x 1 m x	
1.5 m)	
- with 4 heavy duty caster wheels, 6	
inches diameter (2 swivel with dual	
locking and 2 swivel without locking)"	
5) 2 lots Coconut Water Extractor (similar to	
figure 1)	
- Material: Stainless steel 304	
- with 4 heavy duty caster wheels, 4	
inches diameter (2 swivel with dual	
locking and 2 swivel without locking)	
- Primemover: 2 hp electric motor, single	
phase 220 V	
- with 4 casterwheels 4in diameter	
- with heavy duty drill bit (stainless steel	
304) 12 mm diameter, safety guard fixed	
back to back both sides of the extractor	
unit	
- with pre-holding tank underneath with	
stainless steel piping and valves	
- 0.5 hp pump (food grade)	
- 0.5 lip pullip (100d glade)	
6) 1 let Destauriger	
6) 1 lot Pasteurizer	
- capacity: 300L	
- material: stainless steel 304	
- Plate thickness: 2mm	
- Tank Diameter: 800mm	

	T 11 11 (00)	
-	Tank height: 600mm	
-	Dimension: 1200mm x 1000mm x	
	1650mm	
-	Power: 24kW	
	Voltage: 220V, 60 Hz	
-	Stirring speed: 36 rpm	
-	Temperature: 85-90°C, adjustable	
-	Stirring motor power: 0.37kW	
-	Heating cycle: 25-35 minutes	
•	With CIP spray ball	
	The spray sum	
7) 1 un	it Cooling tank	
-	capacity: 300 L	
_	Plate thickness: 2mm	
_	Material: Stainless Steel 304	
_	Power: 2.6 kW	
_		
-	Refrigeration Capacity: 6000 kcal/hr	
	Refrigeration fluid: R22	
-	Thermal insulation performance	
	(temperature): $\leq 1^{\circ}$ C	
-	Voltage: 220V, 3phase, 60 Hz	
-	Stirring speed: 36 rpm	
-	Stirring power: 0.75 kW	
-	Refrigeration board: 0.9mm	
-	Insulation: 5cm	
-	Insulation material: Polyurethane	
	foaming liquid	
•	With CIP spray ball	
•	With pump, stainless steel pipe 304 and	
	valves	
8) 1 un	it Liquid Filling Machine	
-	Single head filling machine	
_	Filling range: 100 to 1000ml	
	Rate air pressure: 0.4-0.6MPa	
	Power: 40 W	
-	Voltage: 220V/60Hz	
-	Material: Stainless Steel 304	
0) -		
9) 2 un	its Working Table	
-	for capping	
_	material: Stainless steel 304	
-	dimension (LxWxH): 1.5m x 1m x 0.8m	
	Thickness: gauge 16 (1.5mm minimum)	
10) 5 u	nits Chiller	
-	Capacity: 14 ft <sup>3</sup>	
	± •	

<ul> <li>Cooling type: Chiller</li> </ul>	
- Type: Upright Chiller	
- Frost System: No frost	
- Inverter Technology: Inverter Chiller	
- Temperature range: 5°C minimum	
- Wattage: 304 W	
Anti-moist on glass door	
Auto Evaporation System	
* *	
11) 1 unit Refractometer	
- Brix range: 0.0 to 53.0 % minimum	
- Brix Resolution: 0.1%	
- Accuracy: ±0.2 %	
- Temperature compensation: automatic,	
between 10 to 40°C	
- Display: Digital ( LCD)	
- Measurement Time: Approximately 1.5	
seconds	
- Power Supply: battery, rechargeable	
12) 1 unit Transformer	
Transformer, Pole type,75KVA,Single	
Phase,Cu-Cu Winding"	
With other technical requirements:	
_	
*With 1 set of manufacturer's standard tools	
and accessories: made of tempered steel and	
chrome vanadium, namely:	
- Adjustable wrench, 300 mm	
minimum	
- One (1) set combination wrench	
(open and box, 10 pc - size	
appropriate to the equipment for	
Coconut Water Processing)	
- Screwdriver: Philips and flat head,	
300 mm, minimum	
- Heavy duty toolbox and roll-up tools	
holder	
* Size that could accommodate the required	
tools	
*For imported equipment, user's manual in	
English to be submitted during the opening	
of bids	
*Equipment labels in English	
Provision of after sales services:	

- One (1) year warranty for services	
and parts due to manufacturing	
defects upon acceptance	
<ul> <li>Certification of having at least two</li> </ul>	
(2) technicians/personnel trained by	
the bidder on the operation, repair	
and maintenance of the equipment	
(all motor powered)	
<ul> <li>Provision of training on the proper</li> </ul>	
handling, operation and maintenance	
of the unit for at least two (2)	
operators per beneficiary	
<ul> <li>Certification of guaranteed spare</li> </ul>	
parts availability for at least five (5)	
years for engine/motor powered	
components	
•	

I hereby certify that the Statement of Compliance to the Foregoing Technical Specifications are true and correct, otherwise, if found false either during the bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

	Signature over Printed Name of Bidder
Signed and Sealed* by:	
Signature over Printed Name of	Position / Designation
Agricultural Engineer or	
Agricultural and Biosystems Engineer	
	(Name, Address & Tel. No. of Company)

<sup>\*</sup>as per prescribed dry seal by PRC-PRBABE Resolution No. 04 Series of 2018

	Statement of Compliance*
SPECIFICATION (Lot 2)	Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a)(ii) and/or GCC Clause 2.1(a)(ii).
Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries On-Site of White Copra and Vinegar Processing Center in Poblacion, Pamplona, Negros Oriental comprise of the following:	
10110	
1) 5 units Dehusking Tool (e.g. sudsud)	
Type: Manual	
Frame: stainless steel 304	
2) 2 units Elet Red Dever	
2) 2 units Flat Bed Dryer Technical Specifications:	
- Holding capacity: 5 tons (10,000split nuts)	
Troiding cupacity. 5 tons (10,000spirt nuts)	
Construction:	
Drying Bin	
- Manufacturer standard; provided that the	
dryer could accommodate the 10,000 split	
nuts	
- Side walls: Stainless Steel sheet 304	
- Bed flooring: Stainless Steel 304	
perforated sheet floor having 9-10 mm	

minimum diameter perforation; and 1.2 mm thickness  - The perforated flooring must have a rigid support that could withstand the full load capacity of the Dryer  - With serviceable cleaning bottom port  - The entire flatbed unit is securely bolted and air tight  *With temperature gauge (dial type thermometer)  Heating system  - Biomass fuel: Indirect-fired  - Heating system efficiency: 50%, minimum  - Heat exchanger: Fire tubes (seamless, Smm minimum)/stainless tube 1.2mm stainless steel 201  - Drying temperature: 60°C minimum  Blower  - Blower: Tube axial fan w/ not less than 10.500 cfm  - All steel construction made of heavy gauge material  - Dynamically balance  - Should be painted finish, with rust- proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  - Moisture content (Grade 1): 6-8%  - Oil Recovery(%)  - Color of meat: clean, white to pale yellow  - Aflatoxin level (ppb)  - Other specifications: free from smoke and other contaminants		
- The perforated flooring must have a rigid support that could withstand the full load capacity of the Dryer  - With serviceable cleaning bottom port  - The entire flatbed unit is securely bolted and air tight  *With temperature gauge (dial type thermometer)  Heating system  - Biomass fuel: Indirect-fired  - Heating system efficiency: 50%, minimum  - Heat exchanger: Fire tubes (seamless, 5mm minimum)/stainless tube 1.2mm stainless steel 201  - Drying temperature: 60°C minimum  Blower  - Blower: Tube axial fan w/ not less than 10,500 cfm  - All steel construction made of heavy gauge material  - Dynamically balance  - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  - Moisture content (Grade 1): 6-8%  - Oil Recovery(%)  - Color of meat: clean, white to pale yellow  - Aflatoxin level (ppb)  - Other specifications: free from smoke	minimum diameter perforation; and 1.2 mm thickness	
rigid support that could withstand the full load capacity of the Dryer  - With serviceable cleaning bottom port  - The entire flatbed unit is securely bolted and air tight  *With temperature gauge (dial type thermometer)  Heating system  - Biomass fuel: Indirect-fired  - Heating system efficiency: 50%, minimum  - Heat exchanger: Fire tubes (seamless, 5mm minimum)/stainless tube 1.2mm stainless steel 201  - Drying temperature: 60°C minimum  Blower  - Blower: Tube axial fan w/ not less than 10,500 cfm  - All steel construction made of heavy gauge material  - Dynamically balance  - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke		
load capacity of the Dryer  - With serviceable cleaning bottom port  - The entire flatbed unit is securely bolted and air tight  *With temperature gauge (dial type thermometer)  Heating system  - Biomass fuel: Indirect-fired  - Heating system efficiency: 50%, minimum  - Heat exchanger: Fire tubes (seamless, 5mm minimum)/stainless tube 1.2mm stainless steel 201  - Drying temperature: 60°C minimum  Blower  - Blower: Tube axial fan w/ not less than 10,500 cfm  - All steel construction made of heavy gauge material  - Dynamically balance  - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  - Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  - Color of meat: clean, white to pale yellow  - Aflatoxin level (ppb)  - Other specifications: free from smoke		
- With serviceable cleaning bottom port  - The entire flatbed unit is securely bolted and air tight  *With temperature gauge (dial type thermometer)  Heating system  - Biomass fuel: Indirect-fired  - Heating system efficiency: 50%, minimum  - Heat exchanger: Fire tubes (seamless, 5mm minimum)/stainless tube 1.2mm stainless steel 201  - Drying temperature: 60°C minimum  Blower  - Blower: Tube axial fan w/ not less than 10,500 cfm  - All steel construction made of heavy gauge material  - Dynamically balance  - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp dissel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke		
- The entire flatbed unit is securely bolted and air tight  *With temperature gauge (dial type thermometer)  Heating system  - Biomass fuel: Indirect-fired  - Heating system efficiency: 50%, minimum  - Heat exchanger: Fire tubes (seamless, 5mm minimum)/stainless tube 1.2mm stainless steel 201  - Drying temperature: 60°C minimum  Blower  - Blower: Tube axial fan w/ not less than 10,500 cfm  - All steel construction made of heavy gauge material  - Dynamically balance  - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  - Moisture content (Grade 1): 6-8%  - Oil Recovery(%)  - Color of meat: clean, white to pale yellow  - Aflatoxin level (ppb)  - Other specifications: free from smoke		
*With temperature gauge (dial type thermometer)  Heating system  - Biomass fuel: Indirect-fired  - Heating system efficiency: 50%. minimum  - Heat exchanger: Fire tubes (seamless, 5mm minimum)/stainless tube 1.2mm stainless steel 201  - Drying temperature: 60°C minimum  Blower  - Blower: Tube axial fan w/ not less than 10,500 cfm  - All steel construction made of heavy gauge material  - Dynamically balance  - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke		
*With temperature gauge (dial type thermometer)  Heating system  - Biomass fuel: Indirect-fired  - Heating system efficiency: 50%, minimum  - Heat exchanger: Fire tubes (seamless, 5mm minimum)/stainless tube 1.2mm stainless stel 201  - Drying temperature: 60°C minimum  Blower  - Blower: Tube axial fan w/ not less than 10,500 cfm  - All steel construction made of heavy gauge material  - Dynamically balance  - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke		
thermometer)  Heating system  - Biomass fuel: Indirect-fired - Heating system efficiency: 50%, minimum  - Heat exchanger: Fire tubes (seamless, 5mm minimum)/stainless tube 1.2mm stainless steel 201 - Drying temperature: 60°C minimum  Blower  - Blower: Tube axial fan w/ not less than 10,500 cfm - All steel construction made of heavy gauge material - Dynamically balance - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting - Both engine and the machine must be brand new, latest model and not rebranded/renamed - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8% -Oil Recovery(%) -Color of meat: clean, white to pale yellow -Aflatoxin level (ppb) -Other specifications: free from smoke	and air tight	
thermometer)  Heating system  - Biomass fuel: Indirect-fired - Heating system efficiency: 50%, minimum  - Heat exchanger: Fire tubes (seamless, 5mm minimum)/stainless tube 1.2mm stainless steel 201 - Drying temperature: 60°C minimum  Blower  - Blower: Tube axial fan w/ not less than 10,500 cfm - All steel construction made of heavy gauge material - Dynamically balance - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting - Both engine and the machine must be brand new, latest model and not rebranded/renamed - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8% -Oil Recovery(%) -Color of meat: clean, white to pale yellow -Aflatoxin level (ppb) -Other specifications: free from smoke		
Heating system  - Biomass fuel: Indirect-fired  - Heating system efficiency: 50%, minimum  - Heat exchanger: Fire tubes (seamless, 5mm minimum)/stainless tube 1.2mm stainless steel 201  - Drying temperature: 60°C minimum  Blower  - Blower: Tube axial fan w/ not less than 10,500 cfm  - All steel construction made of heavy gauge material  - Dynamically balance  - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke	*With temperature gauge (dial type	
- Biomass fuel: Indirect-fired  - Heating system efficiency: 50%, minimum  - Heat exchanger: Fire tubes (seamless, 5mm minimum)/stainless tube 1.2mm stainless steel 201  - Drying temperature: 60°C minimum  Blower  - Blower: Tube axial fan w/ not less than 10,500 cfm  - All steel construction made of heavy gauge material  - Dynamically balance  - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke	thermometer)	
- Biomass fuel: Indirect-fired  - Heating system efficiency: 50%, minimum  - Heat exchanger: Fire tubes (seamless, 5mm minimum)/stainless tube 1.2mm stainless steel 201  - Drying temperature: 60°C minimum  Blower  - Blower: Tube axial fan w/ not less than 10,500 cfm  - All steel construction made of heavy gauge material  - Dynamically balance  - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke		
- Heating system efficiency: 50%, minimum  - Heat exchanger: Fire tubes (seamless, 5mm minimum)/stainless tube 1.2mm stainless steel 201  - Drying temperature: 60°C minimum  Blower  - Blower: Tube axial fan w/ not less than 10,500 cfm  - All steel construction made of heavy gauge material  - Dynamically balance  - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke	<u>Heating system</u>	
minimum  - Heat exchanger: Fire tubes (seamless, 5mm minimum)/stainless tube 1.2mm stainless steel 201  - Drying temperature: 60°C minimum  Blower  - Blower: Tube axial fan w/ not less than 10,500 cfm  - All steel construction made of heavy gauge material  - Dynamically balance  - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke	- Biomass fuel: Indirect-fired	
minimum  - Heat exchanger: Fire tubes (seamless, 5mm minimum)/stainless tube 1.2mm stainless steel 201  - Drying temperature: 60°C minimum  Blower  - Blower: Tube axial fan w/ not less than 10,500 cfm  - All steel construction made of heavy gauge material  - Dynamically balance  - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke	- Heating system efficiency: 50%.	
- Heat exchanger: Fire tubes (seamless, 5mm minimum)/stainless tube 1.2mm stainless steel 201 - Drying temperature: 60°C minimum  Blower - Blower: Tube axial fan w/ not less than 10,500 cfm - All steel construction made of heavy gauge material - Dynamically balance - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting - Both engine and the machine must be brand new, latest model and not rebranded/renamed - Engine offered at least thirty five (35) years in the market  Product Quality -Moisture content (Grade 1): 6-8% -Oil Recovery(%) -Color of meat: clean, white to pale yellow -Aflatoxin level (ppb) -Other specifications: free from smoke		
5mm minimum)/stainless tube 1.2mm stainless steel 201  - Drying temperature: 60°C minimum  Blower  - Blower: Tube axial fan w/ not less than 10,500 cfm  - All steel construction made of heavy gauge material  - Dynamically balance  - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke		
stainless steel 201  - Drying temperature: 60°C minimum  Blower  - Blower: Tube axial fan w/ not less than 10,500 cfm  - All steel construction made of heavy gauge material  - Dynamically balance  - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke		
- Drying temperature: 60°C minimum  Blower  - Blower: Tube axial fan w/ not less than 10,500 cfm  - All steel construction made of heavy gauge material  - Dynamically balance  - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke		
Blower  - Blower: Tube axial fan w/ not less than 10,500 cfm  - All steel construction made of heavy gauge material  - Dynamically balance  - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke		
- Blower: Tube axial fan w/ not less than 10,500 cfm  - All steel construction made of heavy gauge material  - Dynamically balance  - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke	- Drying temperature: 60°C minimum	
- Blower: Tube axial fan w/ not less than 10,500 cfm  - All steel construction made of heavy gauge material  - Dynamically balance  - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke	The state of the s	
10,500 cfm  - All steel construction made of heavy gauge material  - Dynamically balance  - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke		
- All steel construction made of heavy gauge material  - Dynamically balance  - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke		
gauge material  - Dynamically balance  - Should be painted finish, with rust-proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke	10,500 cfm	
- Dynamically balance  - Should be painted finish, with rust- proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke	- All steel construction made of heavy	
- Dynamically balance  - Should be painted finish, with rust- proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke	gauge material	
- Should be painted finish, with rust- proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke		
proofing primer and final paint color is powder coated  Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke		
Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke	<u> </u>	
Engine or any better alternative source  - Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke		
- Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke	portaci contou	
- Driven by 12.0hp diesel engine, water cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke	Engine or any better alternative source	
cooled, single cylinder type, manual/hand cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke		
cracked starting  - Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke	1	
- Both engine and the machine must be brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke	- · · · · · · · · · · · · · · · · · · ·	
brand new, latest model and not rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke		
rebranded/renamed  - Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke	_	
- Engine offered at least thirty five (35) years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke	· ·	
years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke	rebranded/renamed	
years in the market  Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke	- Engine offered at least thirty five (35)	
Product Quality  -Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke		
-Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke	,	
-Moisture content (Grade 1): 6-8%  -Oil Recovery(%)  -Color of meat: clean, white to pale yellow  -Aflatoxin level (ppb)  -Other specifications: free from smoke	Product Quality	
-Oil Recovery(%) -Color of meat: clean, white to pale yellow -Aflatoxin level (ppb) -Other specifications: free from smoke		
-Color of meat: clean, white to pale yellow -Aflatoxin level (ppb) -Other specifications: free from smoke	,	
yellow -Aflatoxin level (ppb) -Other specifications: free from smoke		
-Aflatoxin level (ppb) -Other specifications: free from smoke	-	
-Other specifications: free from smoke	•	
and other contaminants		
	and other contaminants	

A 1, , ' ' 1' , C' 1 1 '	-
-Any alternative indirect fired drying	
system with similar capacity and product	
quality	
•	
* Laboratory analysis for finished product	
Laboratory anarysis for infished product	
3. 1 unit Copra Moisture Meter	
- handheld	
- Resistance type	
- Measurement Range: 3 to 20%	
minimum	
- Measurement Precision: 0.4% (moisture	
values of 10% or lower)	
- Display: Digital ( LCD)	
- Resolution: 0.1%	
- Operating Temperature Range: 0 to	
40°C	
- Functions: Moisture %, bias adjustment	
(-9.9  to + 9.9%), averaging, Upper limit	
alarm, Automatic temperature	
compensation, Auto power off	
- Power Supply: battery	
- Power Consumption: approximately	
0.45 W	
0.43 W	
4) 2 units Coconut Water Extractor (similar to	
figure 1)	
- Made of stainless steel 304	
- ith 4 heavy duty caster wheels, 4 inch	
diameter (2 swivel with dual locking and	
`	
2 swivel without locking)	
- Primemover: 2hp electric motor, single	
phase, 220V	
- with 4 casterwheels 4in diameter	
- with heavy duty drill bit (Stainless Steel	
304)12mm diameter, safety guard fixed	
back to back both sides of the extractor	
unit	
- with pre-holding tank underneath with	
SS piping and valves	
- continuous Stainless steel304 piping size	
diameter of 3/8in from extractor to each	
of the 5 cocowater holding tank using the	
transfer pump	
- 0.5hp transfer pump (food grade)	
5) 1 unit Belt conveyor	
Unloading Conveyor:	
chiodaing conveyor.	

- Size (L x W x H): 300cm x 60cm x 100cm	
- Capacity: 1ton/hr	
- Power: 3/4hp	
- Frame: made of stainless steel 304	
- Belt material: Rubber	
- Can be inclined at a certain degree	
Loading Conveyor:	
- Size(L x W x H): 340cm x 60cm x 220cm	
- Capacity: 1ton/hr	
- Power: 3/4hp	
- Frame: made of stainless steel 304	
- Belt material: Rubber	
- Can be inclined at a certain degree	
6) 6 units Hauling Cart (similar to figure 2)	
- Hauling Capacity: 80nuts minimum	
- No. of wheels: 4 heavy duty caster wheels 4	
inch diameter (2 swivel with dual locking and	
2 swivel without locking)	
- Materials: stainless steel frames	
- Dimension: 100cm x 70cm x 80cm	
7) 2 units Bagging Bin (similar to figure 3)	
- Capacity: 200kg minimum	
- Hopper Length: 100cm	
- Hopper Width: 100cm	
- O/A Height: 160cm	
- Height to loading lip of hopper: 197cm	
- frame: 80cm x 80cm box section	
- hopper: 38cm x 38cm	
- Material: stainless steel sheet	
*with 4 heavy duty caster wheels, 8in	
diameter (2 swivel with dual locking and 2	
swivel without locking)	
- Material: Polyurethane	
8) 2 units Portable Bag Sewing machine	
- Working capacity: 90W	
- Material: Metal	
- Plug type: AU Plug	
- Working voltage: 220V	
- Spindle speed: 800rpm minimum	
- Needle gauge: 6-8mm	
9) 3 units Holding bin (similar to figure 4)	
- Holding capacity: 3,400 pre-dried	
splitnuts w/ shell minimum	
- Material: Stainless steel 304	

1 1 2 14001	
- load capacity:1400kg minimum	
- with 6 heavy duty casterwheels 8in	
diameter (3 swivel with dual locking and 3	
swivel without locking)	
10) 2 W 1	
10) 2 units Weighing scale	
- Digital readout	
- 500kg minimum capacity	
- accurate to ± 0.2 grams	
- Power supply: electrical operated	
11) 20	
11) 30 units Heavy duty Plastic Crates	
-dimension (L x W x H): 69 cm x 36 cm x 38	
cm	
- made of HDPE material	
10) 5	
12) 5 units Holding Tank for Cocowater	
-Cylindrical	
-made of Stainless Steel sheet 304	
-Capacity:2000L	
- With compatible stand	
-Tapered bottom w/ outlet	
12) 2	
13) 2 units pH meter	
- handheld	
- measurement range: 0.0 to 14.0 pH	
minimum	
- resolution: 0.1 pH	
- operating temperature range: 5 to 50°C, 95% RH	
- accuracy: ±0.1 pH	
- display: Digital ( LCD) - environment: 0 to 50°C; max RH 95%	
,	
- power supply: battery	
- power consumption: approximately 0.45 W	
14) 1 unit Filtration Tank with Dump (similar to	
14) 1 unit Filtration Tank with Pump (similar to figure 5)	
- Capacity: 100 L	
- Capacity. 100 L - Tank Dimension: D-500mm x H- 600mm	
- Overall Height: 800mm	
- Thickness: 1.5 mm	
- Materials: Stainless steel 304	
- with stainless 304 discharge valve at the bottom	
DOLLOIN	
Pump	
- Capacity: 500 L/hr minimum	
<u> </u>	
- Power: 1 hp, single phase	

- Food grade	
- Attached to the discharge outlet at the	
bottom side of the tank	
15) 3 units Mixing Tank	
-Capacity: 100 L	
-Tank Dimension: D-500mm x H- 600mm	
- Overall Height: 800mm	
- Power: 0.75 Kw	
- Materials: Stainless steel 304	
- Flexible Food grade flexible extra hose of a	
minimum 5m in length that will be used in	
operating the discharge pump	
16) 2 units Fermentation Tank with Pump	
(similar to figure 6)	
- Capacity: 700 L minimum	
- Tank Dimension: D-800 mm x H-1400 mm	
- Thickness: 1.5 mm	
- Overall Height: 1500 mm	
- Materials: Stainless steel 304	
- with stainless steel 304 discharge valve at	
the bottom	
Pump	
- Capacity: 500 L/hr, minimum	
- Power: 1 hp, single phase	
- Food grade	
- Attached to the discharge outlet at the	
bottom side of the tank	
17) 4 units Acetator	
- diameter: 23 in	
- height: 36 in	
- volume: 200 L	
- working volume: 100 L - 150 L	
- with 5 pounds per square inch gauge (psig)	
air supply from the air compressor	
- made up of HDPE material	
- with stainless steel 304 pipings and fittings	
with summers soot to a pipings and items	
18) 2 units Air Compressor	
- Power: 1 hp, 220 V, 60 Hz	
10 1 np, 220 1, 00 112	
19) 10 units Pail	
- capacity: 20L	
- material: made of stainless steel 304	
material, made of staffices steel 307	
* all materials in contact with food	
an materials in contact with 1000	

material is made of stainless steel 304	
20) 1 unit Transformer	
Transformer, Pole type, 75KVA, Single	
Phase, Cu-Cu Winding	
Other are resistant and the	
Other requirements:	
* 5000 Mature Coconut samples(10-12 months old from inflorescence), labor,	
and other materials for test and	
commissioning to be provided by the	
winning bidder	
*With 1 set of manufacturer's standard	
tools and accessories: made of tempered	
steel and chrome vanadium, namely:	
- Adjustable wrench, 300 mm minimum	
- One (1) set combination wrench (open	
and box, 10 pc - size appropriate to the	
equipment for White Copra-Vinegar processing	
- Screwdriver: Philips and slot head, 300	
mm, minimum	
- Pipe wrench, 30cm min	
- Heavy duty metal toolbox and roll-up	
tools holder	
* Size that could accommodate the	
required tools	
*For imported equipment, user's manual	
in English to be submitted during	
delivery	
*Equipment labels in English	
1 1	
Provision of after sales services:	
- One (1) year warranty for services and	
parts due to manufacturing defects upon	
acceptance	
- Certification of having at least two (2)	
technicians/personnel trained by the	
bidder on the operation, repair and	
maintenance of the copra dryer and other equipment (all engine and motor	
equipment (all engine and motor powered)	
- Provision of training on the proper	
handling, operation and maintenance of	
the unit for at least two (2) operators per	
beneficiary	
- Certification of guaranteed spare parts	

availability for at least five (5) years for	
engine/motor powered components	

I hereby certify that the Statement of Compliance to the Foregoing Technical Specifications are true and correct, otherwise, if found false either during the bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

	Signature over Printed Name of Bidder
Signed and Sealed* by:	
Signature over Printed Name of	Position / Designation
Agricultural Engineer or	
Agricultural and Biosystems Engineer	
	(Name, Address & Tel. No. of Company)

\*as per prescribed dry seal by PRC-PRBABE Resolution No. 04 Series of 2018

	Statement of Compliance*
SPECIFICATION (LOT 3)	Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a)(ii) and/or GCC Clause 2.1(a)(ii).
Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries On-Site of White Copra Processing Center in Cebuano, Tupi, South Cotabato comprise of the following:	
1) 5	
1) 5 units Dehusking Tool	
Specifications:	
Type: Manual Material: stainless steel 304	
Material. Staffiess Steel 304	
2) 2 units Flat Bed Dryer	
Technical Specifications:	
-Holding capacity: 5 tons (10,000split nuts)	
-	
Construction:	
Drying Bin	
-Manufacturer standard; provided that	
the dryer could accommodate the 10,000	
split nuts	
-Side walls: Stainless Steel sheet 304	
-Bed flooring: SS 304 perforated sheet	
floor having 3-5 mm minimum	

diameter perforation; and 1.2 mm thickness	
-The perforated flooring must have a	
rigid support that could withstand the full	
load capacity of the Dryer	
-With serviceable cleaning bottom port	
- The entire flatbed unit is securely	
bolted and air tight	
*W/'41	
*With temperature gauge (dial type	
thermometer)	
TT	
Heating system	
-Biomass fuel: Indirect-fired	
-Heating system efficiency: 50%,	
minimum	
-Heat exchanger: Fire tubes (seamless,	
5mm minimum)/stainless tube 1.2mm	
stainless steel 201	
-Drying temperature: 60°C minimum	
Blower	
-Blower: Tube axial fan w/ not less than	
10,500 cfm	
-All steel construction made of heavy	
gauge material	
-Dynamically balance	
-Should be painted finish, with rust-	
proofing primer and final paint color is	
powder coated	
Engine or any better alternative source	
-Driven by 12.0hp diesel engine, water	
cooled, single cylinder type,	
manual/hand cracked starting	
- Both engine and the machine must be	
brand new, latest model and not	
rebranded/renamed	
- Engine offered at least thirty five (35)	
years in the market	
Product Quality	
-Moisture content (Grade 1): 6-8%	
-Oil Recovery(%)	
-Color of meat: clean, white to pale	
yellow	
- Aflatoxin level (ppb)	
- Other specifications: free from	
smoke and other contaminants	
SHIOKE AND OTHER COMMANDERS	

- Any alternative indirect fired drying	
system that could produce similar	
capacity and product quality	
* Laboratory analysis for finished product	
Laboratory anarysis for finished product	
2) 1 unit Conra Maistura Matar	
3) 1 unit Copra Moisture Meter - handheld	
- Resistance type	
- Measurement Range: 3 to 20% minimum	
- Measurement Precision: 0.4% (moisture	
values of 10% or lower)	
- Display: Digital ( LCD)	
- Resolution: 0.1%	
- Operating Temperature Range: 0 to 40°C	
- Functions: Moisture %, bias adjustment	
(-9.9  to + 9.9%), averaging, Upper	
limit alarm, Automatic temperature	
compensation, Auto power off	
- Power Supply: battery	
- Power Consumption: approximately 0.45	
W	
4) 2 units Coconut Water Extractor (similar to	
fig. 1)	
- Made of stainless steel 304	
- With 4 heavy duty caster wheels, 4 inch	
diameter (2 swivel with dual locking and	
2 swivel without locking)	
- Primemover: 2hp electric motor, single	
phase 220V	
- with 4 casterwheels 4in diameter	
- with heavy duty drill bit (Stainless Steel	
304)12mm diameter, safety guard fixed	
back to back both sides of the extractor	
unit	
- with pre-holding tank underneath with	
SS piping and valves	
- continuous Stainless steel304 piping size	
diameter of 3/8in from extractor to each	
of the 5 cocowater holding tank using the	
transfer pump	
1 1	
- 0.5hp transfer pump (food grade)	
5.0 to P.1:	
5) 2 units Belt conveyor	
1 unit Unloading Conveyor:	
- Size (L x W x H):300cm x 60cm x	
100cm	
- Capacity: 1ton/hr	
- Power: 3/4hp	
· · · · · · · · · · · · · · · · · ·	

- Frame: made of stainless steel 304	
- Belt material: Rubber	
- Can be inclined at a certain degree	
1 unit Loading Conveyor:	
- Size(LxWxH):340cm x 60cm x 220cm	
- Capacity: 1ton/hr	
- Power: 3/4hp	
- Frame: made of stainless steel 304	
- Belt material: Rubber	
- Can be inclined at a certain degree	
6) 6 units Hauling Cart (similar to fig.2)	
- Hauling Capacity: 80nuts minimum	
- No. of wheels: 4 heavy duty caster	
wheels 4 inch diameter (2 swivel with	
dual locking and 2 swivel without	
locking)	
- Materials: stainless steel frames	
- Dimension: 100cm x 70cm x 80cm	
7) 2 units Bagging Bin (similar to fig.3)	
- Capacity: 200kg minimum	
- Hopper Length: 100cm	
- Hopper Width: 100cm	
- O/A Height: 160cm	
- Height to loading lip of hopper: 60cm	
- frame:80cm x 80cm box section	
- hopper: 38cm x 38cm	
- Material: stainless steel sheet	
*with 4 heavy duty caster wheels, 8in	
diameter (2 swivel with dual locking	
and 2 swivel without locking)	
8) 2 units Portable Bag Sewing machine	
- Working capacity: 90W	
- Material: Metal	
- Plug type: AU Plug	
- Working voltage: 220V	
- Spindle speed: 800rpm minimum	
- Needle gauge: 6-8mm	
9) 3 units Holding bin (similar to figure. 4)	
- Holding capacity: 3,400 pre-dried	
splitnuts w/ shell minimum	
- Material: Stainless steel 304	
<ul> <li>load capacity:1400kg minimum</li> </ul>	
- with 6 heavy duty casterwheels 8in	

	1
diameter (3 swivel with dual locking	
and 3 swivel without locking)	
10) 2 units Weighing scale	
- Digital readout	
- 500kg minimum capacity	
- accurate to ± 0.2 grams	
- Power supply: electrical operated	
11) 30 units Heavy duty Plastic Crates	
- dimension (L x W x H): 69 cm x 36 cm x	
38 cm	
- made of HDPE material	
12) 5 units Holding tank for Cocowater	
- Cylindrical	
- made of Stainless Steel sheet 304	
- Capacity:2000L	
- With compatible stand	
- Tapered bottom w/ outlet	
•	
Other requirements:	
*5000 Mature Coconut samples(10-12	
months old from inflorescence), labor,	
and other materials for test and	
commissioning to be provided by the	
winning bidder	
*With 1 set of manufacturer's standard	
tools and accessories: made of tempered	
steel and chrome vanadium, namely:	
- Adjustable wrench, 300 mm minimum	
- One (1) set combination wrench (open	
and box, 10 pc - size appropriate to the	
equipment for White Copra processing)	
- Screwdriver: Philips and slot head, 300	
mm, minimum	
- Pipe wrench, 30cm min	
- Heavy duty metal toolbox and roll-up	
tools holder	
* Size that could accommodate the	
required tools	
*For imported equipment, user's manual	
in English to be submitted during	
delivery	
*Equipment labels in English	
Provision of after sales services:	

- One (1) year warranty for services and	
parts due to manufacturing defects upon	
acceptance	
- Certification of having at least two (2)	
technicians/personnel trained by the	
bidder on the operation, repair and	
maintenance of the copra dryer and other	
equipment (all engine powered)	
- Provision of training on the proper	
handling, operation and maintenance of	
the unit for at least two (2) operators per	
beneficiary	
- Certification of guaranteed spare parts	
availability for at least five (5) years for	
engine/motor powered components	

I hereby certify that the Statement of Compliance to the Foregoing Technical Specifications are true and correct, otherwise, if found false either during the bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

	Signature over Printed Name of Bidder
Signed and Sealed* by:	
Signature over Printed Name of	Position / Designation
Agricultural Engineer or	
Agricultural and Biosystems Engineer	
	(Name, Address & Tel. No. of Company)

\*as per prescribed dry seal by PRC-PRBABE Resolution No. 04 Series of 2018

	Statement of Compliance*
SPECIFICATION (For Lots 4-10)	Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a)(ii) and/or GCC Clause 2.1(a)(ii).
Supply of Labor and Materials for the Design, Fabrication, Delivery, Installation, Testing and Commissioning of Equipment and Machineries On-Site of White Copra-Cooking Oil Processing Center comprise of the following:	
1) 5 units Dehusking Tool (e.g. sudsud) (applicable for LOTS 7-10 ONLY)	
Type: Manual	
Frame: stainless steel 304	
2) 2 units Flat Bed Dryer	
Technical Specifications:	
Holding capacity: 5 tons (10,000 split nuts)	
Construction:	
Drying Bin	
- Manufacturer standard; provided that	
the dryer could accommodate the	
10,000 split nuts	
- Side walls: Stainless Steel sheet 304	
- Bed flooring: SS 304 perforated sheet	
floor having 3-5 mm minimum	

diameter perforation; and 1.2 mm thickness	
- The perforated flooring must have a	
rigid support that could withstand the	
full load capacity of the Dryer	
- With serviceable cleaning bottom	
port	
- The entire flatbed unit is securely	
bolted and air tight	
*With temperature gauge (dial type	
thermometer)	
thermonicter)	
TT	
Heating system	
- Biomass fuel: Indirect-fired	
- Heating system efficiency: 50%,	
minimum	
- Heat exchanger: Fire tubes (seamless,	
5mm minimum)/stainless tube	
1.2mm stainless steel 201	
- Drying temperature: 60oC minimum	
Blower	
- Blower: Tube axial fan w/ not less	
than 10,500 cfm	
- All steel construction made of heavy	
gauge material	
- Dynamically balance	
- Should be painted finish, with rust-	
proofing primer and final paint color	
is powder coated	
1	
Engine or any better alternative source	
- Driven by 12.0hp diesel engine,	
water cooled, single cylinder type,	
manual/hand cracked starting	
- Both engine and the machine must be	
brand new, latest model and not	
rebranded /renamed	
- Engine offered at least thirty five	
(35) years in the market	
Product Quality	
- Moisture content (Grade 1): 6-8%	
- Oil Recovery (%)	
- Color of meat: clean, white to pale	
<u> </u>	
yellow	
- Aflatoxin level (ppb)	
- Other specifications: free from	
smoke and other contaminants	

- Any atternative intender tirted drying system with similar capacity and product quality  * Laboratory analysis for finished product  3) 1 unit Copra Moisture Meter - handheld - Resistance type - Measurement Range: 3 to 20% minimum - Measurement Precision: 0.4% (moisture values of 10% or lower) - Display: Digital (LCD) - Resolution: 0.1% - Operating Temperature Range: 0 to 40°C - Functions: Moisture %, bias adjustment (-9.9 to + 9.9%), averaging, Upper limit alarm. Automatic temperature compensation. Auto power off - Power Supply: battery - Power Consumption: approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1) - Made of stainless steel 304 - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel with dual locking) - Primemover: 2hp electric motor, single phase 220V - with 4 easterwheels 4in diameter - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit - with pre-holding tank underneath with SS piping and valves - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump - 0.5hp transfer pump (food grade)		A 1, , ' ' 1' , C' 1 1 '	
product quality  * Laboratory analysis for finished product  3) 1 unit Copra Moisture Meter - handheld - Resistance type - Measurement Range: 3 to 20% minimum - Measurement Precision: 0.4% (moisture values of 10% or lower) - Display: Digital (LCD) - Resolution: 0.1% - Operating Temperature Range: 0 to 40°C - Functions: Moisture %, bias adjustment (-9.9 to + 9.9%), averaging, Upper limit alarm, Automatic compensation, Auto power off - Power Supply: battery - Power Consumption: approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1) - Made of stainless steel 304 - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking) - Primemover: 2hp electric motor, single phase 220V - with 4 casterwheels 4in diameter - with heavy duty dryl bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit - with pre-holding tank underneath with SS piping and valves - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump - 0.5hp transfer pump (food grade)	-	Any alternative indirect fired drying	
* Laboratory analysis for finished product  3) 1 unit Copra Moisture Meter - handheld - Resistance type - Measurement Range: 3 to 20% minimum - Measurement Precision: 0.4% (moisture values of 10% or lower) - Display: Digital (LCD) - Resolution: 0.1% - Operating Temperature Range: 0 to 40°C - Functions: Moisture %, bias adjustment (-9.9 to + 9.9%), averaging, Upper limit alarm, Automatic temperature compensation, Auto power off - Power Supply: battery - Power Consumption: approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1) - Made of stainless steel 304 - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking) - Primemover: 2hp electric motor, single phase 220V - with 4 casterwheels 4 in diameter - with heavy duty drill bit (Stainless Steel 304, 12mm diameter, safety guard fixed back to back both sides of the extractor unit - with pre-holding tank underneath with SS piping and valves - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump - 0.5hp transfer pump (food grade)		•	
3) 1 unit Copra Moisture Meter  - handheld  - Resistance type  - Measurement Range: 3 to 20% minimum  - Measurement Precision: 0.4% (moisture values of 10% or lower)  - Display: Digital (LCD)  - Resolution: 0.1%  - Operating Temperature Range: 0 to 40°C  - Functions: Moisture %, bias adjustment (-9.9 to + 9.9%), averaging, Upper limit alarm, Automatic temperature compensation, Auto power off  - Power Supply: battery  - Power Consumption: approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1)  - Made of stainless steel 304  - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking)  - Primemover: 2hp electric motor, single phase 220V  - with 4 casterwheels 4in diameter  - with heavy duty drill bit (Stainless Steel 304, 12mm diameter, safety guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)			
3) 1 unit Copra Moisture Meter  - handheld  - Resistance type  - Measurement Range:     3 to 20% minimum  - Measurement Precision: 0.4%     (moisture values of 10% or lower)  - Display: Digital (LCD)  - Resolution: 0.1%  - Operating Temperature Range:     0 to 40°C  - Functions: Moisture %, bias adjustment (-9.9 to + 9.9%), averaging, Upper limit alarm, Automatic temperature compensation, Auto power off  - Power Supply: battery  - Power Consumption:     approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1)  - Made of stainless steel 304  - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking)  - Primemover: 2hp electric motor, single phase 220V  - with 4 casterwheels 4in diameter  - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)	*	Laboratory analysis for finished	
- handheld - Resistance type - Measurement Range: 3 to 20% minimum - Measurement Precision: 0.4% (moisture values of 10% or lower) - Display: Digital (LCD) - Resolution: 0.1% - Operating Temperature Range: 0 to 40°C - Functions: Moisture %, bias adjustment (-9.9 to + 9.9%), averaging. Upper limit alarm, Automatic temperature compensation, Auto power off - Power Supply: battery - Power Consumption: approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1) - Made of stainless steel 304 - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking) - Primemover: 2hp electric motor, single phase 220V - with 4 casterwheels 4in diameter - with heavy duty duty did libit (Stainless Steel 304) 12mm diameter; safety guard fixed back to back both sides of the extractor unit - with pre-holding tank underneath with SS piping and valves - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump - 0.5hp transfer pump (food grade)		product	
- handheld - Resistance type - Measurement Range: 3 to 20% minimum - Measurement Precision: 0.4% (moisture values of 10% or lower) - Display: Digital (LCD) - Resolution: 0.1% - Operating Temperature Range: 0 to 40°C - Functions: Moisture %, bias adjustment (-9.9 to + 9.9%), averaging. Upper limit alarm, Automatic temperature compensation, Auto power off - Power Supply: battery - Power Consumption: approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1) - Made of stainless steel 304 - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking) - Primemover: 2hp electric motor, single phase 220V - with 4 casterwheels 4in diameter - with heavy duty duty did libit (Stainless Steel 304) 12mm diameter; safety guard fixed back to back both sides of the extractor unit - with pre-holding tank underneath with SS piping and valves - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump - 0.5hp transfer pump (food grade)		•	
- handheld - Resistance type - Measurement Range: 3 to 20% minimum - Measurement Precision: 0.4% (moisture values of 10% or lower) - Display: Digital (LCD) - Resolution: 0.1% - Operating Temperature Range: 0 to 40°C - Functions: Moisture %, bias adjustment (-9.9 to + 9.9%), averaging. Upper limit alarm, Automatic temperature compensation, Auto power off - Power Supply: battery - Power Consumption: approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1) - Made of stainless steel 304 - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking) - Primemover: 2hp electric motor, single phase 220V - with 4 casterwheels 4in diameter - with heavy duty duty did libit (Stainless Steel 304) 12mm diameter; safety guard fixed back to back both sides of the extractor unit - with pre-holding tank underneath with SS piping and valves - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump - 0.5hp transfer pump (food grade)	3) 1 uni	t Conra Moisture Meter	
- Resistance type - Measurement Range: 3 to 20% minimum - Measurement Precision: 0.4% (moisture values of 10% or lower) - Display: Digital (LCD) - Resolution: 0.1% - Operating Temperature Range: 0 to 40°C - Functions: Moisture %, bias adjustment (-9.9 to + 9.9%), averaging, Upper limit alarm, Automatic temperature compensation, Auto power off - Power Supply: battery - Power Consumption: approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1) - Made of stainless steel 304 - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking) - Primemover: 2hp electric motor, single phase 220V - with 4 casterwheels 4 in diameter - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit - with pre-holding tank underneath with SS piping and valves - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump - 0.5hp transfer pump (food grade)		-	
- Measurement Range: 3 to 20% minimum  - Measurement Precision: 0.4% (moisture values of 10% or lower)  - Display: Digital (LCD)  - Resolution: 0.1%  - Operating Temperature Range: 0 to 40°C  - Functions: Moisture %, bias adjustment (-9.9 to + 9.9%), averaging, Upper limit alarm, Automatic temperature compensation, Auto power off  - Power Supply: battery  - Power Consumption: approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1)  - Made of stainless steel 304  - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking)  - Primemover: 2hp electric motor, single phase 220V  - with 4 casterwheels 4in diameter  - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)	_		
3 to 20% minimum  - Measurement Precision: 0.4% (moisture values of 10% or lower)  - Display: Digital (LCD)  - Resolution: 0.1%  - Operating Temperature Range: 0 to 40°C  - Functions: Moisture %, bias adjustment (-9.9 to + 9.9%), averaging, Upper limit alarm, Automatic temperature compensation, Auto power off  - Power Supply: battery  - Power Consumption: approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1)  - Made of stainless steel 304  - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking)  - Primemover: 21p electric motor, single phase 220V  - with 4 casterwheels 4in diameter  - with heavy duty drill bit (Stainless Steel 304) 12mm diameter; safety guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5bp transfer pump (food grade)			
- Measurement Precision: 0.4% (moisture values of 10% or lower)  - Display: Digital (LCD)  - Resolution: 0.1%  - Operating Temperature Range: 0 to 40°C  - Functions: Moisture %, bias adjustment (-9.9 to + 9.9%), averaging, Upper limit alarm, Automatic temperature compensation, Auto power off  - Power Supply: battery  - Power Consumption: approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1)  - Made of stainless steel 304  - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking)  - Primemover: 2hp electric motor, single phase 220V  - with 4 casterwheels 4in diameter  - with heavy duty drill bit (Stainless Steel 304) 12mm diameter; safety guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with Spiping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)	-		
(moisture values of 10% or lower)  - Display: Digital (LCD)  - Resolution: 0.1%  - Operating Temperature Range: 0 to 40°C  - Functions: Moisture %, bias adjustment (-9.9 to + 9.9%), averaging. Upper limit alarm, Automatic temperature compensation, Auto power off  - Power Supply: battery  - Power Consumption: approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1)  - Made of stainless steel 304  - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking)  - Primemover: 2hp electric motor, single phase 220V  - with 4 casterwheels 4in diameter  - with heavy duty drill bit (Stainless Steel 304) 12mm diameter; safety guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)			
- Display: Digital (LCD) - Resolution: 0.1% - Operating Temperature Range: 0 to 40°C - Functions: Moisture %, bias adjustment (-9.9 to + 9.9%), averaging, Upper limit alarm, Automatic temperature compensation, Auto power off - Power Supply: battery - Power Consumption: approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1) - Made of stainless steel 304 - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking) - Primemover: 2hp electric motor, single phase 220V - with 4 casterwheels 4in diameter - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit - with pre-holding tank underneath with SS piping and valves - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump - 0.5hp transfer pump (food grade)	-		
- Resolution: 0.1% - Operating Temperature Range: 0 to 40°C - Functions: Moisture %, bias adjustment (-9.9 to + 9.9%), averaging. Upper limit alarm, Automatic temperature compensation, Auto power off - Power Supply: battery - Power Consumption: approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1) - Made of stainless steel 304 - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking) - Primemover: 2hp electric motor, single phase 220V - with 4 casterwheels 4in diameter - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit - with pre-holding tank underneath with SS piping and valves - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump - 0.5hp transfer pump (food grade)		(moisture values of 10% or lower)	
- Resolution: 0.1% - Operating Temperature Range: 0 to 40°C - Functions: Moisture %, bias adjustment (-9.9 to + 9.9%), averaging. Upper limit alarm, Automatic temperature compensation, Auto power off - Power Supply: battery - Power Consumption: approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1) - Made of stainless steel 304 - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking) - Primemover: 2hp electric motor, single phase 220V - with 4 casterwheels 4in diameter - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit - with pre-holding tank underneath with SS piping and valves - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump - 0.5hp transfer pump (food grade)	-	Display: Digital (LCD)	
- Operating Temperature Range: 0 to 40°C  - Functions: Moisture %, bias adjustment (-9.9 to + 9.9%), averaging, Upper limit alarm, Automatic temperature compensation, Auto power off  - Power Supply: battery  - Power Consumption: approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1)  - Made of stainless steel 304  - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking)  - Primemover: 2hp electric motor, single phase 220V  - with 4 casterwheels 4in diameter  - with heavy duty drill bit (Stainless Steel 304) 12mm diameter; safety guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)	_		
- Functions: Moisture %, bias adjustment (-9.9 to + 9.9%), averaging, Upper limit alarm, Automatic temperature compensation, Auto power off - Power Supply: battery - Power Consumption: approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1) - Made of stainless steel 304 - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking) - Primemover: 2hp electric motor, single phase 220V - with 4 casterwheels 4in diameter - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit - with pre-holding tank underneath with SS piping and valves - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump - 0.5hp transfer pump (food grade)	_		
adjustment (-9.9 to + 9.9%), averaging, Upper limit alarm, Automatic temperature compensation, Auto power off  - Power Supply: battery  - Power Consumption: approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1)  - Made of stainless steel 304  - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking)  - Primemover: 2hp electric motor, single phase 220V  - with 4 casterwheels 4in diameter  - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)			
adjustment (-9.9 to + 9.9%), averaging, Upper limit alarm, Automatic temperature compensation, Auto power off  - Power Supply: battery  - Power Consumption: approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1)  - Made of stainless steel 304  - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking)  - Primemover: 2hp electric motor, single phase 220V  - with 4 casterwheels 4in diameter  - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)	_	Functions: Moisture %, bias	
averaging, Upper limit alarm, Automatic temperature compensation, Auto power off  - Power Supply: battery - Power Consumption: approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1) - Made of stainless steel 304 - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking) - Primemover: 2hp electric motor, single phase 220V - with 4 casterwheels 4in diameter - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit - with pre-holding tank underneath with SS piping and valves - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump - 0.5hp transfer pump (food grade)		ŕ	
Automatic temperature compensation, Auto power off  - Power Supply: battery - Power Consumption: approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1) - Made of stainless steel 304 - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking) - Primemover: 2hp electric motor, single phase 220V - with 4 casterwheels 4in diameter - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit - with pre-holding tank underneath with SS piping and valves - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump - 0.5hp transfer pump (food grade)			
compensation, Auto power off  - Power Supply: battery  - Power Consumption: approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1)  - Made of stainless steel 304  - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking)  - Primemover: 2hp electric motor, single phase 220V  - with 4 casterwheels 4in diameter  - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)			
- Power Supply: battery - Power Consumption: approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1) - Made of stainless steel 304 - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking) - Primemover: 2hp electric motor, single phase 220V - with 4 casterwheels 4in diameter - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit - with pre-holding tank underneath with SS piping and valves - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump - 0.5hp transfer pump (food grade)		1	
- Power Consumption: approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1)  - Made of stainless steel 304  - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking)  - Primemover: 2hp electric motor, single phase 220V  - with 4 casterwheels 4in diameter  - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)			
approximately 0.45 W  4) 2 units Coconut Water Extractor (similar to figure 1)  - Made of stainless steel 304  - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking)  - Primemover: 2hp electric motor, single phase 220V  - with 4 casterwheels 4in diameter  - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)			
4) 2 units Coconut Water Extractor (similar to figure 1)  - Made of stainless steel 304  - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking)  - Primemover: 2hp electric motor, single phase 220V  - with 4 casterwheels 4in diameter  - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)	_	-	
figure 1)  - Made of stainless steel 304  - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking)  - Primemover: 2hp electric motor, single phase 220V  - with 4 casterwheels 4in diameter  - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)		approximately 0.45 W	
figure 1)  - Made of stainless steel 304  - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking)  - Primemover: 2hp electric motor, single phase 220V  - with 4 casterwheels 4in diameter  - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)			
- Made of stainless steel 304  - With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking)  - Primemover: 2hp electric motor, single phase 220V  - with 4 casterwheels 4in diameter  - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)	4) 2 uni	ts Coconut Water Extractor (similar to	
- With 4 heavy duty caster wheels, 4 inch diameter (2 swivel with dual locking and 2 swivel without locking)  - Primemover: 2hp electric motor, single phase 220V  - with 4 casterwheels 4in diameter  - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)	figure	e 1)	
inch diameter (2 swivel with dual locking and 2 swivel without locking)  - Primemover: 2hp electric motor, single phase 220V  - with 4 casterwheels 4in diameter  - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)	-	Made of stainless steel 304	
inch diameter (2 swivel with dual locking and 2 swivel without locking)  - Primemover: 2hp electric motor, single phase 220V  - with 4 casterwheels 4in diameter  - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)	-	With 4 heavy duty caster wheels, 4	
locking and 2 swivel without locking)  - Primemover: 2hp electric motor, single phase 220V  - with 4 casterwheels 4in diameter  - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)			
locking)  - Primemover: 2hp electric motor, single phase 220V  - with 4 casterwheels 4in diameter  - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)		· ·	
- Primemover: 2hp electric motor, single phase 220V - with 4 casterwheels 4in diameter - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit - with pre-holding tank underneath with SS piping and valves - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump - 0.5hp transfer pump (food grade)			
single phase 220V  - with 4 casterwheels 4in diameter  - with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)			
<ul> <li>with 4 casterwheels 4in diameter</li> <li>with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit</li> <li>with pre-holding tank underneath with SS piping and valves</li> <li>continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump</li> <li>0.5hp transfer pump (food grade)</li> </ul>	_		
- with heavy duty drill bit (Stainless Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)			
Steel 304) 12mm diameter, safety guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)	_		
guard fixed back to back both sides of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)	-		
of the extractor unit  - with pre-holding tank underneath with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)			
- with pre-holding tank underneath with SS piping and valves - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump - 0.5hp transfer pump (food grade)		guard fixed back to back both sides	
with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)		of the extractor unit	
with SS piping and valves  - continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)	_	with pre-holding tank underneath	
- continuous Stainless steel 304, piping size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)			
size diameter of 3/8in from extractor to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)	_		
to each of the 4 cocowater holding tank using the transfer pump  - 0.5hp transfer pump (food grade)			
tank using the transfer pump  - 0.5hp transfer pump (food grade)			
- 0.5hp transfer pump (food grade)			
5) 1 unit Belt conveyor	_	U.3np transfer pump (food grade)	
5) 1 unit Belt conveyor			
	[5] 1 uni	t Belt conveyor	

Unloading Conveyor:  - Size (LxWxH): 300cm x 60cm x 100cm  - Capacity: 1ton/hr  - Power: 3/4hp  - Frame: made of stainless steel 304  - Belt material: Rubber  - Can be inclined at a certain degree
100cm - Capacity: 1ton/hr - Power: 3/4hp - Frame: made of stainless steel 304 - Belt material: Rubber - Can be inclined at a certain degree
- Capacity: 1ton/hr - Power: 3/4hp - Frame: made of stainless steel 304 - Belt material: Rubber - Can be inclined at a certain degree
- Power: 3/4hp - Frame: made of stainless steel 304 - Belt material: Rubber - Can be inclined at a certain degree
<ul> <li>Frame: made of stainless steel 304</li> <li>Belt material: Rubber</li> <li>Can be inclined at a certain degree</li> </ul>
<ul><li>Belt material: Rubber</li><li>Can be inclined at a certain degree</li></ul>
- Can be inclined at a certain degree
1 Unit Loading Conveyor:
- Size (LxWxH): 340cm x 60cm x
220cm
- Capacity: 1ton/hr
- Power: 3/4hp
- Frame: made of stainless steel 304
- Belt material: Rubber
- Can be inclined at a certain degree
6) 6 units Hauling Cart (similar to figure 2)
- Hauling Capacity: 80nuts minimum
- No. of wheels: 4 heavy duty caster
wheels 4 inch diameter (2 swivel
with dual locking and 2 swivel
without locking)
- Materials: stainless steel frames
- Dimension: 100cm x 70cm x 80cm
Dimension, Toolin x 70cm x 00cm
7) 2 units Bagging Bin (similar to figure 3)
- Capacity: 200kg minimum
- Hopper Length: 100cm
- Hopper Width: 100cm
0/4 TT 11, 170
- O/A Height: 160cm - Height to loading lip of hopper:
60cm
- frame:80cm x 80cm box section
- hopper: 38cm x 38cm
- Material: stainless steel sheet 304
**with 4 heavy duty caster wheels,
8in diameter (2 swivel with dual
locking and 2 swivel without
locking)
Material: Polyurethane
8) 3 units Holding bin (similar to figure 4)
- Holding capacity: 3,400 pre-dried
splitnuts w/ shell minimum
- Material: Stainless steel 304
- load capacity: 1400kg minimum
- with 6 heavy duty casterwheels 8in
diameter (3 swivel with dual locking

and 3 swivel without locking)	
9) 2 units Weighing scale	
- Digital readout	
- 500kg minimum capacity	
- accurate to ± 0.2 grams	
- Power supply: electrical operated	
10) 30 units Heavy duty Plastic Crates	
- dimension (L x W x H): 69 cm x 36	
cm x 38 cm	
- made of HDPE material	
11) 5 units Holding Tank for Cocowater	
- Cylindrical	
- made of Stainless Steel sheet 304	
- Capacity:2000L	
- With compatible stand	
- Tapered bottom w/ outlet	
12) 1 unit Copra cutter/chipper	
- Material: stainless steel 304	
- Capacity: 300 kg copra/hr minimum	
- Weight: 200kg minimum	
- Electric Motor: 4hp	
- Particle size (L x W): 4mm x 4mm,	
maximum	
12) 1 12 0:1 11	
13) 1 unit Oil expeller	
- Output Capacity: 125 L/hr minimum	
<ul><li>Electric motor: 10hp</li><li>chamber: made of stainless steel 304</li></ul>	
or hard steel	
- cake thickness: adjustable	
- cake thickness, adjustable	
14) 6 units Receiving Cylindrical tank	
- 800 L/tank minimum	
- made of stainless steel sheet 304	
- pump: 1hp, 220V, 3phase, 60Hz with	
interconnecting Stainless Steel piping	
and fittings from the receiving tank	
to holding tank	
15) 1 unit Filter press	
- Capacity: 100L/hr minimum	
- Plate size: 16in x 16in	
- Number of plates: 16	


16) 2 units Coconut oil tank  - 1.6m height and 1m diameter - Made of stainless steel 304 material - 1600L minimum - pump: 1hp, 220V, 3phase, 60Hz  17) 1 unit Oil refining machine - capacity: 1000kg per day minimum - Tank diameter:700mm - Size: 4500mm x 1500mm x 2500mm - Total Power : 49.3kW, minimum - Tank : 4 tanks - Voltage : 220V, 60Hz, 3phase  With the following accessories:  17.1 Frame oil filter - Capacity : 200-400kg /hr - Power : 1.5kW - Frame filter : 8pcs - Size : 1000mm x 800mm x 1100mm - Weight : 200kg  17.2 Stream generator *for oil refining machine  17.3 Controller *for oil refining machine  17.4 Pipe  *for tank connecting  17.5 Bleach earth  *25 kg per bag  Must conform with the following oil quality parameters: Odor: Odorless	- Feed pump hp: 1.5hp	
- 1.6m height and 1m diameter - Made of stainless steel 304 material - 1600L minimm - pump: 1hp, 220V, 3phase, 60Hz  17) 1 unit Oil refining machine - capacity: 1000kg per day minimum - Tank diameter:700mm - Size: 4500mm x 1500mm x 2500mm - Total Power : 49.3kW, minimum - Tank : 4 tanks - Voltage : 220V, 60Hz, 3phase  With the following accessories:  17.1 Frame oil filter - Capacity: 200-400kg /hr - Power : 1.5kW - Frame filter : 8pcs - Size : 1000mm x 800mm x 1100mm - Weight : 200kg  17.2 Stream generator *for oil refining machine 17.3 Controller *for oil refining machine 17.4 Pipe  *for tank connecting 17.5 Bleach earth *25 kg per bag  Must conform with the following oil quality parameters:	16) 2 units Coconut oil tonk	
- Made of stainless steel 304 material - 1600L minimum - pump: 1hp, 220V, 3phase, 60Hz  17) 1 unit Oil refining machine - capacity:1000kg per day minimum - Tank diameter:700mm - Size: 4500mm x 1500mm x 2500mm - Total Power : 49.3kW, minimum - Tank : 4 tanks - Voltage : 220V, 60Hz, 3phase  With the following accessories:  17.1 Frame oil filter - Capacity: 200-400kg /hr - Power : 1.5kW - Frame filter : 8pcs - Size : 1000mm x 800mm x 1100mm - Weight : 200kg  17.2 Stream generator *for oil refining machine  17.3 Controller *for oil refining machine  17.4 Pipe  *for tank connecting  17.5 Bleach earth *25 kg per bag  Must conform with the following oil quality parameters:	,	
- 1600L minimum - pump: 1hp, 220V, 3phase, 60Hz  17) I unit Oil refining machine - capacity:1000kg per day minimum - Tank diameter:700mm - Size: 4500mm x 1500mm x 2500mm - Total Power : 49.3kW, minimum - Tank : 4 tanks - Voltage : 220V, 60Hz, 3phase  With the following accessories: 17.1 Frame oil filter - Capacity : 200-400kg /hr - Power : 1.5kW - Frame filter : 8pcs - Size : 1000mm x 800mm x 1100mm - Weight : 200kg 17.2 Stream generator *for oil refining machine 17.3 Controller *for oil refining machine 17.4 Pipe  *for tank connecting 17.5 Bleach earth *25 kg per bag  Must conform with the following oil quality parameters:		
- pump: 1hp, 220V, 3phase, 60Hz  17) 1 unit Oil refining machine - capacity:1000kg per day minimum - Tank diameter:700mm - Size: 4500mm x 1500mm x 2500mm - Total Power : 49.3kW, minimum - Tank : 4 tanks - Voltage : 220V, 60Hz, 3phase  With the following accessories:  17.1 Frame oil filter - Capacity : 200-400kg /hr - Power : 1.5kW - Frame filter : 8pcs - Size : 1000mm x 800mm x 1100mm - Weight : 200kg 17.2 Stream generator *for oil refining machine 17.3 Controller *for oil refining machine 17.4 Pipe *for tank connecting 17.5 Bleach earth *25 kg per bag  Must conform with the following oil quality parameters:		
17) 1 unit Oil refining machine  - capacity:1000kg per day minimum  - Tank diameter:700mm  - Size: 4500mm x 1500mm x 2500mm  - Total Power: 49.3kW, minimum  - Tank: 4 tanks  - Voltage: 220V, 60Hz, 3phase  With the following accessories:  17.1 Frame oil filter  - Capacity: 200-400kg /hr  - Power: 1.5kW  - Frame filter: 8pcs  - Size: 1000mm x 800mm x 1100mm  - Weight: 200kg  17.2 Stream generator  *for oil refining machine  17.3 Controller  *for oil refining machine  17.4 Pipe  *for tank connecting  17.5 Bleach earth  *25 kg per bag  Must conform with the following oil quality parameters:		
- capacity:1000kg per day minimum - Tank diameter:700mm - Size: 4500mm x 1500mm x 2500mm - Total Power : 49.3kW, minimum - Tank : 4 tanks - Voltage : 220V, 60Hz, 3phase  With the following accessories: 17.1 Frame oil filter - Capacity : 200-400kg /hr - Power : 1.5kW - Frame filter : 8pcs - Size : 1000mm x 800mm x 1100mm - Weight : 200kg 17.2 Stream generator *for oil refining machine 17.3 Controller *for oil refining machine 17.4 Pipe  *for tank connecting 17.5 Bleach earth *25 kg per bag  Must conform with the following oil quality parameters:	pumpt mp, 220 t, opinist, com	
- Tank diameter:700mm - Size: 4500mm x 1500mm x 2500mm - Total Power : 49.3kW, minimum - Tank : 4 tanks - Voltage : 220V, 60Hz, 3phase  With the following accessories:  17.1 Frame oil filter - Capacity : 200-400kg /hr - Power : 1.5kW - Frame filter : 8pcs - Size : 1000mm x 800mm x 1100mm - Weight : 200kg  17.2 Stream generator *for oil refining machine 17.3 Controller *for oil refining machine 17.4 Pipe  *for tank connecting 17.5 Bleach earth *25 kg per bag  Must conform with the following oil quality parameters:	17) 1 unit Oil refining machine	
- Size: 4500mm x 1500mm x 2500mm  - Total Power: 49.3kW, minimum  - Tank: 4 tanks  - Voltage: 220V, 60Hz, 3phase  With the following accessories:  17.1 Frame oil filter  - Capacity: 200-400kg /hr  - Power: 1.5kW  - Frame filter: 8pcs  - Size: 1000mm x 800mm x 1100mm  - Weight: 200kg  17.2 Stream generator  *for oil refining machine  17.3 Controller  *for oil refining machine  17.4 Pipe  *for tank connecting  17.5 Bleach earth  *25 kg per bag  Must conform with the following oil quality parameters:	- capacity:1000kg per day minimum	
- Total Power: 49.3kW, minimum - Tank: 4 tanks - Voltage: 220V, 60Hz, 3phase  With the following accessories:  17.1 Frame oil filter - Capacity: 200-400kg /hr - Power: 1.5kW - Frame filter: 8pcs - Size: 1000mm x 800mm x 1100mm - Weight: 200kg  17.2 Stream generator *for oil refining machine 17.3 Controller *for oil refining machine 17.4 Pipe *for tank connecting 17.5 Bleach earth *25 kg per bag  Must conform with the following oil quality parameters:		
- Tank: 4 tanks - Voltage: 220V, 60Hz, 3phase  With the following accessories:  17.1 Frame oil filter - Capacity: 200-400kg /hr - Power: 1.5kW - Frame filter: 8pcs - Size: 1000mm x 800mm x 1100mm - Weight: 200kg  17.2 Stream generator *for oil refining machine 17.3 Controller *for oil refining machine 17.4 Pipe  *for tank connecting 17.5 Bleach earth *25 kg per bag  Must conform with the following oil quality parameters:		
- Voltage: 220V, 60Hz, 3phase  With the following accessories:  17.1 Frame oil filter  - Capacity: 200-400kg /hr  - Power: 1.5kW  - Frame filter: 8pcs  - Size: 1000mm x 800mm x 1100mm  - Weight: 200kg  17.2 Stream generator  *for oil refining machine  17.3 Controller  *for oil refining machine  17.4 Pipe  *for tank connecting  17.5 Bleach earth  *25 kg per bag  Must conform with the following oil quality parameters:	- Total Power: 49.3kW, minimum	
With the following accessories:  17.1 Frame oil filter  - Capacity: 200-400kg /hr  - Power: 1.5kW  - Frame filter: 8pcs  - Size: 1000mm x 800mm x 1100mm  - Weight: 200kg  17.2 Stream generator  *for oil refining machine  17.3 Controller  *for oil refining machine  17.4 Pipe  *for tank connecting  17.5 Bleach earth  *25 kg per bag  Must conform with the following oil quality parameters:	- Tank: 4 tanks	
17.1 Frame oil filter  - Capacity: 200-400kg /hr  - Power: 1.5kW  - Frame filter: 8pcs  - Size: 1000mm x 800mm x 1100mm  - Weight: 200kg  17.2 Stream generator  *for oil refining machine  17.3 Controller  *for oil refining machine  17.4 Pipe  *for tank connecting  17.5 Bleach earth  *25 kg per bag  Must conform with the following oil quality parameters:	- Voltage: 220V, 60Hz, 3phase	
17.1 Frame oil filter  - Capacity: 200-400kg /hr  - Power: 1.5kW  - Frame filter: 8pcs  - Size: 1000mm x 800mm x 1100mm  - Weight: 200kg  17.2 Stream generator  *for oil refining machine  17.3 Controller  *for oil refining machine  17.4 Pipe  *for tank connecting  17.5 Bleach earth  *25 kg per bag  Must conform with the following oil quality parameters:		
- Capacity: 200-400kg /hr - Power: 1.5kW - Frame filter: 8pcs - Size: 1000mm x 800mm x 1100mm - Weight: 200kg 17.2 Stream generator		
- Power: 1.5kW - Frame filter: 8pcs - Size: 1000mm x 800mm x 1100mm - Weight: 200kg 17.2 Stream generator     *for oil refining machine 17.3 Controller     *for oil refining machine 17.4 Pipe     *for tank connecting 17.5 Bleach earth     *25 kg per bag  Must conform with the following oil quality parameters:		
- Frame filter: 8pcs - Size: 1000mm x 800mm x 1100mm - Weight: 200kg 17.2 Stream generator		
- Size: 1000mm x 800mm x 1100mm  - Weight: 200kg 17.2 Stream generator  *for oil refining machine 17.3 Controller  *for oil refining machine 17.4 Pipe  *for tank connecting 17.5 Bleach earth  *25 kg per bag  Must conform with the following oil quality parameters:		
1100mm  - Weight: 200kg  17.2 Stream generator  *for oil refining machine  17.3 Controller  *for oil refining machine  17.4 Pipe  *for tank connecting  17.5 Bleach earth  *25 kg per bag  Must conform with the following oil quality parameters:	- Frame filter: 8pcs	
- Weight: 200kg  17.2 Stream generator  *for oil refining machine  17.3 Controller  *for oil refining machine  17.4 Pipe  *for tank connecting  17.5 Bleach earth  *25 kg per bag  Must conform with the following oil quality parameters:	- Size: 1000mm x 800mm x	
17.2 Stream generator  *for oil refining machine  17.3 Controller  *for oil refining machine  17.4 Pipe  *for tank connecting  17.5 Bleach earth  *25 kg per bag  Must conform with the following oil quality parameters:	1100mm	
*for oil refining machine  17.3 Controller  *for oil refining machine  17.4 Pipe  *for tank connecting  17.5 Bleach earth  *25 kg per bag  Must conform with the following oil quality parameters:		
17.3 Controller  *for oil refining machine  17.4 Pipe  *for tank connecting  17.5 Bleach earth  *25 kg per bag  Must conform with the following oil quality parameters:		
*for oil refining machine  17.4 Pipe  *for tank connecting  17.5 Bleach earth  *25 kg per bag  Must conform with the following oil quality parameters:		
17.4 Pipe  *for tank connecting  17.5 Bleach earth  *25 kg per bag  Must conform with the following oil quality parameters:		
*for tank connecting 17.5 Bleach earth  *25 kg per bag  Must conform with the following oil quality parameters:		
17.5 Bleach earth  *25 kg per bag  Must conform with the following oil quality parameters:	*	
*25 kg per bag  Must conform with the following oil quality parameters:		
Must conform with the following oil quality parameters:		
parameters:	23 kg per oug	
parameters:	Must conform with the following oil quality	
Odor: Odorless		
	Odor: Odorless	
Color: Light Yellow	Č	
Moisture: ≤ 0.1%		
FFA as Lauric: ≤ 0.1%	FFA as Lauric: ≤ 0.1%	
Any alternative cooking all systmetries	Any alternative applies all automatics	
- Any alternative cooking oil extraction system with similar capacity and product		
quality		
quanty	quanty	
18) 1 unit Automatic Liquid Filling Machine	18) 1 unit Automatic Liquid Filling Machine	
- Filling Nozzles: 4		
- Filling range: 100 to 1000ml		


V-14 220V//COTT	
- Voltage: 220V/60Hz	
- Filling Speed: 480-1200 btl/hr	
- Material: Stainless Steel 304	
- Filling Precision: ±1%	
- with 2m length conveyor	
19) 3 sets Transformer	
- Transformer, Pole type, 50KVA,	
Single Phase, Cu-Cu Winding	
Other requirements:	
* 5000 Mature Coconut samples(10-12	
months old from inflorescence), labor, and	
other materials for test and commissioning to	
be provided by the winning bidder	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
*With 1 set of manufacturer's standard tools	
and accessories: made of tempered steel and	
chrome vanadium, namely:	
- Adjustable wrench, 300 mm minimum	
- One (1) set combination wrench (open	
and box, 10 pc - size appropriate to the	
equipment for White Copra-Cooking Oil	
processing	
- Screwdriver: Philips and slot head, 300	
mm, minimum	
- Pipe wrench, 30cm min	
- Heavy duty metal toolbox and roll-up	
tools holder	
* Size that could accommodate the	
required tools	
required tools	
*For imported againment uggs's manual in	
*For imported equipment, user's manual in	
English to be submitted during delivery	
*Equipment labels in English	
Duranial on of office and a second	
Provision of after sales services:	
- One (1) year warranty for services and	
parts due to manufacturing defects upon	
acceptance	
- Certification of having at least two (2)	
technicians/personnel trained by the bidder	
on the operation, repair and maintenance of	
the copra dryer and cooking oil equipment	
(all engine and motor powered)	
- Provision of training on the proper	
handling, operation and maintenance of the	
unit for at least two (2) operators per	
beneficiary	


- Certification of guaranteed spare parts	
availability for at least five (5) years for	
engine/motor powered components	
I hereby certify that the Statement of Compliance to and correct, otherwise, if found false either during the shall give rise to automatic disqualification of our bid	ne bid evaluation or post-qualification, the same
	Signature over Printed Name of Bidder
Signed and Sealed* by: Signature over Printed Name of Agricultural Engineer or Agricultural and Biosystems Engineer	Position / Designation
	(Name, Address & Tel. No. of Company)


	Statement of Compliance*
SPECIFICATION (LOT 11)	Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a)(ii) and/or
Supply of Labor and Materials for the Design,	GCC Clause 2.1(a)(ii).
Fabrication, Delivery, Installation, Testing and	
Commissioning of Equipment and Machineries On-Site of Geo Net Processing Facility in	
Roseller T. Lim , Zamboanga Sibugay comprise	
of the following:	
1) 1 unit Coir Yarn Spinning Machine	
- Final Product: 2 Ply Rope	
<ul><li>Capacity: 8kg/hr, minimum</li><li>Power: 1.5 hp minimum, 220 V, 3 phase</li></ul>	
- Type of feeding: Manual	
- Material: All frames are made up of metals	
2) 1 unit Geo Textile Coir Loom	
- Power: 5 hp electric motor, 220 V, 3 phase	
- Capacity: 30 m/hr, minimum	
- Width of Loom: 1 m minimum (Adjustable width)	
- Material: All frames are made up of metals	
•	
Other requirements:	

*With 1 set of manufacturer's standard tools and	
accessories: made of tempered steel and chrome vanadium, namely:	
- Adjustable wrench, 300 mm minimum	
- One (1) set combination wrench (open and	
box, 10 pc - size appropriate to the	
equipment for Geo Net Processing)	
- Screwdriver: Philips and slot head 300 mm,	
minimum	
- Pipe wrench, 30cm min	
- Heavy duty metal toolbox and roll-up tools	
holder	
* Size that could accommodate the	
required tools	
*For imported equipment, user's manual in English	
to be submitted during delivery	
*Equipment labels in English	
Duradician of effect of the second	
Provision of after sales services:	
- One (1) year warranty for services and parts due to manufacturing defects upon	
acceptance	
- Certification of having at least two (2)	
technicians/personnel trained by the bidder	
on the operation, repair and maintenance of	
the Geo Net equipment	
- Provision of training on the proper handling,	
operation and maintenance of the unit for at	
least two (2) operators per beneficiary	
- Certification of guaranteed spare parts	
availability for at least five (5) years for	
engine/motor powered components	
I hereby certify that the Statement of Compliance to are true and correct, otherwise, if found false eit qualification, the same shall give rise to automatic di	her during the bid evaluation or post-
	Signature over Printed Name of Bidder
Signed and Sealed* by: Signature over Printed Name of Agricultural Engineer or Agricultural and Biosystems Engineer	Position / Designation
	(Name, Address & Tel. No. of Company)
*as per prescribed dry seal by PRC-PRBABE Resolu	ation No. 04 Series of 2018
"Read and accepted as part of the contract" 62	
1 1 02	BIDDER'S SIGNATURE













Figure 5: Filtration Tank with Pump











Figure 6: Fermentation Tank With Pump



































# Section VIII. Checklist of Technical and Financial Documents

# **Checklist of Technical and Financial Documents**

### I. TECHNICAL COMPONENT ENVELOPE

#### Class "A" Documents

		Class A Documents							
Leg	gal Do	<u>cuments</u>							
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages)							
		in accordance with Section 8.5.2 of the IRR;							
Tec	chnica	l Documents							
	(b)	Statement of the prospective bidder of all its ongoing government and							
	. /								
	in accordance with Section 8.5.2 of the IRR;    Sechnical Documents								
	(c)								
_	(-)								
		, I							
		,							
	(d)								
	(u)								
		•							
	(e)	<u> </u>							
	(0)	· · · · · · · · · · · · · · · · · · ·							
		1 1							
	(f)								
	` '	<u> </u>							
	_								
	(11)	• • • •							
		· · · · · · · · · · · · · · · · · · ·							
Fin	ancial	Documents							
П									
_	(-)								
		• • •							
	(i)								
	<b>U</b> )								
		•							
		•							
<i>.</i>	,								
<u>Oth</u>									
Ш	(k)	[For foreign bidders claiming by reason of their country's extension of							
		reciprocal rights to Filipinos] Certification from the relevant government							
		office of their country stating that Filipinos are allowed to participate in							

	(1)	government procurement activities for the same item or product. Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.
II. FIN	NANC	CIAL COMPONENT ENVELOPE
	(a)	Original of duly signed and accomplished Financial Bid Form; <b>and</b> Original of duly signed and accomplished Price Schedule(s).

# Bid Form for the Procurement of Goods [shall be submitted with the Bid]

	Did Farm (La4 Na )
	Bid Form (Lot No.)
	Date :
	Project Identification No.:
To: [name an	d address of Procuring Entity]
Supplemental acknowledged <i>Goods</i> ] in configures] or the and other bid made part of limited to: [sp	g examined the Philippine Bidding Documents (PBDs) including the or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly l, we, the undersigned, offer to [supply/deliver/perform] [description of the afformity with the said PBDs for the sum of [total Bid amount in words and e total calculated bid price, as evaluated and corrected for computational errors, modifications in accordance with the Price Schedules attached herewith and this Bid. The total bid price includes the cost of all taxes, such as, but not necify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) and (iv) other fiscal levies and duties], which are itemized herein or in the Price
If our l	Bid is accepted, we undertake:
a.	to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
b.	to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
c.	to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.
Comm	this paragraph if Foreign-Assisted Project with the Development Partner: issions or gratuities, if any, paid or to be paid by us to agents relating to this ntract execution if we are awarded the contract, are listed below:
	dress Amount and Purpose of ncyCommission or gratuity

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

(if none, state "None") ]

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

'Read and accepted as part of the contract'	84	DIDDED: CICNATUDE

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:
Legal capacity:
Signature:
Duly authorized to sign the Bid for and behalf of:
Date:

## **Price Schedule for Goods Offered from Abroad**

[shall be submitted with the Bid if bidder is offering goods from Abroad]

For Goods Offered from Abroad											
Name	of Bidder				Project	ID No	Page	of			
1	2	3	4	5	6 7		8	9			
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)			
Name:											
				or and behalf o							

# Price Schedule for Goods Offered from Within the Philippines [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

## For Goods Offered from Within the Philippines

Name of Bi	dder			Proje	_ Page _	of				
1 2	3	4	5	6	7	8	9	10		
Item Description	on Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit  (col 5+6+7+8 )	Total Price delivered Final Destination (col 9) x (col 4)		
Name:										

#### **Contract Agreement Form**

THIS	S AGREEMENT made the	_ day of	20	between [name of
<b>PROCURIN</b>	G ENTITY] of the Philippines	(hereinafter called	d "the Entity	y") of the one part
and [name o	f Supplier] of [city and country	of Supplier] (herei	nafter called	l "the Supplier") of
the other par	rt;			

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures in specified currency] (hereinafter called "the Contract Price").

#### NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, *viz.*:
  - i. Philippine Bidding Documents (PBDs);
    - i. Schedule of Requirements;
    - ii. Technical Specifications;
    - iii. General and Special Conditions of Contract; and
    - iv. Supplemental or Bid Bulletins, if any
  - ii. Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (*e.g.*, Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- iii. Performance Security;
- iv. Notice of Award of Contract; and the Bidder's conforme thereto; and
- v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.

"Read and accepted as part of the contract"	88	DIDDED G GVOVA TVIDE
		DIDDED'C CICNATUDE

- 3. In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.
- 4. The [Name of the procuring entity] agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

[Insert Name and Signature] [Insert Name and Signature]

[Insert Signatory's Legal Capacity] [Insert Signatory's Legal Capacity]

for: for:

[Insert Procuring Entity] [Insert Name of Supplier]

#### **Acknowledgment**

[Format shall be based on the latest Rules on Notarial Practice]

#### SUPPLY OF LABOR AND MATERIALS FOR THE DESIGN, FABRICATION, DELIVERY, AND ON-SITE INSTALLATION, TESTING AND COMMISSIONING OF EQUIPMENT AND MACHINERIES FOR VARIOUS COCONUT PROCESSING CENTERS

(PHilMech-CTF-24-02-05)

Lot no/s. being bid:	Name and Signature of Authorized Representative:

#### **Omnibus Sworn Statement**

REPUBLIC OF THE PHILIPPINES	)	
CITY/MUNICIPALITY OF	)	S.S

#### **AFFIDAVIT**

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
- 1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units,

foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, <u>by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;</u>

- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project]; and
  - e. Monitoring of electronic service of related notices at *[insert bidder's email address]*. Bidder hereby acknowledges that service of notice to the email address indicated above shall be tantamount to actual service of such notice and shall be deemed received by the bidder on the date of service or email.

- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN	WITNESS	WHEREOF,	I have	hereunto	set	my	hand	this	 day	of	,	20	at
	······································	Philippines.											

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

#### [Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

# BID SECURING DECLARATION FORM

	C OF THE PHILII		
X		X	
	LABOR AND MATE LLATION, TESTING	O SECURING DECLARATION RIALS FOR THE DESIGN, FABRICATION, DELIVERY, AND ON- G AND COMMISSIONING OF EQUIPMENT AND MACHINERIES IOUS COCONUT PROCESSING CENTERS (PHilMech-CTF-24-02-05)	
L	ot no/s. being bid:	Name and Signature of Authorized Representative:	
To: [Insert r	name and address o	f the Procuring Entity]	
_	ndersigned, declare	Ç	
1.		that, according to your conditions, bids must be supported by which may be in the form of a Bid-Securing Declaration.	
2.	I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.		
3.	I/We understand the following circ	that this Bid Securing Declaration shall cease to be valid or sumstances:	
	• •	piration of the bid validity period, or any extension thereof to your request;	

 $<sup>^2</sup>$  Select one and delete the other. Adopt the same instruction for similar terms throughout the document.

(b)	I am/we are declared ineligible or post-disqualified upon receipt of
	your notice to such effect, and (i) I/we failed to timely file a request for
	reconsideration or (ii) I/we filed a waiver to avail of said right;

(c) I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER'S AUTHORIZED REPRESENTATIVE] [Insert Signatory's Legal Capacity] Affiant

of execution], Philippines. Affiant/s is/are per by me through competent evidence of ident Practice (A.M. No. 02-8-13-SC). Affiant/s exh	
	NAME OF NOTARY PUBLIC
	erial No. of Commission
	Notary Public for until
	coll of Attorneys No
	TR No [date issued], [place issued]
11	BP No [date issued], [place issued]
Doc. No Page No Book No Series of	

### SUPPLY OF LABOR AND MATERIALS FOR THE DESIGN, FABRICATION, DELIVERY, AND ON-SITE INSTALLATION, TESTING AND COMMISSIONING OF EQUIPMENT AND MACHINERIES FOR VARIOUS COCONUT PROCESSING CENTERS

(PHilMech-CTF-24-02-05)

	Lot no/s. being bid:			Name and Signature of Authorized Representative:					
					ontracts, include t yet inspected				
Name of Client	Name of the Contract	Date and status of the Contract	Kinds of Goods	Amount of Contract	Value of Outstanding Contracts	Date of Delivery	Purchase Order Number/s or Date of Contract/s		
				CORRECT:	resentative	_			

Position

Date

# SUPPLY OF LABOR AND MATERIALS FOR THE DESIGN, FABRICATION, DELIVERY, AND ON-SITE INSTALLATION, TESTING AND COMMISSIONING OF EQUIPMENT AND MACHINERIES FOR VARIOUS COCONUT PROCESSING CENTERS

(PHilMech-CTF-24-02-05)

Lot no/s. being bid:			Nar	Name and Signature of Authorized Representative:			
			-				
Statemen				tract of Simila mission and R		thin the Last Ten ls	
Name of Client	Name of the Contract	Date of the Contract	Kinds of Goods	Amount of Contract	Date of Delivery	Official Receipt No. & Date, End User's Acceptance Date OR Collection Receipt	
		C	ERTIFIED	CORRECT:			
		Name & Sig	nature of Au	thorized Repre	esentative		
			Posit	tion			

Date

# SUPPLY OF LABOR AND MATERIALS FOR THE DESIGN, FABRICATION, DELIVERY, AND ON-SITE INSTALLATION, TESTING AND COMMISSIONING OF EQUIPMENT AND MACHINERIES FOR VARIOUS COCONUT PROCESSING CENTERS

(PHilMech-CTF-24-02-05)

Lot no/s. being bid:				Name and Signature of Authorized Representative:			
Total A	Total ABC (₱) of all the Lots being Bid:				PhP		
	CE				NANCIAL CONTRACT at how you arrived at th		
						(NFCC) is <b>Philippine Peso</b>	
		as follo		east	equal to the ceiling price	we are bidding. The amount	
CA Less:	=	Curren	t Assets			<b>₽</b> -	
CL	=	Curren	t Liabilities		Sub Total 1	₱ X 15	
Less:					Sub Total 2	<b>₱</b>	
C	=	project contrac	s under on-going	g con	ncompleted portions of the tracts, including awarded binciding with the contract	₱	
					NFCC	₱	
	Issue	d this	day of		, 2024.		
		-	Name & Sign	natui	re of Authorized Represer	ntative	
					Position		
					Date		

#### **Notes:**


- 1. The values of the bidder's current assets and current liabilities shall be based on the latest Audited Financial Statements submitted to the BIR.
- 2. The value of the outstanding or uncompleted contracts refers to those listed in the Statement of All Ongoing Government and Private Contracts, Including contracts awarded but not yet started.
- 3. The detailed computation must be shown using the required formula provided above.
- 4. The NFCC must be at least be equal to the ABC of the Project

#### (Name of Bank)

### **COMMITTED LINE OF CREDIT**

Date:	
PHILIPPINE CENTER FOR POSTH	ARVEST DEVELOPMENT AND MECHANIZATION
CLSU Compound, Science City of Muño	
Nueva Ecija	
CONTRACT/PROJECT	:
LOT NO.	:
COMPANY/FIRM	:
ADDRESS	:
BANK/FINANCING INSTITUTION	:
ADDRESS	:
AMOUNT	·
	Bank/Financing Institution with business address indicated above, has acturer/Contractor), a credit line in the amount specified above which of the above-mentioned contract.
	from <u>(date of bid submission)</u> and such line of credit shall be of Acceptance of the goods/services subject of the Contract/project by
connection with the bidding requiren	ed in favor of said (Supplier/ Distributor /Manufacturer/ Contractor) in ment of the Philippine Center for Postharvest Development and re-mentioned Contract/Project. We are aware that any false statement ry.
This committed line of credit ca Philippine Center for Postharvest Develop	annot be terminated or cancelled without the prior written approval of pment and Mechanization (PHilMech).
Name and Signature of Authorized Finan	cing Institution Office
Official Designation	
Concurred by:	
Name & Signature of (Supplier/Distribute	or/Manufacture/Contractor) Authorized Representative
Official Designation	
SUBSCRIBED AND SWORN TO REF	ORE ME this day of at,
	Ther competent Evidence of Identity (as defined by the 2004 Rules on
	at, Philippines.
	••
NOTARY PUBLIC	
Doc. No. :	
Page No. :	
Book No. :	
Series of :	

#### PREPARATION OF BID ENVELOPE



All envelopes shall be marked in accordance with Section 15 of the Instruction to Bidders (ITB) of this Bidding Documents.

